







Meeting
the challenges
of tomorrow today

This basic idea and a blue metal case were the start of the Sortimo system more than 45 years ago.

From the very beginning, the company founder, Herbert Dischinger, drove forward the innovative idea of an organisational system. The Sortimo product portfolio was further developed around the insetboxes and the metal case and quickly made Sortimo the world leading provider of van racking and load securing systems.

Well thought-out ergonomics, the best possible safety, outstanding quality and a long service life are properties that have characterised our products in tough day-to-day work for years.

These days, Sortimo is no longer just a manufacturer of van racking systems, but also offers a full-service concept with the *my*Sortimo platform. This offers far more than just individual and turnkey mobility solutions for light commercial vehicles, and adds value to the Sortimo product range, making procurement as simple as possible.



#work your way!

*my*Sortimo.com provides 24-hour availability of all Sortimo products and other services. You can equip your commercial vehicle with van racking systems online, create decals and generate a complete mobile organisational system in the form of adhesive labels and custom foam inserts. And all with full price transparency.

If you require any support, the Sortimo Customer Service Centre can help, as can our Sortimo branches and local stations.

See for yourself at mySortimo.com!

mySortimo account

Your advantages

Benefit from setting up your own account showing content individually tailored to you, which you can use to make your day-to-day work even more efficient.

- > Useful tips for your light commercial vehicle
- > Online vehicle management
- > Save individual vehicle configurations
- > Order directly with installation service and preferred appointment options
- > Best price online

Increase your productivity during your working day with the support of mySortimo.



Cost control and time savings

Save yourself long procurement channels through various service providers by taking advantage of our comprehensive offer and getting exactly what you need 24 hours a day, thanks to our full-service concept.

The *my*Sortimo platform lets you retain full cost control of your van racking and decal configurations as you can see the price at any point in the configuration, which allows you to plan your expenditure fully in line with your budget.



Quality

We supply our customers worldwide from our only production facility in Zusmarshausen in Bavaria. In spite of our global market focus, we are proud of our home town of Zusmarshausen as it offers us a number of key benefits: Our production workflows are lean and our technical staff are highly qualified. Thanks to the short processes involved, we can continuously optimise our products and guarantee a consistent flow of information.

Our expertise ensures that the innovations and system solutions created here cannot be copied – let alone with that "Made in Germany" quality.

Sortimo product lines also carry the TÜV seal for tested quality and have successfully undergone crash testing.

Tailored solutions

Our diverse portfolio offers industry-specific and tailored solutions to provide even more efficiency in your day-to-day work.

Whether van racking systems, vehicle decals or organisers from our range of accessories – with Sortimo products and services you can structure your vehicle to meet your specific requirements and use it in the best possible way.



Van racking system		
SR5	from page	1
Globelyst 4	from page	3
FlexRack 2.0	from page	5
FR5	from page	5
Jumbo-Unit	from page	6
Sortimo Xpress	from page	8
Floor and wall claddings		••••
Installation and load securing floors	from page	9:
Wall and roof claddings	from page	11
Load securing	• • • • • • • • • • • • • • • • • • • •	••••
Lashing rails	from page	13
Restraint poles	from page	13
Accessories	from page	13
Lashing belts and load securing nets		14
Accessories		••••
Vehicle accessories	from page	14:
Perforated side panel accessories	from page	16
Electrical accessories	from page	16
Safety and first aid	from page	
Cases and BOXXes		
SR-BOXX	from page	10
Insetboxes	from page	18
	from page	18
Metal cases T-BOXX G	from page	19
	from page	20 21
L-BOXXen range	from page	
Mobile working		
sContainer	from page	25
WorkMo	from page	26
ProClick	from page	28
Roof racks		••••
TopSystem	from page	28
Ladder lifts	from page	
Rear door ladder	from page	
my Sortimo services		
my Sortimo graphics	from page	31
my Sortimo inlay	from page	
my Sortimo labels	from page	32
Contact	from page	33
	-	

SR5 – The organisational system for maximum productivity



Compatible with proven and established systems – the Sortimo EcoSystem

Every handle has to fit. Everything fits together. This requires integration beyond the limits of the system.

The symbol of this is the L-BOXX, which is fully compatible with the entire Sortimo product range, and also with SR5 of course. In addition, manufacturers and retailers in virtually all sectors use the L-BOXX as packaging for tools and consumables. The Sortimo plastic slides fix the L-BOXX in place securely, problem-free and safely. Existing ranges and machines in the L-BOXX can thus be integrated into the vehicle using plug-and-play.

Other manufacturers provide full compatibility with SR5 with their cases, too. For example, the Hilti case can be integrated in the SR5 van racking system using the plastic slides. For this cooperation, we have taken out patents because the benefits for our customers are clear and paramount.

The working processes associated with light commercial vehicles naturally include professional load-securing. At Sortimo this is called "ProSafe". It is the only load securing system that systematically works using the original lashing points of light commercial vehicles, on individual floor lashing points or wall rails, and also integrated in the van racking or roof racking system. So it's no wonder the SR5 also remains fully compatible with ProSafe.

Take advantage of this too – SR5 adapts to your environment and systems, and also ensures consistency in your work processes.





SR5 – The most important components at a glance



Long components tray

The long components tray can be used for the safe storage of long objects, such as pipes, cable ducts, yardsticks, aiming stakes and much more. Opening the rear section allows the contents to be simply removed at the rear.

SR-BOXX

SR-BOXXes are ideal for stowing small components or tools. The BOXXes can be integrated on, and under, the shelves in the van racking using the plastic slides. An optional cover protects them from dust and dirt in the vehicle and on the building site.

SR drawer

Representing an innovative alternative to a drawer, the SR drawer offers the tried-and-tested Sortimo SR drawer function, but can be removed completely at any time. Dividers and insetboxes provide a wide range of organisational options.

Case fixation

Provides a secure hold for any tool box and can be positioned with one hand.

Mobile sorting

Our cases and BOXXes are the ideal solution for everything that needs to be taken from your vehicle to the building site and back to the workshop tidily and securely. Tools in other manufacturers' L-BOXXes, including Bosch or the Hilti case (size 20), can be safely stowed using the Sortimo plastic slide.


Base flap/base plinth

The base flap and base plinth allow large or odd-shaped items to be stowed away safely. With its folding front, the base flap additionally offers the advantage of convenient access to the contents.

The base flaps and base plinths can be fitted in different depth positions, depending on whether you need more storage space or more clearance in the center aisle.

ProSafe

The only integrated load securing system for light commercial vehicles with lashing points and rails in the floor and on the wall, roof rack system and compatibility with the vehicle's original lashing points, is naturally also integrated in SR5.



SoboPro

The installation and load securing floor, with its integrated

securing. At the same time, the most common SR5 configu-

rations can be installed by plug-and-play.

ProSafe floor lashing points, offers various opportunities for load

mySortimo labels

Organising your loading space is perfected using labelling with Sortimo colour code. A key aspect for efficient working.

Shelves

The shelf is available in various different versions: Front open for BOXXes with a low or high edge (H2 = 34 mm, H4 = 68 mm) or optionally with a flap. All shelves can be fitted with SR-BOXXes. The positioning of the shelves can be varied to the back or front. In this way, the SR5 shelf can be matched to the contour of the vehicle leaving room between the shelves for the load and freedom of movement.

Use of the roof area, otherwise hardly used, is maximised.

Universal cabinet

The universal cabinet offers lots of storage space for all kinds of objects. The large door provides an unlimited view and easy access to the contents thanks to its wide opening angle. A lever lock is used to lock the door. Optional shelves create additional intermediate levels inside the cabinet.

Drawers

The full extension of the drawers provides the best overview and quick access to tools, screws and spare parts. Extremely sturdy, thanks to the anodised aluminium front, like all SR5 elements.

Side profile

The basis of each SR5 shelf offers maximum payload and load space on the floor of the vehicle on account of its sturdy compact construction, providing for a quick overview and improved access to the shelves. Varied accessories for all kinds of sectors and requirements are hooked into the ProSafe perforations at the desired height without requiring any tools.

Side profile accessories

SR5 accessories offer practical solutions for every industry and the most diverse requirements. The screwing position can be varied so that it is at the desired height.

MultiSlide

The MultiSlide, with its full extension, is the perfect solution if you want to access the contents of BOXXes and cases without having to take them out of the van racking. The tray offers space for all T-, L-, LS-, and LT-BOXXes, as well as the metal cases. Cases that do not belong to this system can also be stowed away here. Spacer clips designed for flexible positioning prevent cases from slipping about.

Floors and wall claddings from Page Page 93

ProClick accessories from Page 36

SR5 – Simply configure online






The new *my*Sortimo configuration van racking configurator lets you create your own SR5 configurations in just a few steps. Either to simply gett to know the possibilities with SR5 in interactive 3D, or even to order it directly via the *my*Sortimo platform, you can give the configurator a try yourself:

mySortimo.de/configurator

After selecting the vehicle, the configurator offers two options to get started: individually from scratch or with a suggestion based on your entries and requirements.



The actual configuration is done in 4 simple steps during which you customise the van racking system and select your preferred options.





Take advantage of the comprehensive benefits of our *my*Sortimo platform:

- Price transparency you retain a full overview of the current costs, including installation, at all times during configuration.
- Storage and permanent access to the configuration and immediate ordering is possible.
- · Appropriate additional offers, tailored


- to your requirements, and everything from a single supplier without the need to consult third parties.
- Comprehensive and interactive explanations of our products during configuration.

Maximised loading space - Space exactly where you need it _____






The loading space of the vehicle is ideally used with the SR5 concept. The compact side profiles require considerably less space than the frame construction of conventional van racking systems. In addition, ProClick is copatible with the side profiles so that tool bags or SR5 accessories can be hooked into the ProSafe perforations without using tools. Variation in the component depths and installation position means that the van racking system ideally adapts to the contour of the vehicle.



Installation of the components offset to the middle of the vehicle means that the SR5 shelving ideally adapts to the contour of the vehicle. The entire depth of the shelf is retained and the roof area in the vehicle is utilised to best advantage.



The reduction in component height at the top means that the components are still aligned in the direction of the middle of the vehicle. The advantage of this version is that the van racking system can still be used as a location for panel materials among other things. ProSafe lashing rails provide support surfaces and lashing options.



The slim structure means that valuable space remains fully available on the floor of the vehicle – for example for the transport of a Euro pallet.

Maximised loading space

Maximised loading space – More content with reduced space requirement




The functionality of the suspended SR-BOXXes is unique in van racking systems. The number of BOXXes per shelf can thus be doubled in this way and even open shelves with edge can be loaded with SR-BOXXes. The space available on the shelf is maximised!

The plastic slides on the top and bottom of the shelves allow the BOXXes to be simply pulled out for easy access to the contents, or for complete removal of the BOXXes by lifting them slightly.



















The lightweight drawer for the SR5

SR drawer

- · convenient access thanks to pull-out function
- · flexible subdivision using dividers or insetboxes
- easy removal of the entire SR drawer
- optimum workplace organisation using *my*Sortimo labels
- Protect and organize tools with mySortimo inlay Foam inserts.
 Online configuration at mySortimo.com/inlay



The SR drawer is an inexpensive alternative to the standard drawer. Plastic slides form the interface to the SR5 van racking system and, by pulling out, enable convenient access to the contents. The SR drawer can be completely removed from the van racking system by lifting it up.

The interior can be subdivided using dividers, but is also ideal for use with insetboxes.

Product	Technical details	Description	Article no.
SR drawer 34-8	WxDxH: 693 x 356 x 136 mm Weight: 3.66 kg	For SR5 van racking of width 3. Plastic slides and mounting material included in delivery.	1000012242
SR drawer 44-8	WxDxH: 940 x 356 x 136 mm Weight: 4.89 kg	For SR5 van racking of width 4. Plastic slides and mounting material included in delivery.	1000012243

Dividers for SR drawer

The width of the SR drawer can be divided up into individual areas using dividers. The positions of the dividers can be varied according to the space requirements.

Product	Technical details	Description	Article no.
Divider set SR5 04-8	WxDxH: 288 x 114 x 1 mm Weight: 0.13 kg	Consisting of 1 x divider incl. divider holder.	1000013280

Insetboxes


Insetboxes permit small components to be transported within the SR drawer securely and tidily. Integrated divider guides, in conjunction with the dividers included in the set, provide additional subdivision options, making them even more flexible and efficient

Product description	Article no.
Insetbox set 6 pcs. H95 SR5 WxDxH: 418 x 286 x 95 mm Weight: 1.08 kg 6-12 subdivision options for height 95 (2 x IB 1.5x4, 2 x IB 2x2, 2 x IB 2x6, 2 x DI IB 1.5x4, 2 x DI IB 1x0, 2 x DI IB 2x0).	1000012905
Insetbox set 10 pcs. H95 SR5 WxDxH: 418 x 286 x 95 mm Weight: 1.12 kg 10-16 subdivision options for height 95 (2 x IB 1.5x4, 8 x IB 2x2, 2 x DI IB 1.5x4, 2 x DI IB 1x0, 2 x DI IB 2x0).	1000012907





The BOXX frame is a smart alternative to the shelf depth 4 for integrating BOXXes into van racking systems, thanks to its lower price and weight. The top and bottom of the frame can be equipped with plastic slides independently of each other, providing maximum flexibility when it comes to configuring the BOXXes. With their integrated ProClick interfaces, they can be used to conveniently store ProClick Tool bags.



The insetboxes provide for greater productivity in day-to-day work, as they provide a quick overview of the small parts contained inside, but you can also remove them directly from the cases and BOXXes and use them on site. Any missing or almost depleted stock levels are immediately identified, avoiding down times. Whether in the workshop, in Sortimo cases and BOXXes, the WorkMo or the Sortimo van racking system - insetboxes, available in a range of different sizes, enable you to equip yourself to meet individual requirements. Thanks to their integral divider guide, they can also be very individually subdivided, making them even more flexible and efficient in day-to-day work. Together with mySortimo labels, they facilitate professional, systematic and individual workplace organisation.



Insetbox sets for drawers 24-6

For drawer width 2 (46 cm) height 6 (10 cm). Multiple insetboxes can be used for wider drawers.

Product	Technical details	Description	Layout	Article no.
Insetbox set 4 pcs. H63	WxDxH: 418 x 314 x 63 mm Weight: 0.82 kg	4-12 dividing options at height 63 mm (4x IB 2x6. 4x DI IB 1x0. 4x DI IB 2x0).		1000011037
Insetbox set 8 pcs. H63	WxDxH: 418 x 314 x 63 mm Weight: 0.84 kg	8-16 dividing options for height 63 mm (8x IB 2x3, 4x DI IB 1x0, 4x DI IB 2x0).		1000011038
Insetbox set 12 pcs. H63	WxDxH: 418 x 314 x 63 mm Weight: 0.91 kg	12-20 dividing options for height 63 mm (12x IB 2x2, 4x DI IB 1x0, 4x DI IB 2x0).		1000011039
Insetbox set 16 pcs. H63	WxDxH: 418 x 314 x 63 mm Weight: 0.97 kg	16-24 dividing options for height 63 mm (6x IB 1x1, 4x IB 1x2, 2x IB 2x2, 1x IB 2x3, 2x IB 1x4, 1x IB 2x6, 4x DI IB 1x0, 4x DI IB 2x0).		1000011040
Insetbox set 23 pcs. H63	WxDxH: 418 x 314 x 63 mm Weight: 1.02 kg	23-31 dividing options for height 63 mm (12x IB 1x1, 6x IB 1x2, 3x IB 2x2, 2x IB 2x3, 4x DI IB 1x0, 4x DI IB 2x0).		1000011030

Insetbox sets for drawer height 8


For drawer width 2 (46 cm) height 8 (14 cm). Multiple insetboxes can be used for wider drawers.

Product	Technical details	Description	Layout	Article no.
Insetbox set 4 pcs. H95	WxDxH: 418 x 314 x 97 mm Weight: 1.09 kg	4-8 dividing options for height 95 mm (4x IB 2x6, 4x IB IB2x0).		1000011111
Insetbox set 8 pcs. H95	WxDxH: 418 x 314 x 97 mm Weight: 1.18 kg	816 dividing options for height 95 mm (6x IB 2x2, 2x IB 2x6, 4x DI IB 1x0, 4x DI IB 2x0).		1000011041
Insetbox set 9 pcs. H95	WxDxH: 418 x 314 x 97 mm Weight: 1.23 kg	917 dividing options for height 95 mm (4x IB 2x2, 2x IB 2x3, 2x IB 1x4, 1x IB 2x6, 4x DI IB 1x0, 4x DI IB 2x0).		1000011112

SR5 accessories – Dividers



Shelves and drawers can be subdivided into individual sections using dividers. The positions of the dividers can be varied according to the space requirements of the individual contents. The organisational system is ideally enhanced by adhesive *my*Sortimo labels. The material is clearly categorised using colour codes and an empty section can be restocked easily, thanks to the labels.





Dividers for shelves

Subdivision of SR5 shelves widthways. Flexibly positionable.

Product	Technical details	Description	Article no.
Divider FB 03-6 SR5	WxDxH: 218 x 0 x 81 mm	Aluminium divider for SR5 shelves 03-6	1000012290
Divider FB 04-6 SR5	WxDxH: 322 x 0 x 81 mm	Aluminium divider for SR5 shelves 04-6	1000012291
Divider FB 05-6 SR5	WxDxH: 426 x 0 x 81 mm	Aluminium divider for SR5 shelves 05-6	1000012292

Dividers for shelves with edges

Subdivision of SR5 shelves with H2 or H4 edge widthways. Flexibly positionable.

Product	Technical details	Description	Article no.
Dividers FB 03-6 H2/ H4 SR5	WxDxH: 218 x 0 x 81 mm	Aluminium divider for SR5 shelves 03-6 with edge H2 or H4	1000012293
Dividers FB 04-6 H2/ H4 SR5	WxDxH: 322 x 0 x 81 mm	Aluminium divider for SR5 shelves 03-6 with edge H2 or H4	1000012294
Dividers FB 05-6 H2/ H4 SR5	WxDxH: 426 x 0 x 81 mm	Aluminium divider for SR5 shelves 03-6 with edge H2 or H4	1000012295

SR5 accessories – Divider drawers



Dividers for drawers SR5

Systematic organisation

The drawers can be subdivided into individual sections using dividers. The positions of the dividers can be varied according to the space requirements and optimally supplemented with insetboxes. The combination with Gedore tool tray inlays in an insetboxes grid is equally possible as the custom equipment with configurable foam inserts from the *my*Sortimo inlay service.

Divider positions

The following illustrations show the divider positions and possible combinations with insetboxes in the respective drawer sizes.

	Depth 4	Depth 5	Depth 7
Width 1.3			
Width 1.7			
Width 2			
Width 3			
Width 4			
Solid	lines show the dividers	Dashed lines show on the inesthouse of	the insetbox positions based

Individual dividers The individual dividers are based on the grid size of the insetboxes (IB grid).

Product	Drawer width 2 / depth 4	Suitable for Drawer	Description	Article no.
Divider H6 SBL TBH 4-IB grid Divider H10 SBL TBH 4-IB grid	width 2 / depth 4	height 6 and 8 height 10 and 12	Length equal to 4 insetboxes grids. For further subdivision between dividers and drawer edge.	1000014069 1000014070
Divider H6 SBL TBH 6-IB-Raster Divider H10 SBL TBH 6-IB-Raster	width 2 / depth 4	height 6 and 8 height 10 and 12	Length equal to 6 insetboxes grids, e.g. to divide depth 4 drawers widthways.	1000012912 1000012914
Divider H6 SBL TBH 8-IB-Raster Divider H10 SBL TBH 8-IB-Raster	width 2 / depth 4	height 6 and 8 height 10 and 12	Length equal to 8 insetboxes grids, e.g. to divide depth 4 drawers depthways or depth 5 drawers widthways.	1000012913 1000012915
Divider H6 SBL TBH 12-IB-Raster Divider H10 SBL TBH 12-IB-Raster	width 1.3 / depth 7	height 6 and 8 height 10 and 12	Length equal to 12 insetboxes grids, e.g. to divide depth 7 drawers widthways.	1000017803 1000017804

Red lines show the individual dividers

Divider sets


Product	Drawer	Suitable for Drawer	Description	Article no.
Divider set H6 SBL D4 Divider set H10 SBL D4	width 2 / depth 4	depth 4 / height 6 & 8 depth 4 / height 10 & 12	Set contains three dividers to subdivide widthways.	1000012921 1000012923
Divider set H6 SBL 24-6/8 Divider set H10 SBL 24-10/12	width 2 / depth 4	depth 4 / height 6 & 8 depth 4 / height 10 & 12	Set contains two dividers to subdivide widthways and one to subdivide depthways.	1000014176 1000014178
Divider set H6 SBL 25-6/8 Divider set H10 SBL 25-10/12	width 2 / depth 5	depth 5 / height 6 & 8 depth 5 / height 10 & 12	Set contains two dividers to subdivide widthways and one to subdivide depthways.	1000014177 1000014179
Divider set H6 SBL D5 Divider set H10 SBL D5	width 3 / depth 5	depth 5 / height 6 & 8 depth 5 / height 10 & 12	Set contains two dividers to subdivide widthways and one to subdivide depthways.	1000012922 1000012924
Divider set H6 SBL 1.3 D5 Divider set H10 SBL 1.3 D5	width 1.3 / depth 5	depth 5 / height 6 & 8 depth 5 / height 10 & 12	Set contains one divider to subdivide widthways and two to subdivide depthways.	1000014073 1000014075
Divider set H6 SBL 1.7 D5 Divider set H10 SBL 1.7 D5	width 1.7 / depth 5	depth 5 / height 6 & 8 depth 5 / height 10 & 12	Set contains one divider to subdivide widthways and one to subdivide depthways.	1000017805 1000017806
Divider set H6 SBL 1.3 D5 Divider set H10 SBL 1.3 D5	width 1.3 / depth 7	depth 7 / height 6 & 8 depth 7 / height 10 & 12	Set contains one divider to subdivide widthways and two to subdivide depthways.	1000017807 1000017808
Divider set H6 SBL 1.7 D5 Divider set H10 SBL 1.7 D5	width 1.7 / depth 7	depth 7 / height 6 & 8 depth 7 / height 10 & 12	Set contains one divider to subdivide widthways and two to subdivide depthways.	1000017809 1000017810

on the insetboxes grid (IB grid)

SR5 accessories – Tool mats



Tool mats ensure the secure grip of the objects stored on the shelves and protect both the contents and the shelf from damage. They also stop annoying rattling noises.



Tool mats for shelves with H2 / H4 edges

Fitted mats for shelves with H2 or H4 edges.

Product	Technical details	Suitable for	Article no.
Tool mat FBR 23-0 SR5	WxDxH: 429 x 227 x 2 mm	Shelves with H2 & h4 edges in size 23	6000011696
Tool mat FBR 24-0 SR5	WxDxH: 429 x 331 x 2 mm	Shelves with H2 & h4 edges in size 24	6000011701
Tool mat FBR 25-0 SR5	WxDxH: 429 x 435 x 2 mm	Shelves with H2 & h4 edges in size 25	6000011706
Tool mat FBR 33-0 SR5	WxDxH: 676 x 227 x 2 mm	Shelves with H2 & h4 edges in size 33	6000011697
Tool mat FBR 34-0 SR5	WxDxH: 676 x 331 x 2 mm	Shelves with H2 & h4 edges in size 34	6000011702
Tool mat FBR 35-0 SR5	WxDxH: 676 x 435 x 2 mm	Shelves with H2 & h4 edges in size 35	6000011707
Tool mat FBR 43-0 SR5	WxDxH: 923 x 227 x 2 mm	Shelves with H2 & h4 edges in size 43	6000011698
Tool mat FBR 44-0 SR5	WxDxH: 923 x 331 x 2 mm	Shelves with H2 & h4 edges in size 44	6000011703
Tool mat FBR 45-0 SR5	WxDxH: 923 x 435 x 2 mm	Shelves with H2 & h4 edges in size 45	6000011708
Tool mat FBR 53-0 SR5	WxDxH: 1,170 x 227 x 2 mm	Shelves with H2 & h4 edges in size 53	6000011699
Tool mat FBR 54-0 SR5	WxDxH: 1,170 x 331 x 2 mm	Shelves with H2 & h4 edges in size 54	6000011704
Tool mat FBR 55-0 SR5	WxDxH: 1,170 x 435 x 2 mm	Shelves with H2 & h4 edges in size 55	6000011709
Tool mat FBR 63-0 SR5	WxDxH: 1,417 x 227 x 2 mm	Shelves with H2 & h4 edges in size 63	6000011700
Tool mat FBR 64-0 SR5	WxDxH: 1,417 x 331 x 2 mm	Shelves with H2 & h4 edges in size 64	6000011705
Tool mat FBR 65-0 SR5	WxDxH: 1,417 x 435 x 2 mm	Shelves with H2 & h4 edges in size 65	6000011710

SR5 accessories – Side profile extensions



The functionality of the SR5 van racking system can be increased using accessories for the side profiles. Various storage pockets and holders, as well as a complete workbench or the compact vice are available as folding versions to expand the vehicle into a fully functioning mobile workplace. Any accessories labelled »ProClick« can be quickly and easily hooked into the integrated ProSafe hole pattern on the side profile. Time-consuming installation is a thing of the past and the accessories can be quickly repositioned as required without leaving unsightly drill holes in the side profile.



Product description	Article no.
Office Organizer WxDxH: 370 x 120 x 305 mm Load capacity: 5 kg Space for documents and folders up to DIN A4 size Can also be used on the vehicle's headrest	6000013636
Storage Pocket Insetbox H95 ProClick WxDxH: 313 x 109 x 98 mm Load capacity: 5 kg Ideal storage for small parts or consumables Holder incl. Insetbox 2x6 H95 and 5 dividers IB 2x0 H95	1000018384
Cartridge Holder 53 ProClick WxDxH: 327 x 68 x 136 mm Load capacity: 5 kg Offers space for up to five silicone cartridges (ø 53 mm) Aerosol Can Holder 73 ProClick Dimensions (WxDxH): 327 x 88 x 127 mm Load capacity: 5 kg Offers space for up to four aerosol cans (ø 73 mm)	1000018387
Plaster Dispenser ProClick WxDxH: 205 x 80 x 150 mm Contains 40 plaster strips 72x25 mm and 30 finger plasters 120x20 mm to quickly treat injuries Refill pack of plaster strips 72x25, 40 pcs.	6000013925 6000013925



Refill pack of finger plasters 120x20, 30 pcs.

6000013926



The proven standard

Globelyst4



System compatibility with the entire Sortimo BOXXes range including SR-BOXX



Flexible equipping of the aluminium side wall with accessories as required



Safe – ProSafe load securing system can be integrated into the entire van racking system



Unique ingenious built-in components such as the lifting flap

Globelyst4 – Core features at a glance



Ingenious

Built-in components



Long components tray

For stowing long objects such as pipes, cable ducts, straightedges and much more. Easy to take out from the rear by opening the rear section.

Universal cabinet

Offers storage space for objects of all kinds. Optional shelves create additional intermediate levels within the cabinet which can be adapted to the contents.

Drop-down front

Prevents loads on shelves or on the floor from falling. The front can be easily folded by lifting it up gently.

Hinged vice

The hinged vice is a smart alternative to the hinged workbench and convinces by its low weight and and its slim design. Workpieces can be machined directly on the vehicle.

Lifting flap

One-hand operation thanks to cylinder-supported lift function. After opening, the complete loading height is available for loading and unloading.

Worktop

The installation of a worktop creates a complete workstation in the vehicle. The alu-upstand prevents small components and tools from falling off.

The sturdy Multiplex top can optionally be equipped with a parallel vice.

Hinged workbench

In combination with the parallel vice, the hinged workbench enables simple assembly work to be carried out directly at the vehicle.

Dual directional block

The drawers, rotated by 90° allow quick removal of tools and materials with the drawers facing the side door, so you don't have to enter the vehicle.







Full

System compatibility



L-BOXX

Use all L-BOXXes on the plastic slides of the shelves, including from other manufacturers such as Bosch or



SR-BOXX

Integration of the new SR-BOXXes with transparent lid including dosing flap on shelves.



T-BOXX

Securely stow T-BOXXes on the case rail.



Metal cases

Convenient access to the metal case or other BOXXes via the case tray.





Perfect

Load securing



ProSafe

Can be integrated throughout in uprights, traverse frames, lashing rails and floor lashing points. This makes load securing easy and convenient to implement.





WorkMo Fix

The ideal load securing package for the mobile workplace in the vehicle with Sortimo installation floor.




Case clamp

Provides a secure hold for any tool box and can be positioned with one hand.



Flexible

Workplace organisation



Aluminium side panel

Flexible equipping with useful Sortimo accessories such as hooks, clamps, paper towel dispensers, storage pockets and much more, thanks to system perforation.



*my*Sortimo inlays

Customisable foam inserts for drawers, BOXXes and cases protect the tools they contain and ensure they can be easily accessed.



Insetboxes

Drawers can be individually equipped with insetboxes. This means you can see the contents at a glance, increasing your productivity.




Dividers

The drawers can be subdivided into individual sections using dividers. The positions can be varied according to the space required by the contents.

Globelyst4 – Dividers





- 1. Drawer divider holder
- 2. Adapter
- 3. Dividers
- 4. Slotted dividers

1 Drawer divider holder

Connects the slotted divider to the drawer

Product	Article no.
SBLTB 00-62	411014577
For drawer height 6	
SBLTB 00-82	411014578
For drawer height 8 or	10/12 (only fit in the back)
SBLTB H10-H12 2.0	6000000331
For drawer height 10/1:	2 (only fit in the front)

2 Adapter

Connects the divider to the slotted dividers.

Product	Article no.	
ABT 9	491003938	
Single adapter for	or dividers	
DATB	491003307	
Double adapter	for dividers	

3 Dividers

Subdivide the drawer depthways. Divider adapters are required to connect dividers to slotted dividers (must be ordered separately).

Suitable for	Layout	Article no.
Divider drawers width 2		
62 x 154 mm		411003651
93 x 154 mm		411003655
62 x 235 mm		411003652
93 x 235 mm		411003656
Divider drawers width 3		
62 x 235 mm		411003652
93 x 235 mm		411003656
Divider drawers width 4		
62 x 559 mm		411003654
93 x 559 mm		411003658

4 Slotted dividers

Subdivide the drawer widthways. Two drawer divider holders each are required to secure the slotted dividers (must be ordered separately).

Suitable for	Article no.
Depth 4	
62 x 310 mm	411003659
93 x 310 mm	411003660
Depth 5	
62 x 414 mm	411003695
93 x 414 mm	411003696
Depth 7	
62 x 622 mm	411003697
93 x 622 mm	411003698



Divider sets


Each contain one divider, two slotted dividers, five drawer divider holders and two adapters for slotted dividers.

Suitable for	Article no.	
Drawer width 2		
Depth 4 / height 6	1000000449	
Depth 4 / height 8	1000000450	
Depth 4 / height 10/12	1000000451	
Depth 5 / height 6	1000000458	
Depth 5 / height 8	1000000459	
Depth 5 / height 10/12	1000000460	



Drawer width 3		
Depth 4 / height 6	1000000452	
Depth 4 / height 8	1000000453	
Depth 4 / height 10/12	1000000454	
Depth 5 / height 6	1000000470	
Depth 5 / height 8	1000000471	
Depth 5 / height 10/12	1000000472	

Drawer width 4	
Depth 4 / height 6	1000000455
Depth 4 / height 8	1000000456
Depth 4 / height 10/12	1000000457
Depth 5 / height 6	1000000473
Depth 5 / height 8	1000000474
Depth 5 / height 10/12	1000000475





Suitable for	Article no.
1. Divider for sh	elves with edge
Depth 3	401010278
Depth 4	401010279
Depth 5	401010280
Depth 7	401010281

3. Divider fo	r shelf trays	
Depth 3	401002730	
Depth 4	401002731	
Depth 5	401002733	
Depth 7	1000003538	

Suitable for	Article no.
2. Divider holde	er for shelves with edge
	600000475
4. Rear divider	holder for shelf trays
	600000473
	000000473



The efficient racking system for package delivery service providers

FlexRack 2.0



Optimum use of the loading space, as the system can be adapted to the shape of the vehicle



Time savings due to integrated load securing with ProSafe



Enhanced efficiency due to folding shelves with gas struts for one-handed operation



Reduction of the carbon footprint due to CO₂-neutral production using recycled material (by request)

The FlexRack 2.0 racking system





Gas struts for one-handed operation



Time savings due to integrated load securing with **ProSafe**





Expandable with the Sortimo ProClick System



No shifting of packages due to high friction values of the shelves (0.6u) and integrated anti-slip edge



You can find a video about the new FlexRack 2.0 shelving system at mySortimo.com/flexrack2-0. You can find accessories on our website or in our complete catalogue at mySortimo.com/en/products/catalogues.

The FlexRack 2.0 racking system





The efficient racking system

- Long service life and high load capacity thanks to quality materials
- Maximum flexibility, as shelves can be adjusted to all widths and depths depending on the customer requirements
- Permissible load of 80 kg per linear meter
- Space for bulky items thanks to folding shelves
- Optimal use of the loading space, as the uprights can be adapted to the shape of the vehicle
- Safety during transport due to integrated load securing with ProSafe in the uprights
- No shifting of packages due to high friction values of the shelves (0.6u) which also benefit from an integrated anti-slip edge
- Safe work environment due to rounded edges
- One-handed operation possible due to gas pressure struts on the shelves
- Optional Pick by Light integration possible
- CO₂-neutral production, made from recycled material (lightweight aluminium) on request



ProPartition – Innovative partition with integrated sliding door

- Optimisation of the workflow for the parcel service driver
- Time saved thanks to direct access to loading space from driver's cab
- Greater safety through short, safe distances in the vehicle
- Retains the original lashing points for load securing
- Safety at work thanks to flat door threshold and edge protection
- Optional lockable sliding door

The FlexRack 2.0 racking system

56 mySortimo.com





Our vision: Carbon-neutral production

As **an international company**, we are aware of our responsibility to comply with legal, environmental and also cultural requirements and promises. We have developed different guidelines and codes of conduct from all these requirements that establish a clear and binding standard for socially responsible and environmentally aware conduct in our company.

The target is ambitious: we are on course for carbon-neutral production at our one and only production facility, located in Zusmarshausen. This target will be achieved based on four pillars: low-carbon product design, energy efficiency via intelligent power management in combination with the Sortimo Innovation Park, renewable electricity and carbon reduction.

It goes without saying that, for many years now, we have strictly adhered to all Code of Conduct-related issues in our selection of suppliers and subcontractors, as well as the guidelines on sustainable procurement with regard to labour and human rights plus anti-corruption.





The flexible racking system

58 | mySortimo.com

553-4064







Extend use with BOXX integration



Optimum use of loading space thanks to custom design



Increased efficiency through ergonomic workplace

FR5 – The flexible racking system _____





Flexible and customised space utilisation:

Shelves adjustable in 3 dimensions:


height	(1)
 horizontally towards the vehicle wall 	(2)
 inclination via lateral stop strap 	(3)

Flexible side and intermediate profiles:

- can be adapted to the shape of the vehicle (4
- >> Optimum space utilisation with maximum freedom of movement improves productivity and efficiency in the (delivery driver's) daily work routine.



Ergonomics and protection through the integrated ProSafe load securing system:



1. Traverse frame

permitting lashing over the full shelf width

2. Lashing rail

perfect stopper for cargo on the vehicle floor



3. Single lashing point

can be individually positioned on the side or intermediate profiles



4. Lashing rails

for additional load securing options on the ProPartition








Additional accessories for load securing from Page 129

FR5 – The flexible racking system _____





Smart solutions for shelves

The shelves fold down steplessly in a single movement and are held in the required position with side stop straps.

- Shelf without border
 Designed for Sortimo BOXXes programme

 (1)
- Shelf with low border (34 mm) (2)
 Closed shelf for small items and lightweight cargo
- Shelf with high border (68 mm)
 Closed shelf for storing larger items

 (3)



ProPartition – Innovative partition with integrated sliding door

- Time saved thanks to direct access to loading space from driver's cab
- Greater safety through short, safe distances in the vehicle
- Retention of original lashing points for load securing
- Safety at work thanks to flat door threshold and edge protection







FR5 – The flexible racking system _____



SR5 offers you organised flexibility!



Besides the many benefits for the courier, express and package sector, FR5 has yet another unique benefit to offer!

The integration of both suspended and standing BOXXes allows the FR5 to transform from a flexible folding rack into a fully-fledged van racking system for tradespeople from every industry. It lets them safely transport tools, small parts and BOXXes in a well-organised manner at all times. Combining FR5 with SR5 will open up all options to you in your loading space.

- All shelves from the SR5 portfolio can also be configured in FR5
- BOXXes can be integrated suspended or standing
- Open shelves with border (height 2 and 4) can be labelled with *my*Sortimo labels
- Individual sectioning with dividers
- Matching tool mats to protect racking and contents



Perfect synergy from full-featured van racking and optimum utilisation of storage space coupled with maximum flexibility in your work routine.

You can optimise your organised vehicle cargo space for maximum storage in vehicle cargo space to no time.





There are no longer any limits here, whether during or outside working hours.





A new level of storage space

Jumbo-Unit



High payload up to 100 kg



Flexible to use as underfloor solution or free-standing



Perfect ergonomics – convenient access to contents thanks to its pull-out function




Robust – solid construction with durable, sturdy operating elements



The Jumbo-Unit is a compact XL drawer, which is ideal for rapid and secure stowage of heavy equipment and bulky materials. It has a load capacity of up to 100 kg, thanks to the extremely strong telescopic slides. The large drawer front guarantees its ease of use and quick access to contents, even when wearing work gloves.

Depending on requirements, the Jumbo-Unit can be used as an underfloor or stand-alone solution. The stand-alone version of the Jumbo-Unit can either be equipped with a SoboGrip ProSafe topper or a covering tray. Jumbo-Units of the same size can also be installed one above the other to create more storage space.





Vehicle specifications				Base plate 1	Cover plate 2	Installation kit	Jumbo-Unit rear door	Jumbo-Unit side door	
Model / model year	Wheelbase	Side door	Roof height	Article no.	Article no.	Article no.	Number Article no.	Number Article no.	
	2785 mm / L1	Sliding door right	H1	1000014370	H15 1000014368	1000019524	1 1000013716	-	
Citroën							1 1000012659	_	
Berlingo 2018					H21 1000014369	1000019530	1 1000012628	_	
							1 1000012661	_	
	2975 mm / L2	Sliding door right	Н1	1000014481	H15 1000014479	1000019525	1 1000012659	1 1000011458	
Citroën							1 1000013716	-	
Berlingo 2018					H21 1000014480 10	1000019531	1 1000012661	1 1000012655	
							1 1000012628	_	
	2513 mm / L1	Sliding door right	H1	1000019520	H15 1000019518	1000019524	2 1000011458	_	
Fiat Fiorino 2008							_	-	
			пТ		H21 1000019519	1000019530	2 1000012655	-	
							_	-	



Vehicle specifications				Base plate 1	Cover plate 2	Installation kit	Jumbo-Unit rear door	Jumbo-Unit side door	
Model / model year	Wheelbase	Side door	Roof height	Article no.	Article no.	Article no.	Number Article no.	Number Article no.	
Fiat Doblò 2010		Sliding door right	H1	1000013721	H15 1000013719	1000014352	1 1000011458	1 1000012659	
	3105 mm / L2						1 1000013715	_	
	0100111117 EE				H21 1000013720	1000014352	1 1000012655	1 1000012661	
							1 1000012623	_	
					H15 1000018770	1000014353	3 1000013717	_	
Ford	2933 mm	Sliding door right	H1	1000018772	1000010770	1000014000	_	_	
Custom 12	2000 111111	right		1000010772	H21 1000018771	1000014353	3 1000012632	_	
					NET TOUGHT TO	1000014000	-	_	
	3300 mm	Sliding door right	H1	1000018786	H15 1000018784	1000014353	1 1000013717	-	
Ford							_	_	
Custom 12					H21 1000018785	1000014353	1 1000012632	_	
							-	_	
	2716 mm / L1	Sliding door right	Н1	1000019483	H15 1000019484	1000014352	2 1000013716	_	
Mercedes-Benz							-	-	
Citan Lang 2021					H21 1000019485 100001	1000014352	2 1000012628	_	
							_	_	
	3200 mm	Sliding door right		1000013722	H15 1000013725	1000019528	2 1000013717	1 1000013716	
Mercedes-Benz			H1				_	_	
Vito Long 2014	3200 111111				U21 1000012726	1000019534	2 1000012632	1 1000012628	
					H21 1000013726		-	_	
	3105 mm / L2	Sliding door right	. Н1	1000013721	H15 1000013719	1000014352	1 1000011458	1 1000012659	
Opel							1 1000013715	_	
Combo 2010					H21 1000013720 1000	1000014352	1 1000012655	1 1000012661	
							1 1000012623	_	



Vehicle specifications				Base plate 1	Cover plate 2	Installation kit	Jumbo-Unit rear door	Jumbo-Unit side door	
Model / model year	Wheelbase	Side door	Roof height	Article no.	Article no.	Article no.	Number Article no.	Number Article no.	
Opel	2785 mm / L1	Sliding door right	Н1	1000014370	H15 1000014368	1000019524	1 1000013716 1 1000012659	_ _	
Opel Combo 2018					H21 1000014369	1000019530	1 1000012628 1 1000012661	_ _	
Onel	2975 mm / L2	Sliding door right	H1	1000014481	H15 1000014479	1000019525	1 1000012659 1 1000013716	1 1000011458 —	
Opel Combo 2018					H21 1000014480	1000019531	1 1000012661 1 1000012628	1 1000012655 —	
Peugeot	2785 mm / L1	Sliding door right	H1	1000014370	H15 1000014368	1000019524	1 1000013716 1 1000012659	-	
Partner 2018					H21 1000014369	1000019530	1 1000012628 1 1000012661	_ _	
Peugeot	2975 mm / L2	Sliding door right	H1	1000014481	H15 1000014479	1000019525	1 1000012659 1 1000013716	1 1000011458	
Partner 2018					H21 1000014480	1000019531	1 1000012661 1 1000012628	1 1000012655	
Renault		Sliding door right	H1		H15 1000019484	1000014352	2 1000013716	_ _	
Kangoo 2021	2716 mm / L1			1000019483	H21 1000019485	1000014352	2 1000012628	_ _	
Volkswagen		Sliding door right		1000018421	H15 1000018419	1000014352	1 1000011460 1 1000013714	1 1000011458	
Caddy 2015	2682 mm / L1		H1		H21 1000018420	1000014352	1 1000012652 1 1000012618	1 1000012655	



	Vehicle specific	cations		Base plate 1	Cover plate 2		Installation kit	Jumbo-Unit rear door		Jumbo-Unit side door	
Model / model year	Wheelbase	Side door	Roof height	Article no.	Article no.		Article no.	Number Article no.	Numbe	r Article no.	
		Sliding door right	H1	1000018743	H15 1000018741		1000019525	1 1000011460	1	1000011458	
Volkswagen Caddy 2020	2755 mm / L1							1 1000013714		_	
Gaudy 2020					H21 1000018742		1000019531	1 1000012652	1	1000012655	
								1 1000012618		_	
		Sliding door right	H1	1000018846	H15 1000018844		1000010505	1 1000013715	1	1000013715	
Volkswagen	2970 mm / L2						1000019525	1 1000011458		_	
Volkswagen Caddy Maxi 2020					1104		1000019531	1 1000012623	1	1000012623	
					H21 1000018845			1 1000012655		_	
	2989 mm / L1	Sliding door right	H1	1000020304			1000014352	2 1000013716	1	1000012659	
Volkswagen					H15 1000020302						
ID-Buzz Cargo 22						1000020303	1000014352	2 1000012628	1	1000012661	
					H21 1000020303						
	3000 mm	Sliding door right	H1 H2	1000018654		1000018652	1000019529	2 1000013716	1	1000013716	
Volkswagen					H15 1000018652			_		_	
T6 Short							1000019535	2 1000012628	1	1000012628	
					H21 1000018653			_		_	
Volkswagen T6 Long	3400 mm	Sliding door right	H1 H2 H3	1000018657	H15 1000018655		2 1000013717	1	1000013716		
							1000019544				
						1000018656	1000019545	2 1000012632	1	1000012628	
					H21 1000018656						

Jumbo-Unit – A new level of storage space _____



The Jumbo-Unit comes in 5 depths, 3 widths and 2 heights.


 Height (H)
 Depth (D)
 Width (W)

 H15 = 255 mm
 D7 = 681.4 mm
 1.5 = 370.4 mm

 H21 = 357 mm
 D10 = 993.4 mm
 2.0 = 491.4 mm

 D12 = 1201.4 mm
 2.5 = 612.4 mm

D14 = 1409.4 mm D16 = 1617.4 mm





			Dep	pth 7 (681.4 r	nm)	Dep	th 10 (993.4 mm)	Dept	th 12 (1201.4	mm)	Dep	th 14 (1409.4	mm)	Dep	t h 16 (1617.4 mm)
		Equipment	Article no.	Weight		Article no.	Weight	Article no.	Weight		Article no.	Weight		Article no.	Weight
	Body height 15/12	2x H6 drawer	1000011467	19.0 kg		1000011465	26.8 kg	1000011463	29.8 kg						
Width 1.5	(255 mm)	1x H12 drawer	1000011457	13.8 kg		1000011466	18.5 kg	1000011464	21.3 kg		1000012602	36.7 kg		1000012607	39.7 kg
(370.4 mm)	Body height 21/18 (357 mm)	1x H8 drawer 1x H10 drawer	1000012591	26.0 kg		1000012594	38.6 kg	1000012597	42.8 kg		1000012603	62.7 kg		1000012608	65.8 kg
	Body height	1x H12 drawer	1000011462	16.3 kg		1000011460	21.5 kg	1000011458	25.1 kg		1000012659	39.6 kg		1000012664	41.8 kg
Width 2	15/12 (255 mm)	2x H6 drawer	1000011461	22.9 kg		1000011459	30.4 kg	1000011456	34.6 kg						
(491.4 mm)	Body height 21/18	1x H18 drawer	1000012649	20.4 kg		1000012652	28.9 kg	1000012655	32.5 kg		1000012661	44.1 kg		1000012666	46.6 kg
	(357 mm)	1x H8 drawer 1x H10 drawer	1000012645	28.0 kg		1000012651	41.7 kg	1000012654	46.5 kg		1000012660	66.8 kg		1000012665	70.0 kg
Width	Body height 15/12 (255 mm)	1x H12 drawer				1000013714	28.2 kg	1000013715	33.0 kg		1000013716	37.2 kg		1000013717	40.7 kg
2.5 (612.4 mm)	Body height	1x H18 drawer				1000012618	32.3 kg	1000012623	36.6 kg		1000012628	48.3 kg		1000012632	51.0 kg
(012.4 11111)	21/18 (357 mm)	1x H8 drawer 1x H10 drawer				1000012617	43.0 kg	1000012622	51.5 kg		1000012627	73.0 kg		1000012631	76.6 kg

Jumbo-Unit – A new level of storage space




Covering trays

The robust covering tray expands the storage space of the Jumbo-Unit, giving it new loading options. It is installed on the Jumbo-Unit and can be further subdivided using dividers. The lateral integrated lashing points can be used to secure the load inside. The Jumbo-Unit thus allows small components to be transported as well as heavy equipment or bulky materials.



Product	Technical details	Suitable for	Article no.
Jumbo-Unit G 1.5-7-7 covering tray	WxDxH: 681 x 370 x 115 mm Weight: 3.2 kg	width 1.5 / depth 7	1000011623
Jumbo-Unit G 1.5-10-7 covering tray	WxDxH: 1,000 x 400 x 120 mm Weight: 4.5 kg	width 1.5 / depth 10	1000011624
Jumbo-Unit G 1.5-12-7 covering tray	WxDxH: 1,210 x 400 x 125 mm Weight: 5.25 kg	width 1.5 / depth 12	1000011625
Jumbo-Unit G 1.5-14-7 covering tray	WxDxH: 1,409 x 370 x 115 mm Weight: 6.07 kg	width 1.5 / depth 14	1000012601
Jumbo-Unit G 1.5-16-7 covering tray	WxDxH: 1,617 x 370 x 115 mm Weight: 6.88 kg	width 1.5 / depth 16	1000012606
Jumbo-Unit G 2-7-7 covering tray	WxDxH: 685 x 520 x 125 mm Weight: 3.9 kg	width 2 / depth 7	1000011626
Jumbo-Unit G 2-10-7 covering tray	WxDxH: 1,000 x 520 x 125 mm Weight: 5.37 kg	width 2 / depth 10	1000011627
Jumbo-Unit G 2-12-7 covering tray	WxDxH: 1,201 x 491 x 115 mm Weight: 6.35 kg	width 2 / depth 12	1000011628
Jumbo-Unit G 2-14-7 covering tray	WxDxH: 1,409 x 491 x 115 mm Weight: 7.32 kg	width 2 / depth 14	1000012658
Jumbo-Unit G 2-16-7 covering tray	WxDxH: 1,617 x 491 x 115 mm Weight: 8.28 kg	width 2 / depth 16	1000012663
Jumbo-Unit G 2.5-10-7 covering tray	WxDxH: 993 x 612 x 115 mm Weight: 6.29 kg	width 2.5 / depth 10	1000012616
Jumbo-Unit G 2.5-12-7 covering tray	WxDxH: 993 x 612 x 115 mm Weight: 7.43 kg	width 2.5 / depth 12	1000012621
Jumbo-Unit G 2.5-14-7 covering tray	WxDxH: 1,409 x 612 x 115 mm Weight: 8.56 kg	width 2.5 / depth 14	1000012626
Jumbo-Unit G 2.5-16-7 covering tray	WxDxH: 1,617 x 612 x 115 mm Weight: 9.68 kg	width 2.5 / depth 16	1000012630

Toppers





Product	Technical details	Suitable for	Article no.
Jumbo-Unit G 1.5-7 Topper SGR PS	WxDxH: 680 x 369 x 12 mm Weight: 1,8 kg	width 1.5 / depth 7	1000004799
Jumbo-Unit G 1.5-10 Topper SGR PS	WxDxH: 992 x 369 x 12 mm Weight: 3,0 kg	width 1.5 / depth 10	1000004800
Jumbo-Unit G 1.5-12 Topper SGR PS	WxDxH: 1.200 x 369 x 12 mm Weight: 3,6 kg	width 1.5 / depth 12	1000004801
Jumbo-Unit G 1.5-14 Topper SGR PS	WxDxH: 1.408 x 369 x 12 mm Weight: 5,37 kg	width 1.5 / depth 14	1000012600
Jumbo-Unit G 1.5-16 Topper SGR PS	WxDxH: 1.616 x 369 x 12 mm Weight: 6,07 kg	width 1.5 / depth 16	1000012605
Jumbo-Unit G 2-7 Topper SGR PS	WxDxH: 680 x 490 x 12 mm Weight: 2,7 kg	width 2 / depth 7	1000004802
Jumbo-Unit G 2-10 Topper SGR PS	WxDxH: 992 x 490 x 12 mm Weight: 4,0 kg	width 2 / depth 10	1000004803
Jumbo-Unit G 2-12 Topper SGR PS	WxDxH: 1.200 x 490 x 12 mm Weight: 4,9 kg	width 2 / depth 12	1000004804
Jumbo-Unit G 2-14 Topper SGR PS	WxDxH: 1.408 x 490 x 12 mm Weight: 6,77 kg	width 2 / depth 14	1000012657
Jumbo-Unit G 2-16 Topper SGR PS	WxDxH: 1.616 x 490 x 12 mm Weight: 7,67 kg	width 2 / depth 16	1000012662
Jumbo-Unit G 2.5-10 Topper SGR PS	WxDxH: 992 x 611 x 12 mm Weight: 5,77 kg	width 2.5 / depth 10	1000012615
Jumbo-Unit G 2.5-12 Topper SGR PS	WxDxH: 1.200 x 611 x 12 mm Weight: 7,18 kg	width 2.5 / depth 12	1000012620
Jumbo-Unit G 2.5-14 Topper SGR PS	WxDxH: 1.408 x 611 x 12 mm Weight: 8,24 kg	width 2.5 / depth 14	1000012625
Jumbo-Unit G 2.5-16 Topper SGR PS	WxDxH: 1.616 x 611 x 12 mm Weight: 9,31 kg	width 2.5 / depth 16	1000012629

Jumbo-Unit – A new level of storage space



Drawer dividers

The depth of the drawers can be divided up into individual areas using dividers. The positions of the dividers can be varied according to the space requirements. Each divider set consists of one divider with the matching divider holders.

Product	Suitable for	Article no.
Divider set SBL B1,5 H6 T7/10/12	Drawer width 1.5 / depth 7-12 / height 6	1000013397
Divider set SBL B1,5 H8 T7/10/12	Drawer width 1.5 / depth 7-12 / height 8	1000013399
Divider set SBL W1.5 H8 D14/16	Drawer width 1.5 / depth 14-16/ height 8	1000013401
Divider set SBL W2 H6 D7/10/12	Drawer width 2 / depth 7-12 / height 6	1000013398
Divider set SBL W2 H8 D7/10/12	Drawer width 2 / depth 7-12 / height 8	1000013400
Divider set SBL W2 H8 D14/16	Drawer width 2 / depth 14-16/ height 8	1000013402
Divider set SBL B2,5 H8 T7/10/12	Drawer width 2.5 / depth 7-12 / height 8	1000013403
Divider set SBL W1.5 H8 D14/16	Drawer width 2.5 / depth 14-16/ height 8	1000013404

Covering tray dividers

Flexible division of the depth of the covering tray enables the additional transport of small components. The divider sets consist of one divider each and the matching divider holders.



Product	Suitable for	Article no.
Jumbo-Unit G divider set ADW 1.5-0-6	Covering tray width 1.5	1000013394
Jumbo-Unit G divider set ADW 2-0-6	Covering tray width 2	1000013395
Jumbo-Unit G divider set ADW 2.5-0-6	Covering tray width 2.5	1000013396


Toppers

Tool mats ensure the secure grip of the stored objects and protect both the contents and the drawer or covering tray from damage. They also stop annoying rattling noises.

		The state of the s
Drawer tool mat	Suitable for	Article no.
Tool mat drawer 1.5-7-0	width 1.5 / depth 7	651016733
Tool mat drawer 1.5-10-0	width 1.5 / depth 10	651017714
Tool mat drawer 1.5-12-0	width 1.5 / depth 12	651017715
Tool mat drawer 1.5-14-0	width 1.5 / depth 14	6000012382
Tool mat drawer 1.5-16-0	width 1.5 / depth 16	6000012383
Tool mat drawer 2-7-0	width 2 / depth 7	651005159
Tool mat drawer 2-10-0	width 2 / depth 10	651017716
Tool mat drawer 2-12-0	width 2 / depth 12	651017717
Tool mat drawer 2-14-0	width 2 / depth 14	6000012384
Tool mat drawer 2-16-0	width 2 / depth 16	6000012385
Tool mat drawer 2.5-7-0	width 2.5 / depth 7	6000012386
Tool mat drawer 2.5-10-0	width 2.5 / depth 10	6000012387
Tool mat drawer 2.5-12-0	width 2.5 / depth 12	6000012388
Tool mat drawer 2.5-14-0	width 2.5 / depth 14	6000012389
Tool mat drawer 2.5-16-0	width 2.5 / depth 16	6000012390

Tool mat covering tray	Suitable for	Article no.
Tools mat covering tray JU 1.5-7-0	width 1.5 / depth 7	6000012391
Tool mat covering tray JU 1.5-10-0	width 1.5 / depth 10	6000012392
Tool mat covering tray JU 1.5-12-0	width 1.5 / depth 12	6000012393
Tool mat covering tray JU 1.5-14-0	width 1.5 / depth 14	6000012394
Tool mat covering tray JU 1.5-16-0	width 1.5 / depth 16	6000012395
Tool mat covering tray JU 2-7-0	width 2 / depth 7	6000012396
Tool mat covering tray JU 2-10-0	width 2 / depth 10	6000012397
Tool mat covering tray JU 2-12-0	width 2 / depth 12	6000012398
Tool mat covering tray JU 2-14-0	width 2 / depth 14	6000012399
Tool mat covering tray JU 2-16-0	width 2 / depth 16	6000012400
Tool mat covering tray JU 2.5-7-0	width 2.5 / depth 7	6000012401
Tool mat covering tray JU 2.5-10-0	width 2.5 / depth 10	6000012402
Tool mat covering tray JU 2.5-12-0	width 2.5 / depth 12	6000012403
Tool mat covering tray JU 2.5-14-0	width 2.5 / depth 14	6000012404
Tool mat covering tray JU 2.5-16-0	width 2.5 / depth 16	6000012405





Proven configurations for your vehicle

Sortimo Xpress







Customisable with wide range of accessories



With tool mat and dividers



Quick selection of best practice shelving



The Sortimo Xpress configurations are a selection of basic equipment at the best price-to-performance ratio, suitable for the respective vehicle model. For each vehicle type, you can choose between Basic or Pro shelves for the right and left-hand sides of the cargo space. You can combine these in any way you wish according to your needs.

The Xpress shelves have been developed from best-practice examples from our customers and as such are already tried and tested. Due to their popularity, we keep these shelves in stock and can deliver them within the shortest possible time and at a special price.

Upgrades to make your workflow much easier are available in the form of BOXXes, cases and accessories. You can order hooks, holders, labelling systems and BOXXes online at *my*Sortimo.com or select them from the catalogue.

If you are missing a crucial element for your shelving needs, please contact your Sortimo contact person or the Sortimo Customer Service Center. We can adapt the Xpress shelves to your needs or work with you to fully customise them.

SoboPro installation floor

All SR5 shelves from the Xpress range can be bolted directly to the SoboPro installation floor. Clear benefit: saves time during installation.




Find more information on the SoboPro installation floor from Page 93



SMALL VANS – L1

Suitable for: Citroën Berlingo L1 (2018 -), Mercedes-Benz Citan Long (2012 -), Mercedes-Benz Citan Long 2021, Nissan NV250 L1 (2019 -), Nissan Townstar (2022-), Vauxhall Combo Cargo (2018 -), Peugeot Partner L1 (2018 -), Renault Kangoo Rapid (2008 -), Renault Kangoo L1 (2021), Toyota ProAceCity L1, Volkswagen Caddy L1 (2020)










Suitable for: Citroën Berlingo L2 (2018 -), Mercedes-Benz Citan Extra Long (2012 -), Nissan NV250 L2 (2019), Vauxhall Combo Cargo XL (2018 -), Peugeot Partner L2 (2018 -), Renault Kangoo Maxi (2008 -), Toyota ProAceCity L2 (2020)




Citroën Berlingo L2 (2018 -), Vauxhall Combo Cargo XL (2018 -), Peugeot Partner L2 (2018 -), Toyota ProAceCity L2	012162
Mercedes-Benz Citan Extra Long (2012 -), Nissan NV250 L2, Renault Kangoo Maxi (2008 -) – without wheel arch cladding	012180





Suitable for: Citroën Jumpy M (2016-), Fiat Scudo L2 (2022-), Fiat Talento L1 (2016-), Mercedes-Benz Vito Compact (2014), Nissan Primastar L1 (2021-), Vauxhall Vivaro L1 (2014 - 2019), Vauxhall Vivaro Cargo M (2019 -), Peugeot Expert L2 (2016 -), Renault Trafic L1 (2014 -), Toyota ProAce L1 (2016 -)







Xpress 8.1

Left side

Dimensions (WxH): 1,759 x 1,130 mm Total weight: 52 kg

Article number: 1000019553

Xpress 10

Dimensions (WxH): 1,018x1,040 mm Total weight: 37 kg

Right side

Article number: 1000020419


Citroën Jumpy M (2016-), Vauxhall Vivaro Cargo M (2019-), Peugeot Expert L2 (2016-), Toyota ProAce L1 (2016-), Fiat Scudo L2 (2022-)	1000012164
Fiat Talento L1 (2016 -), Nissan Primastar L1 (2021 -), Vauxhall Vivaro L1 (2014 - 2019), Renault Trafic L1 (2014 -) – tailgate	1000012303
Fiat Talento L1 (2016-), Nissan Primastar L1 (2021-), Vauxhall Vivaro L1 (2014-2019), Renault Trafic L1 (2014-) – wing door	1000012192
Mercedes-Benz Vito Compact (2014)	1000012183







Suitable for: Ford Transit Custom L1 (2012), Mercedes-Benz Vito Long (2014), Volkswagen T6 Short (2015)







Xpress 13

Left side

Dimensions (WxH): 2,006 x 1,130 mm Total weight: 54 kg

Article number: 1000019555

Xpress 12

Dimensions (WxH): 1,018 x 1,120 mm Total weight: 63 kg

Article number: 1000019556


Right side

Suitable SoboPro installation floors (vehicles with right-hand sliding door)	Article no.
Ford Transit Custom L1 (2012)	1000012173
Mercedes-Benz Vito Long (2014)	1000012184
Volkswagen T6 Short (2015)	1000012200





Suitable for: Citroën Jumpy XL (2016 -), Fiat Scudo L3 (2022-), Fiat Talento L2 (2016 -), Ford Transit Custom L2 (2012), Mercedes-Benz Vito Extra Long (2014), Nissan Primastar L2 (2021-), Vauxhall Vivaro L2 (2014 - 2019), Vauxhall Vivaro Cargo L (2019 -), Peugeot Expert L3 (2016 -), Renault Trafic L2 (2014 -), Toyota ProAce L2 (2016 -), Volkswagen T6 Long (2015)







Xpress 17

Left side

Dimensions (WxH): 2,253 x 1,130 mm Total weight: 61 kg

Article number: 1000019559

Xpress 16

Dimensions (WxH): 1,265 x 1,160 mm Total weight: 68 kg

Article number: 1000019560

Right side

Suitable SoboPro installation floors (vehicles with right-hand sliding door)	Article no.
Fiat Talento L2 (2016 -), Nissan Primastar L2 (2021 -), Vauxhall Vivaro L2 (2014 - 2019), Renault Trafic L2 (2014 -) – tailgate	1000012304
Fiat Talento L2 (2016-), Nissan Primastar L2 (2021-), Vauxhall Vivaro L2 (2014-2019), Renault Trafic L2 (2014-) – wing door	1000012193
Citroën Jumpy XL (2016 -), Fiat Scudo L3 (2022-), Vauxhall Vivaro Cargo L (2019 -), Peugeot Expert L3 (2016 -), Toyota ProAce L2 (2016 -)	1000012165
Ford Transit Custom L2 (2012)	1000012174
Mercedes-Benz Vito Extra Long (2014)	1000012185
Volkswagen T6 Long (2015)	1000012201



LARGE-CAPACITY VANS – L2



Suitable for: Citroën Jumper L2 (2014-), Fiat Ducato L2 (2014-), Ford Transit L2 (2014), Nissan Interstar L3 (2021-), Vauxhall Movano L2 (2022-), Peugeot Boxer L2 (2014 -), Renault Master L2 FWD (2010 -)



PRO version





Xpress 21

Left side

Dimensions (WxH): 2,398 x 1,640 mm

Article number: 1000019563

Total weight: 95 kg

Xpress 20

Dimensions (WxH): 1,188 x 1,510 mm Total weight: 55 kg

Article number: 1000019564


Right side

Suitable SoboPro installation floors (vehicles with right-hand sliding door)	Article no.
Nissan Interstar L2 (2021-), Renault Master L2 (2010 -) - front-wheel drive	1000012195
Citroën Jumper L2 (2014-), Fiat Ducato L2 (2014-), Vauxhall Movano L2 (2022-), Peugeot Boxer L2 (2014-)	1000012169
Ford Transit L2 (2014) – front-wheel drive	1000012175

LARGE-CAPACITY VANS – L2, L3, L4



Suitable for: Citroën Jumper L3 (2014-), Fiat Ducato L4 (2014-), Ford Transit L3 (2014), IVEC L3 RWD (2014), MAN TGE L1 Standard FWD (2016-), Mercedes-Benz Sprinter L2 FWD (2018), Mercedes-Benz Sprinter L3 RWD (2018), Nissan Interstar L3 (2021-), Vauxhall Movano L2 (2022-), Vauxhall Movano L3 FWD (2010 -), Peugeot Boxer L3 (2014 -), Renault Master L3 FWD (2010 -), Volkswagen Crafter mid-length FWD (2016 -)



PRO version





Xpress 25

Left side

Dimensions (WxH): 2,640 x 1,640 mm

Article number: 1000019567

Total weight: 98 kg

Xpress 24

Dimensions (WxH): 1,430x1,510 mm Total weight: 66 kg

Article number: 1000019568

Right side

Citroën Jumper L3 (2014 -), Fiat Ducato L4 (2014 -), Opel Movano L2 (2022-), Peugeot Boxer L3 (2014 -)	1000012170
Nissan Interstar L3 (2021-), Vauxhall Movano L3 (2010-), Renault Master L3 (2010-) – front-wheel drive	1000012196
MAN TGE L1 Standard (2016 -), Volkswagen Crafter Mid-length (2016 -) – front-wheel drive	1000012202
Mercedes-Benz Sprinter Standard (2018) – front-wheel drive	1000012191
Mercedes-Benz Sprinter Standard (2018) – rear-wheel drive	1000012187
Ford Transit L3 (2014) – front-wheel drive	1000012176
Iveco L3 (2014) – rear-wheel drive	1000013441





Installation – Load securing – Loading space protection

Floor and wall claddings



Protects the cargo area from wear and damage



Lashing options for Professional load securing



Ideal combination with SR5 from integrated mounting points





Floor and wall claddings represent the basis of professional vehicle equipment. Sortimo offers the right solution with the vehicle-specific sets in various different designs for any application.

This includes our own consistently integrated and developed ProSafe load securing system, which facilitates diverse solutions for load securing.

Sortimo floor and wall cladding contributes significantly to the value retention of your vehicle. They protect the chassis from damage and can be removed without leaving any residues if necessary.



Sturdy installation floor with non-slip coating for alternating types of load.




Load securing floor with lashing points for SR5 van racking and additional lashing options.




SoboPro LSC

Load securing floor with lashing points for SR5 van racking and additional floor ProSafe lashing points for restraint poles.



Installation and load securing floor

- made from Scandinavian birch
- 9 mm thick, 7-fold bonding
- extremely scratch and impact resistant
- moisture-resistant
- hygienic, non-slip and highly wear-resistant surface covering
- aluminium protective edges on entry sides
- integrated lashing points for SR5 van racking with SoboPro floors
- tailor-made for the vehicle
- no drilling of the vehicle chassis required



Maximum utilisation of the load area in the vehicle with SoboPro and SR5 van racking

SoboPro



The SoboPro installation floor permits simple and quick mounting of the Sortimo van racking system SR5 in the vehicle without having to drill through the vehicle chassis, thanks to the integrated attachment points. The van's standard lashing points can still be used for this. The SoboPro installation floor has additional lashing points alongside the pre-configured lashing points. This results in an innovative and professional load-securing concept which permits flexible lashing of loads to the floor. The floor lashing points ProSafe are arranged in such a way that the valuable storage space on the floor of the vehicle itself, combined with the installation of SR5 van racking, can be utilised in an ideal manner.





Load securing as standard

The SoboPro floor is compatible with all ProSafe products, such as lashing belts, CargoStopp and load securing nets. The protection floor is resistant to dirt and water, easy to clean and extremely scratch- and impact-resistant.





Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Berlingo 2018	L1	2785 mm	4403 mm	1000013292	1000012161
Berlingo 2018	L2	2975 mm	4753 mm	1000013259	1000012162
Jumper 2006	L1	3000 mm	4963 mm	331010270	1000012168
Jumper 2006	L2	3450 mm	5413 mm	331010272	1000012169
Jumper 2006	L3	4035 mm	5998 mm	331010274	1000012170
Jumper 2006	L4	4035 mm	6363 mm	331010809	1000013483
Jumpy 2016	XS	2925 mm	4609 mm	1000005157	1000012163
Jumpy 2016	M	3275 mm	4959 mm	1000005112	1000012164
Jumpy 2016	XL	3275 mm	5309 mm	1000005158	1000012165

DACIA

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Dokker Express 2012	L1, TW	2810 mm	4363 mm	1000004286	1000012301
Nokker Evnress 2012	I 1 TG	2810 mm	1363 mm	100001554	_

SoboGrip



The Sortimo floor SoboGrip is built for rough everyday life with changing cargo and therefore ideal for parcel delivery services and freight forwarders. The textured coating is non-directional, scratch-resistant and also extremely slip-resistant when wet.



FIAT

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Doblo 2010	L1	2755 mm	4406 mm	331016509	1000012166
Doblo 2010	L2	3105 mm	4756 mm	331016510	1000012167
Ducato 2006	L1	3000 mm	4963 mm	331010270	1000012168
Ducato 2006	L2	3450 mm	5413 mm	331010272	1000012169
Ducato 2006	L4	4035 mm	5998 mm	331010274	1000012170
Ducato 2006	L5	4035 mm	6363 mm	331010809	1000013483
Talento 2022	XS	2925 mm	4609 mm	1000005157	1000012163
Talento 2022	М	3275 mm	4959 mm	1000005112	1000012164
Talento 2022	XL	3275 mm	5309 mm	1000005158	1000012165


FORD





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Transit Connect 2014	L1	2662 mm	4418 mm	1000002597	1000012171
Transit Connect 2014	L2	3062 mm	4818 mm	1000002535	1000012172
Transit Courier 2014	DIV	2489 mm	4157 mm	1000003219	-
Transit Courier 2014	PG	2489 mm	4157 mm	1000003391	-
Transit Connect 2012	L1	2933 mm	4972 mm	1000001761	1000012173
Transit Connect 2012	L2	3300 mm	5339 mm	1000001764	1000012174
Transit 2014	L2	3300 mm	5531 mm	1000002680	1000012175
Transit 2014	L2, HA	3300 mm	5531 mm	1000002873	1000012177
Transit 2014	L3	3750 mm	5981 mm	1000002649	1000012176
Transit 2014	L3, HA	3750 mm	5981 mm	1000002760	1000012178
Transit 2014	L4, HA	3750 mm	6704 mm	1000003137	-
Transit 2014	L3, HA, ZW	3750 mm	6704 mm	1000003143	-





HYUNDAI

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
H350 2015	L2	3435 mm	5515 mm	1000004671	1000014426
H350 2015	L3	3670 mm	6195 mm	1000004682	-

IVECO

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Daily 2014	L1	3000 mm	5040 mm	1000003400	1000013442
Daily 2014	L2	3520 mm	5560 mm	1000002757	1000013443
Daily 2014	L3	3520 mm	5950 mm	1000002758	1000013441
Daily 2014	L3, ZW	3520 mm	5950 mm	1000004381	_
Daily 2014	L4	4100 mm	7130 mm	1000002759	1000013444
Daily 2014	L4, ZW	4100 mm	7130 mm	1000003979	-
Daily 2014	L5	4100 mm	7498 mm	1000004098	1000013445
Daily 2014	L5, ZW	4100 mm	7498 mm	1000004101	_

MAN

Floors for vehicles with right-sliding door.





Model / model year Specification Wheelbase **Total length** Article no. Article no. 1000005278 TGE 2016 Standard 3640 mm 5966 mm 1000012202 TGE 2016 Standard, HA 3640 mm 5966 mm 1000011211 1000012204 1000010565 TGE 2016 Standard, RW, DT 3640 mm 5966 mm TGE 2016 4490 mm 6836 mm 1000005279 1000012203 TGE 2016 Long, HA 4490 mm 6836 mm 1000011219 1000012205 Long, RW, DT TGE 2016 4490 mm 1000010566 TGE 2016 Extra long 4490 mm 7391 mm 1000005280 TGE 2016 Extra long, HA 4490 mm 7391 mm 1000011227 TGE 2016 Extra long, RW, DT 4490 mm 7391 mm 1000011445

MAXUS





,	50	bo	Gri	p

Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Deliver 9 2021	L3	3760 mm	5940 mm	1000020624	1000020630

MERCEDES BENZ

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Citan 2012	Long	2697 mm	4321 mm	331013206	1000012179
Citan 2012	Long, RV	2697 mm	4321 mm	1000002609	1000012181
Citan 2012	Extra long	3081 mm	4705 mm	331017394	1000012180
Citan 2012	Extra long, RV	3081 mm	4705 mm	1000003170	1000012182
Citan 2021	Standard	2716 mm	4498 mm	1000019092	1000019096
Citan 2022	Long	3100 mm	4910 mm	1000020542	1000020550
Sprinter 2006	Compact, RW	3250 mm	5245 mm	331008871	1000012186
Sprinter 2018	Compact	3259 mm	5267 mm	1000011510	1000012190
Sprinter 2006 / 2018	Standard, HA	3665 mm	5932 mm	331008873	1000012187
Sprinter 2006 / 2018	Standard, RW, DT	3665 mm	5932 mm	331008876	-
Sprinter 2018	Standard	3924 mm	5932 mm	1000011276	1000012191
Sprinter 2006 / 2018	Long, HA	4325 mm	6967 mm	331008874	1000012188
Sprinter 2006 / 2018	Long, RW, DT	4325 mm	6967 mm	331008877	-
Sprinter 2006 / 2018	Extra long, HA	4325 mm	7367 mm	331008875	1000012189
Sprinter 2006 / 2018	Extra long, RW, DT	4325 mm	7367 mm	331008878	-
Vito 2014	Compact	3200 mm	4895 mm	1000003158	1000012183
Vito 2014	Long	3200 mm	5140 mm	1000003159	1000012184
Vito 2014	Extra long	3430 mm	5370 mm	1000003160	1000012185

NISSAN

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Townstar 22	L2	3100 mm	4910 mm	1000020542	1000020550
NV300 16/Primastar 21	L1, FT	3098 mm	4999 mm	1000003017	1000012192
NV300 16/Primastar 21	L1, HK	3098 mm	4999 mm	1000003020	1000012303
NV300 16/Primastar 21	L2, FT	3498 mm	5399 mm	1000003023	1000012193
NV300 16/Primastar 21	L2, HK	3498 mm	5399 mm	1000003026	1000012304
NV400 12/Interstar 21	L1	3182 mm	5048 mm	331016911	1000012194
NV400 12/Interstar 21	L2	3682 mm	5548 mm	331016912	1000012195
NV400 12/Interstar 21	L3, HA	3682 mm	6198 mm	331016843	1000012197
NV400 12/Interstar 21	L3, HA, ZW	3682 mm	6198 mm	331016916	-
NV400 12/Interstar 21	L3	4332 mm	6198 mm	331016913	1000012196
NV400 12/Interstar 21	L4, HA	4332 mm	6848 mm	1000003459	-
NV400 12 / Interstar 21	L4, HA, ZW	4332 mm	6848 mm	331016918	_

OPEL





Grip	

Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Combo 2018	L1	2785 mm	4403 mm	1000013292	1000012161
Combo 2018	L2	2975 mm	4753 mm	1000013259	1000012162
Movano 2010	L1	3182 mm	5048 mm	331016911	1000012194
Movano 2010	L2	3682 mm	5548 mm	331016912	1000012195
Movano 2010	L3, HA	3682 mm	6198 mm	331016843	1000012197
Movano 2010	L3, HA, ZW	3682 mm	6198 mm	331016916	-
Movano 2010	L3	4332 mm	6198 mm	331016913	1000012196
Movano 2010	L4, HA	4332 mm	6848 mm	1000003459	-
Movano 2010	L4, HA, ZW	4332 mm	6848 mm	331016918	-
Movano 2021	L1	3000 mm	4963 mm	331010270	1000012168
Movano 2021	L2	3450 mm	5413 mm	331010272	1000012169
Movano 2021	L3	4035 mm	5998 mm	331010274	1000012170
Movano 2021	L4	4035 mm	6363 mm	331010809	1000013483
Vivaro 2019	S	2925 mm	4609 mm	1000005157	1000012163
Vivaro 2019	M	3275 mm	4959 mm	1000005112	1000012164
Vivaro 2019	L	3275 mm	5309 mm	1000005158	1000012165

Specification

L2

L3

L4

L1

Wheelbase

3000 mm

3450 mm

4035 mm

4035 mm

2925 mm

3275 mm

3275 mm

2785 mm

2975 mm

4753 mm



PEUGEOT

Model / model year

Boxer 2006

Boxer 2006

Boxer 2006

Boxer 2006

Expert 2016

Expert 2016

Expert 2016

Partner 2018

Partner 2018

Floors for vehicles with right-sliding door.





	Subuarip	3000010
Total length	Article no.	Article no.
4963 mm	331010270	1000012168
5413 mm	331010272	1000012169
5998 mm	331010274	1000012170
6363 mm	331010809	1000013483
4609 mm	1000005157	1000012163
4959 mm	1000005112	1000012164
5309 mm	1000005158	1000012165
4403 mm	1000013292	1000012161

RENAULT

Floors for vehicles with right-sliding door.



1000013259



.

1000012162

Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Kangoo 2008	L1	2697 mm	4213 mm	331013206	1000012179
Kangoo 2008	L1, RV	2697 mm	4213 mm	1000002609	1000012181
Kangoo 2008	L2	3081 mm	4597 mm	331017394	1000012180
Kangoo 2008	L2, RV	3081 mm	4597 mm	1000003170	1000012182
Kangoo 2021	Standard	2716 mm	4488 mm	1000019092	1000019096
Kangoo 2022	L2	3100 mm	4910 mm	1000020542	1000020550
Master 2010	L1	3182 mm	5048 mm	331016911	1000012194
Master 2010	L2	3682 mm	5548 mm	331016912	1000012195
Master 2010	L3, HA	3682 mm	6198 mm	331016843	1000012197
Master 2010	L3, HA, ZW	3682 mm	6198 mm	331016916	-
Master 2010	L3	4332 mm	6198 mm	331016913	1000012196
Master 2010	L4, HA	4332 mm	6848 mm	1000003459	-
Master 2010	L4, HA, ZW	4332 mm	6848 mm	331016918	-
Trafic 2014	L1, FT	3098 mm	4999 mm	1000003017	1000012192
Trafic 2014	L1, HK	3098 mm	4999 mm	1000003020	1000012303
Trafic 2014	L2, FT	3498 mm	5399 mm	1000003023	1000012193
Trafic 2014	L2, HK	3498 mm	5399 mm	1000003026	1000012304

TOYOTA

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Proace 2016	Compact	2925 mm	4609 mm	1000005157	1000012163
Proace 2016	Medium	3275 mm	4959 mm	1000005112	1000012164
Proace 2016	Long	3275 mm	5309 mm	1000005158	1000012165

VOLKSWAGEN





Model / model year	Specification	Wheelbase	Total length	Article no.	Article no.
Caddy 2020	Normal	2755 mm	4501 mm	1000016209	1000016216
Caddy Maxi 2020	Normal	2970 mm	4853 mm	1000016218	1000016225
Crafter 2016	Medium	3640 mm	5986 mm	1000005278	1000012202
Crafter 2016	Mid-length, RW	3640 mm	5986 mm	1000011211	1000012204
Crafter 2016	Mid-length, RW, DT	3640 mm	5986 mm	1000010565	-
Crafter 2016	Long	4490 mm	6836 mm	1000005279	1000012203
Crafter 2016	Long, HA	4490 mm	6836 mm	1000011219	1000012205
Crafter 2016	Long, RW, DT	4490 mm	6836 mm	1000010566	-
Crafter 2016	Long plus	4490 mm	7391 mm	1000005280	-
Crafter 2016	Long Plus, RW	4490 mm	7391 mm	1000011227	-
Crafter 2016	Long Plus, RW, DT	4490 mm	7391 mm	1000011445	-
ID Buzz 2022	L1	2989 mm	4712 mm	1000020297	-
T6 2015	Short	3000 mm	4892 mm	33592156	1000012200
T6 2015	Long	3400 mm	5292 mm	33592149	1000012201





CITROËN

Floors for vehicles with right-sliding door.



SoboPro restraint pole

Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Jumper 2006	L1	3000 mm	4963 mm	H1, H2	1000012563
Jumper 2006	L2	3450 mm	5413 mm	H1, H2	1000012564
Jumper 2006	L3	4035 mm	5998 mm	H2, H3	1000012565
Jumpy 2016	M	3275 mm	4959 mm	H1	1000013845
Jumpy 2016	XL	3275 mm	5309 mm	H1	1000013847

FIAT

Floors for vehicles with right-sliding door.



Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Ducato 2006	L1	3000 mm	4963 mm	H1, H2	1000012563
Ducato 2006	L2	3450 mm	5413 mm	H1, H2	1000012564
Ducato 2006	L4	4035 mm	5998 mm	H2, H3	1000012565
Talento 2022	M	3275 mm	4959 mm	H1	1000013845
Talento 2022	XL	3275 mm	5309 mm	H1	1000013847

FORD



Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Transit Connect 2012	L1	2933 mm	4972 mm	H1	1000012566
Transit Connect 2012	L2	3300 mm	5399 mm	H1	1000012567
Transit 2014	L2	3300 mm	5531 mm	H2, H3	1000012568
Transit 2014	L2, HA	3300 mm	5531 mm	H2, H3	1000012570
Transit 2014	L3	3750 mm	5981 mm	H2, H3	1000012569
Transit 2014	L3, HA	3750 mm	5981 mm	H2, H3	1000012571



IVECO

Floors for vehicles with right-sliding door.



Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Daily 2014	L3	3520 mm	5950 mm	H2, H3	1000013495

MAN

Floors for vehicles with right-sliding door.



SoboPro restraint pole

Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
TGE 2016	Standard	3640 mm	5968 mm	H1, H2	1000012585
TGE 2016	Standard, HA	3640 mm	5968 mm	H1, H2	1000013866
TGE 2016	Long	4490 mm	6836 mm	H2, H3	1000012586
TGE 2016	Long, HA	4490 mm	6836 mm	H2, H3	1000012588

MERCEDES BENZ

Floors for vehicles with right-sliding door.



Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Citan 2021	Standard	2716 mm	4498 mm	H1	1000019099
Sprinter 2006 / 2008	Standard, HA	3665 mm	5932 mm	H1, H2	1000012573
Sprinter 2006 / 2008	Long, HA	4325 mm	6967 mm	H2, H3	1000012574
Sprinter 2006 / 2008	Extra long, HA	4325 mm	7367 mm	H2, H3	1000012575
Sprinter 2018	Compact	3259 mm	5267 mm	H1, H2	1000012576
Sprinter 2018	Standard	3924 mm	5932 mm	H1, H2	1000013853
Vito 2014	Compact	3200 mm	4895 mm	H1	1000013856
Vito 2014	Long	3200 mm	5140 mm	H1	1000012572
Vito 2014	Extra long	3430 mm	5370 mm	H1	1000013854

NISSAN

Floors for vehicles with right-sliding door.



SoboPro restraint pole

Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
NV300 16/Primastar 21	L1, FT	3098 mm	4999 mm	H1	1000012578
NV300 16/Primastar 21	L1, HK	3098 mm	4999 mm	H1	1000013861
NV300 16/Primastar 21	L2, FT	3498 mm	5399 mm	H1	1000012579
NV300 16/Primastar 21	L2, HK	3498 mm	5399 mm	H1	1000013863
NV400 12/Interstar 21	L1	3182 mm	5048 mm	H1	1000013858
NV400 12/Interstar 21	L2	3682 mm	5548 mm	H2	1000012580
NV400 12/Interstar 21	L3	4332 mm	6198 mm	H2	1000012581
NV400 12/Interstar 21	L3, HA	3682 mm	6198 mm	H2	1000012582

OPEL

Floors for vehicles with right-sliding door.



SoboPro restraint pole

Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Movano 2010	L1	3182 mm	5048 mm	H1	1000013858
Movano 2010	L2	3682 mm	5548 mm	H2	1000012580
Movano 2010	L3	4332 mm	6198 mm	H2	1000012581
Movano 2010	L3, HA	3682 mm	6198 mm	H2	1000012582
Movano 2021	L1	3000 mm	4963 mm	H1, H2	1000012563
Movano 2021	L2	3450 mm	5413 mm	H1, H2	1000012564
Movano 2021	L3	4035 mm	5998 mm	H2, H3	1000012565
Vivaro 2019	M	3275 mm	4959 mm	H1	1000013845
Vivaro 2019	L	3275 mm	5309 mm	H1	1000013847

PEUGEOT



Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Boxer 2006	L1	3000 mm	4963 mm	H1, H2	1000012563
Boxer 2006	L2	3450 mm	5413 mm	H1, H2	1000012564
Boxer 2006	L3	4035 mm	5998 mm	H2, H3	1000012565
Expert 2016	L2	3275 mm	4959 mm	H1	1000013845
Expert 2016	L3	3275 mm	5309 mm	H1	1000013847



RENAULT

Floors for vehicles with right-sliding door.



Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Kangoo 2021	Standard	2716 mm	4488 mm	H1	1000019099
Master 2010	L1	3182 mm	5048 mm	H1	1000013858
Master 2010	L2	3682 mm	5548 mm	H2	1000012580
Master 2010	L3	4332 mm	6198 mm	H2	1000012581
Master 2010	L3, HA	3682 mm	6198 mm	H2	1000012582
Trafic 2014	L1, FT	3098 mm	4999 mm	H1	1000012578
Trafic 2014	L1, HK	3098 mm	4999 mm	H1	1000013861
Trafic 2014	L2, FT	3498 mm	5399 mm	H1	1000012579
Trafic 2014	L2, HK	3498 mm	5399 mm	H1	1000013863

TOYOTA

Floors for vehicles with right-sliding door.





Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Proace 2016	Medium	3275 mm	4959 mm	H1	1000013845
Proace 2016	Long	3275 mm	5309 mm	H1	100013847

VOLKSWAGEN




Model / model year	Specification	Wheelbase	Total length	Roof height	Article no.
Crafter 2016	Medium	3640 mm	5986 mm	H1, H2	1000012585
Crafter 2016	Mid-length, RW	3640 mm	5986 mm	H1, H2	1000013866
Crafter 2016	Long	4490 mm	6836 mm	H2, H3	1000012586
Crafter 2016	Long, ha	4490 mm	6836 mm	H2, H3	1000012588
T6 2015	Short	3000 mm	4892 mm	H1	1000012583
T6 2015	Long	3400 mm	5304 mm	H1	1000012584





The SowaFlex wall and floor cladding, made from lightweight honeycomb material, protects the loading space of the vehicle and weighs 60% less than comparable wood cladding. The extremely impact- and scratch-resistant material protects the vehicle chassis in an optimum manner from damage and can be installed in the vehicle simply and without difficulty by fastening to the points provided by the vehicle manufacturer.



SowaFlex

- · protects the vehicle from the inside against damage
- · extremely impact- and scratch-resistant
- · tailor-made for the vehicle
- · moisture and chemically resistant
- 60% lighter than wood
- 100% recyclable honeycomb material





CITROËN

Wall claddings for ve	hicles with rig	ght-sliding door.			Basic set	Complete set			
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.	
Berlingo 2018	2785 mm	L1	H1	2/4/6	1000013274	2/4/6/10 14/16	Tailgate Hinged door	1000013279	
Berlingo 2018	2975 mm	L2	H1	2/4/6	1000013269	2/4/6/10 14/16	Tailgate Hinged door	1000013272	
Jumper 2006	3000 mm	L1	H1	1-6	331010560	1-6/9-10/ 13-16	Hinged door	1000012215	
Jumper 2006	3000 mm	L1	H2	1-6	1000000148	-			
Jumper 2006	3450 mm	L2	H1	1-6	331010820	1-6/9-10/ 13-16	Hinged door	1000012216	
Jumper 2006	3450 mm	L2	H2	1-6	331010562	1-6/9-10/ 13-16	Hinged door	1000012217	
Jumper 2006	4035 mm	L3	H2	1-6	331010564	1-6/9-10/ 13-16	Hinged door	1000012218	
Jumper 2006	4035 mm	L3	НЗ	1-6	331010566	1-6/9-10/ 13-16	Hinged door	1000012219	
Jumper 2006	4035 mm	L4	H2	1-6	331010851	1-6/9-10/ 13-16	Hinged door	1000012222	
Jumper 2006	4035 mm	L4	НЗ	1-6	331010822	1-6/9-10/ 13-16	Hinged door	1000012223	
Jumpy 2016	2925 mm	XS	H1	1/3/5	1000005159	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221	
Jumpy 2016	2925 mm	XS	H1	2/4/6	1000005160	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221	
Jumpy 2016	3275 mm	М	H1	1/3/5	1000005094	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266	
Jumpy 2016	3275 mm	M	H1	2/4/6	1000005095	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266	
Jumpy 2016	3275 mm	XL	H1	1/3/5	1000005161	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267	
Jumpy 2016	3275 mm	XL	H1	2/4/6	1000005162	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267	

FIAT

Wall claddings for ve	ehicles with ri	ght-sliding door.			Basic set		Co	mplete set
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Doblo 2010	2755 mm	L1	H1	2/4/6	331016984	2/4/6/10 14/16	Hinged door	1000011568
Doblo 2010	3105 mm	L2	H1	2/4/6	331016985	2/4/6/10 14/16	Hinged door	1000011567
Ducato 2006	3000 mm	L1	H1	1-6	331010560	1-6/9-10/ 13-16	Hinged door	1000012215
Ducato 2006	3000 mm	L1	H2	1-6	1000000148	-		
Ducato 2006	3450 mm	L2	H1	1-6	331010820	1-6/9-10/ 13-16	Hinged door	1000012216
Ducato 2006	3450 mm	L2	H2	1-6	331010562	1-6/9-10/ 13-16	Hinged door	1000012217
Ducato 2006	4035 mm	L4	H2	1-6	331010564	1-6/9-10/ 13-16	Hinged door	1000012218
Ducato 2006	4035 mm	L4	НЗ	1-6	331010566	1-6/9-10/ 13-16	Hinged door	1000012219
Ducato 2006	4035 mm	L5	H2	1-6	331010851	1-6/10/ 14/16	Hinged door	1000012222
Ducato 2006	4035 mm	L5	НЗ	1-6	331010822	1-6/10/18	Hinged door	1000012223
Talento 2022	2925 mm	XS	H1	1/3/5	1000005159	1-6/9-10/ 13-16	Tailgate/ Hinged door	1000012221
Talento 2022	2925 mm	XS	H1	2/4/6	1000005160	1-6/9-10/ 13-16	Tailgate/ Hinged door	1000012221
Talento 2022	3275 mm	М	H1	1/3/5	1000005094	1-6/9-10/ 13-16	Tailgate/ Hinged door	1000012266
Talento 2022	3275 mm	М	H1	2/4/6	1000005095	1-6/9-10/ 13-16	Tailgate/ Hinged door	1000012266
Talento 2022	3275 mm	XL	H1	1/3/5	1000005161	1-6/9-10/ 13-16	Tailgate/ Hinged door	1000012267
Talento 2022	3275 mm	XL	H1	2/4/6	1000005162	1-6/9-10/ 13-16	Tailgate/ Hinged door	1000012267



FORD

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set	Complete set			
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.	
Connect 2014	2662 mm	L1	H1	1-6	1000002604	1-6/9-10/ 13-16	Hinged door	1000012213	
Connect 2014	2662 mm	L1, RV	H1	2/4/5/6	1000002603	-			
Connect 2014	3062 mm	L2	H1	1-6	1000002638	1-6/9-10/ 13-16	Hinged door	1000012214	
Connect 2014	3062 mm	L2, RV	H1	2/4/5/6	1000002536	-			
Transit Connect 2012	2933 mm	L1	H1	1/3/5	1000001582	1-6/9-10/ 13-16	Hinged door	1000010349	
Transit Connect 2012	2933 mm	L1	H1	2/4/6	1000001585	1-6/9-10/ 13-16	Hinged door	1000010349	
Transit Connect 2012	3300 mm	L2	H1	1/3/5	1000001790	1-6/9-10/ 13-16	Hinged door	1000011571	
Transit Connect 2012	3300 mm	L2	H1	2/4/6	1000001791	1-6/9-10/ 13-16	Hinged door	1000011571	
Transit 2014	3300	L2	H2	1-6	1000002687	1-6/9-10/ 14/16	Hinged door	1000011569	
Transit 2014	3300	L2	НЗ	1-6	1000002688	_			
Transit 2014	3750 mm	L3	H2	1-6	1000002654	1-6/9-10/ 14/16	Hinged door	1000011570	
Transit 2014	3750 mm	L3	НЗ	1-6	1000002707	_			
Transit 2014	3750 mm	L4, HA	НЗ	1-6	1000003133	-			

HYUNDAI

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set	Complete set		
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
H350 2015	3435 mm	L2	H2	1-6	1000004673	1-6/9-10/ 13-16	Hinged door	1000005373
H350 2015	3670 mm	L3	H2	1-6	1000004684	1-6/9-10/ 13-16	Hinged door	1000005373

IVECO

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set	Complete set		
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Daily 2014	3000 mm	L1	H1	1-6	1000003401	-		
Daily 2014	3520 mm	L2	H1	1-6	1000003402	-		
Daily 2014	3520 mm	L2	H2	1-6	1000003403	-		
Daily 2014	3520 mm	L3	H2	1-6	1000003334	-		
Daily 2014	3520 mm	L3	НЗ	1-6	1000004104	-		
Daily 2014	4100 mm	L4	H2	1-6	1000003293	-		
Daily 2014	4100 mm	L4	НЗ	1-6	1000003416	-		
Daily 2014	4100 mm	L5	H2	1-6	1000004036	-		
Daily 2014	4100 mm	L5	НЗ	1-6	1000004039	-		

MAN

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set	Complete set		
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
TGE 2016	3640 mm	Standard	H1	1-6	1000010237	-		
TGE 2016	3640 mm	Standard, HA	H1	1-6	1000010240	-		
TGE 2016	3640 mm	Standard	H2	1-6	1000005281	1-6/9-10/	Hinged door	1000010379
TGE 2016	3640 mm	Standard, HA	H2	1-6	1000010243	-		
TGE 2016	4490 mm	Long	H2	1-6	1000005282	1-6/9-10/	Hinged door	1000010380
TGE 2016	4490 mm	Long, HA	H2	1-6	1000010248	-		
TGE 2016	4490 mm	Extra long	H2	1-6	1000005283	1-6/9-10/	Hinged door	1000015424
TGE 2016	4490 mm	Extra long, HA	H2	1-6	1000011493	1-6/9-10/	Hinged door	1000015427

MAXUS

Wall claddings for vehicles with right-sliding door.					Basic set	Complete set		
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Deliver 9 2021	3760 mm	L3	H2	1-6	1000020506	1-6/9-10/ 13-16	Hinged door	1000020509



MERCEDES BENZ

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set		Co	mplete set
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Citan 2012	2697 mm	Long	H1	1/3/5	1000001775	1-6/9-10/ 13-16	Hinged door	1000011199
Citan 2012	2697 mm	Long	H1	2/4/6	331013210	1-6/9-10/ 13-16	Hinged door	1000011199
Citan 2012	3081 mm	Extra long	H1	1/3/5	1000001778	1-6/9-10/ 13-16	Hinged door	1000011196
Citan 2012	3081 mm	Extra long	H1	2/4/6	331017383	1-6/9-10/ 13-16	Hinged door	1000011196
Citan 2021	2716 mm	Standard	H1	1-6	1000018357	1-6/9-10/ 13-16	Hinged door	1000018360
Citan 2022	3100 mm	Long	H1	1-6	1000020537	1-6/9-10/ 13-16	Hinged door	1000020540
Sprinter 2006	3250 mm	Compact, RW	H1, H2	1-6	331009617	1-6/9-10/ 13-16	Hinged door	1000005079
Sprinter 2006	3665 mm	Standard, HA	H1, H2 H3	1-6	331009619	1-6/9-10/ 13-16	Hinged door	1000004931
Sprinter 2006	4325 mm	Long, HA	H2, H3	1-6	331009659	1-6/9-10/ 13-16	Hinged door	1000005078
Sprinter 2006	4325 mm	Extra long, HA	H2, H3	1-6	331009661	-		
Sprinter 2018	3259 mm	Compact	H1, H2	1-6	1000011505	1-6/9-10/ 13-16	Hinged door	1000011526
Sprinter 2018	3665 mm	Standard, HA	H1, H2	1-6	331009619	1-6/9-10/ 13-16	Hinged door	1000012474
Sprinter 2018	3924 mm	Standard	H1, H2	1-6	1000011347	1-6/9-10/ 13-16	Hinged door	1000011277
Sprinter 2018	4325 mm	Long, HA	H2, H3	1-6	331009659	1-6/9-10/ 13-16	Hinged door	1000012475
Sprinter 2018	4325 mm	Extra long, HA	H2, H3	1/3/5	331009661	-		
Vito 2014	3200 mm	Compact	H1	1-6	1000003161	1-6/9-10/ 13-16	Hinged door	1000011559
Vito 2014	3200 mm	Long	H1	1-6	1000003162	1-6/9-10/ 13-16	Hinged door	1000004933
Vito 2014	3430 mm	Extra long	H1	1-6	1000003163	1-6/9-10/ 13-16	Hinged door	1000011561

NISSAN



You can find an overview of the set components on page 111



OPEL

Wall claddings for ve	ehicles with ri	ght-sliding door.			Basic set		Co	mplete set
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Combo 2018	2785 mm	L1	H1	2/4/6	1000013274	2/4/6/10/ 14/16	Tailgate Hinged door	1000013279
Combo 2018	2975 mm	L2	H1	2/4/6	1000013269	2/4/6/10/ 14/16	Tailgate Hinged door	1000013272
Movano 2010	3182 mm	L1	H1	1-6	1000001044	1-6/9-10/ 13-16	Hinged door	1000005088
Movano 2010	3182 mm	L1	H2	1-6	1000001045	-		
Movano 2010	3682 mm	L2	H2	1-6	331017076	1-6/9-10/ 13-16	Hinged door	1000005081
Movano 2021	3000 mm	L1	H1	1-6	331010560	1-6/9-10/ 13-16	Hinged door	1000012215
Movano 2021	3000 mm	L1	H2	1-6	1000000148	-		
Movano 2021	3450 mm	L2	H1	1-6	331010820	1-6/9-10/ 13-16	Hinged door	1000012216
Movano 2021	3450 mm	L2	H2	1-6	331010562	1-6/9-10/ 13-16	Hinged door	1000012217
Movano 2021	4035 mm	L3	H2	1-6	331010564	1-6/9-10/ 13-16	Hinged door	1000012218
Movano 2021	4035 mm	L3	НЗ	1-6	331010566	1-6/9-10/ 13-16	Hinged door	1000012219
Movano 2021	4035 mm	L4	H2	1-6	331010851	1-6/9-10/ 13-16	Hinged door	1000012222
Movano 2021	4035 mm	L4	НЗ	1-6	331010822	1-6/9-10/ 13-16	Hinged door	1000012223
Vivaro 2019	2925 mm	S	H1	1/3/5	1000005159	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221
Vivaro 2019	2925 mm	S	H1	2/4/6	1000005160	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221
Vivaro 2019	3275 mm	М	H1	1/3/5	1000005094	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266
Vivaro 2019	3275 mm	М	H1	2/4/6	1000005095	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266
Vivaro 2019	3275 mm	L	H1	1/3/5	1000005161	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267
Vivaro 2019	3275 mm	L	H1	2/4/6	1000005162	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267

PEUGEOT

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set		Cor	mplete set
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Boxer 2006	3000 mm	L1	H1	1-6	331010560	1-6/9-10/ 13-16	Hinged door	1000012215
Boxer 2006	3000 mm	L1	H2	1-6	1000000148	-		
Boxer 2006	3450 mm	L2	H1	1-6	331010820	1-6/9-10/ 13-16	Hinged door	1000012216
Boxer 2006	3450 mm	L2	H2	1-6	331010562	1-6/9-10/ 13-16	Hinged door	1000012217
Boxer 2006	4035 mm	L3	H2	1-6	331010564	1-6/9-10/ 13-16	Hinged door	1000012218
Boxer 2006	4035 mm	L3	НЗ	1-6	331010566	1-6/9-10/ 13-16	Hinged door	1000012219
Boxer 2006	4035 mm	L4	H2	1-6	331010851	1-6/9-10/ 13-16	Hinged door	1000012222
Boxer 2006	4035 mm	L4	НЗ	1-6	331010822	1-6/9-10/ 13-16	Hinged door	1000012223
Expert 2016	2925 mm	L1	H1	1/3/5	1000005159	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221
Expert 2016	2925 mm	L1	H1	2/4/6	1000005160	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221
Expert 2016	3275 mm	L2	H1	1/3/5	1000005094	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266
Expert 2016	3275 mm	L2	H1	2/4/6	1000005095	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266
Expert 2016	3275 mm	L3	H1	1/3/5	1000005161	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267
Expert 2016	3275 mm	L3	H1	2/4/6	1000005162	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267
Partner 2018	2785 mm	L1	H1	2/4/6	1000013274	2/4/6/10/ 14/16	Tailgate Hinged door	1000013279
Partner 2018	2975 mm	L2	H1	2/4/6	1000013269	2/4/6/10/ 14/16	Tailgate Hinged door	1000013272



RENAULT

Wall claddings for ve	hicles with rig	ght-sliding door.			Basic set		Co	mplete set
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Kangoo 2013	2697 mm	L1	H1	1/3/5	1000001775	1-6/9-10/ 13-16	Hinged door	1000011199
Kangoo 2013	2697 mm	L1	H1	2/4/6	331013210	1-6/9-10/ 13-16	Hinged door	1000011199
Kangoo 2013	3081 mm	L2	H1	1/3/5	1000001778	1-6/9-10/ 13-16	Hinged door	1000011196
Kangoo 2013	3081 mm	L2	H1	2/4/6	331017383	1-6/9-10/ 13-16	Hinged door	1000011196
Kangoo 2021	2716 mm	Standard	H1	1-6	1000018357	1-6/9-10/ 13-16	Hinged door	1000018360
Kangoo 2021	2716 mm	open Sesame	H1	_		1-6/9-10/ 13-16	Hinged door	1000019189
Kangoo 2022	3100 mm	L2	H1	1-6	1000020537	1-6/9-10/	Hinged door	1000020540
Master 2010	3182 mm	L1	H1	1-6	1000001044	1-6/9-10/ 13-16	Hinged door	1000005088
Master 2010	3182 mm	L1	H2	1-6	1000001045	-		
Master 2010	3682 mm	L2	H2, H3	1-6	331017076	1-6/9-10/ 13-16	Hinged door	1000005081
Master 2010	3682 mm	L3, HA	H2, H3	1-6	331017083	-		
Master 2010	4332 mm	L3	H2, H3	1-6	331017782	1-6/9-10/ 13-16	Hinged door	1000005080
Master 2010	4332 mm	L4, HA	H2, H3	1-6	331017078	-		
Trafic 2014	3098 mm	L1	H1, H2	1-6	1000003043	1-6/10/ 14/16	Hinged door	1000005076
Trafic 2014	3098 mm	L1	H1, H2	1-6	1000003043	1-6/10/18	Tailgate	1000005077
Trafic 2014	3498 mm	L2	H1, H2	1-6	1000003249	1-6/10/ 14/16	Hinged door	1000005075
Trafic 2014	3498 mm	L2	H1, H2	1-6	1000003249	1-6/10/18	Tailgate	1000005074

TOYOTA

Wall claddings for vehicles with right-sliding door.					Basic set	Complete set		
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Proace 2016	2925 mm	Compact	H1	1/3/5	1000005159	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221
Proace 2016	2925 mm	Compact	H1	2/4/6	1000005160	1-6/9-10/ 13-16	Tailgate Hinged door	1000012221

TOYOTA

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set	Complete set		
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Proace 2016	3275 mm	Medium	H1	1/3/5	1000005094	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266
Proace 2016	3275 mm	Medium	H1	2/4/6	1000005095	1-6/9-10/ 13-16	Tailgate Hinged door	1000012266
Proace 2016	3275 mm	Long	H1	1/3/5	1000005161	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267
Proace 2016	3275 mm	Long	H1	2/4/6	1000005162	1-6/9-10/ 13-16	Tailgate Hinged door	1000012267

VOLKSWAGEN

Wall claddings for ve	hicles with ri	ght-sliding door.			Basic set		Cor	mplete set
Model / model year	Wheelbase	Specification	Roof	Set	Article no.	Set	rear	Article no.
Caddy 2020	2755 mm	Normal	H1	1-6	1000016240	1-6/9-10/ 13-16	Hinged door	1000016243
Caddy Maxi 2020	2970 mm	Normal	H1	1-6	1000016245	1-6/9-10/ 13-16	Hinged door	1000016248
Crafter 2016	3640 mm	Medium	H1	1-6	1000010237	-		
Crafter 2016	3640 mm	Mid-length, RW	H1	1-6	1000010240	_		
Crafter 2016	3640 mm	Mid-length, RW	H2	1-6	1000010243	-		
Crafter 2016	3640 mm	Medium	H2	1-6	1000005281	1-6/9-10/ 13-16	Hinged door	1000010379
Crafter 2016	4490 mm	Long	H2	1-6	1000005282	1-6/9-10/ 13-16	Hinged door	1000010380
Crafter 2016	4490 mm	Long, HA	H2	1-6	1000010248	_		
Crafter 2016	4490 mm	Long plus	H2	1-6	1000005283	1-6/9-10/ 13-16	Hinged door	1000015424
Crafter 2016	4490 mm	Long Plus, RW	H2	1-6	1000011493	1-6/9-10/ 13-16	Hinged door	1000015427
ID Buzz 2022	2989 mm	L1	H1	2-4-6	1000020316	1-6/9-10/ 13-16	Hinged door	1000020319
ID Buzz 2022	2989 mm	L1	H1			1-6/9-10/ 13-16	Tailgate	1000020463
T6 2015	3000 mm	Short	H1	1-6	33341303	1-6/9-10/ 13-16	Hinged door	1000004932
T6 2015	3400 mm	Long	H1	1-6	331001287	1-6/9-10/ 13-16	Hinged door	1000005068



CITROËN Roof cladding

Model / model yea	r Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Berlingo 2018	2975 mm	L2	Normal roof (H1)	Sliding door right	Front-wheel drive	1000013273
Jumpy 2016	2925 mm	XS	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005422
Jumpy 2016	3275 mm	М	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005156
Jumpy 2016	3275 mm	XL	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017841
Jumper 2006	3450 mm	L2	Medium high roof H2	Sliding door right	Front-wheel drive	1000002355
Jumper 2006	3450 mm	L2	Medium high roof H2	Sliding door left	Front-wheel drive	1000003638
Jumper 2006	3450 mm	L2	Medium high roof H2	Sliding door on both sides	Front-wheel drive	1000003639
Jumper 2006	3000 mm	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017842
Jumper 2006	4035 mm	L3	High roof (H2)	Sliding door right	Front-wheel drive	1000013709
Jumper 2006	4035 mm	L4	Medium high roof H2	Sliding door right	Front-wheel drive	1000013710

DACIA Roof cladding

Model / model year	r Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Dokker Express 2012	2810 mm	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017840

FIAT Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Talento 2022	2925 mm	XS	Normal roof H1	Sliding door right	Front-wheel drive	1000005422
Talento 2022	3275 mm	M	Normal roof H1	Sliding door right	Front-wheel drive	1000005156
Talento 2022	3275 mm	XL	Normal roof H1	Sliding door right	Front-wheel drive	1000017841
Ducato 2006	3000 mm	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017842
Ducato 2006	3450 mm	L2	Medium high roof H2	Sliding door right	Front-wheel drive	1000002355
Ducato 2006	3450 mm	L2	Medium high roof H2	Sliding door left	Front-wheel drive	1000003638
Ducato 2006	3450 mm	L2	Medium high roof H2	Sliding door on both sides	Front-wheel drive	1000003639
Ducato 2006	4035 mm	L3	High roof (H3)	Sliding door right	Front-wheel drive	1000013709
Ducato 2006	4035 mm	L5	Medium high roof H2	Sliding door right	Front-wheel drive	1000013710

FORD Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Connect 2014	2662 mm	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017834
Connect 2014	3300 mm	L2	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017835
Transit Connect 2012	2933 mm	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000004987
Transit Connect 2012	3300 mm	L2	Normal roof (H1)	Sliding door right	Front-wheel drive	1000004951
Transit Connect 2012	3300 mm	L2	High roof (H2)	Sliding door right	Front-wheel drive	1000017844
Transit 2014	3300 mm	L2	High roof (H3)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000002497
Transit 2014	3300 mm	L2	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000005381
Transit 2014	3750 mm	L3	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000004666
Transit 2014	3750 mm	L3	High roof (H3)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000002496

HYUNDAI Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
H350	3435	L2	Medium high roof H2	Sliding door right	Front-wheel drive	1000004685
H350	3670	L3	Medium high roof H2	Sliding door right	Front-wheel drive	1000004686

VECO Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Daily 2014	3520	L2	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000005257
Daily 2014	3520	L3	High roof (H3)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000004583
Daily 2014	4100	L4	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000004150



MAN Roof cladding

Model / model year	r Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
TGE 2016	3640	Standard	High roof (H2)	Sliding door left	Front-wheel drive Rear-wheel drive Four-wheel drive	1000012237
TGE 2016	3640	Standard	High roof (H2)	Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000005406
TGE 2016	4490	Long	High roof (H2)	Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000010962
TGE 2016	4490	Extra long	High roof (H2)	Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000011530

MERCEDES-BENZ Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Citan 2012	2697	long	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017838
Vito 2014	3200 L1	Compact	Normal roof	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000003804
Vito 2014	3200 L2	Long	Normal roof	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000003695
Vito 2014	3430	Extra long	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017845
Sprinter 2018	3250	Compact	Normal roof	Sliding door right	Rear-wheel drive Four wheel drive	1000004745
Sprinter 2018	3250	Compact	Medium high roof	Sliding door right	Rear-wheel drive Four wheel drive	1000004892
Sprinter 2018	3259	Compact	High roof (H2)	Sliding door right	Front-wheel drive	1000011516
Sprinter 2018	3665	Standard	Medium high roof	Sliding door on both sides	Rear-wheel drive Four wheel drive	1000002260
Sprinter 2018	3665	Standard	Medium high roof	Sliding door left	Rear-wheel drive Four wheel drive	1000002262
Sprinter 2018	3665	Standard	Medium high roof	Sliding door right	Rear-wheel drive Four wheel drive	1000002184
Sprinter 2018	3924	Standard	High roof (H2)	Sliding door right	Front-wheel drive	1000011501
Sprinter 2018	4325	long	Medium high roof	Sliding door right	Rear-wheel drive Four wheel drive	1000002255
Sprinter 2018	4325	long	Medium high roof	Sliding door left	Rear-wheel drive Four wheel drive	1000002271
Sprinter 2018	4325	long	Medium high roof	Sliding door on both sides	Rear-wheel drive Four wheel drive	1000002272

NISSAN Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
NV400 / Interstar	3182	L1	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017846
NV400 / Interstar	3682	L2	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000002569
NV400 / Interstar	4332	L3	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017847
NV400/Interstar	4332	L3	High roof (H3)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017848

OPEL Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Vivaro 2019	2925	S	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005422
Vivaro 2019	3275	М	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005156
Vivaro 2019	3275	L	Normal roof (H2)	Sliding door right	Front-wheel drive	1000017841
Movano 2010	3182	L1	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017846
Movano 2010	3682	L2	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000002569
Movano 2010	4332	L3	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017847
Movano 2010	4332	L3	High roof (H3)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017848



PEUGEOT Roof cladding

Model / model yea	r Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Partner 2018	2975	L2	Normal roof (H1)	Sliding door right	Front-wheel drive	1000013273
Expert 2016	2925	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005422
Expert 2016	3275	L2	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005156
Expert 2016	3275	L3	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017841
Boxer 2006	3000	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017842
Boxer 2006	3450	L2	Medium high roof H2	Sliding door right	Front-wheel drive	1000002355
Boxer 2006	3450	L2	Medium high roof H2	Sliding door left	Front-wheel drive	1000003638
Boxer 2006	3450	L2	Medium high roof H2	Sliding door on both sides	Front-wheel drive	1000003639
Boxer 2006	4035	L3	High roof (H3)	Sliding door right	Front-wheel drive	1000013709
Boxer 2006	4035	L4	Medium high roof H2	Sliding door right	Front-wheel drive	1000013710

RENAULT Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Kangoo 2012	2697	L1	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017838
Trafic 2014	3098	L1	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000003694
Trafic 2014	3498	L2	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000003997
Master 2010	3182	L1	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017846
Master 2010	3682	L2	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000002569
Master 2010	4332	L3	Medium high roof H2	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017847
Master 2010	4332	L3	High roof (H3)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000017848

TOYOTA Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Proace 2019	2925	Compact	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005422
Proace 2019	3275	Medium	Normal roof (H1)	Sliding door right	Front-wheel drive	1000005156
Proace 2019	3275	Long	Normal roof (H1)	Sliding door right	Front-wheel drive	1000017841

VOLKSWAGEN Roof cladding

Model / model year	Wheelbase	Specification	Roof	Sliding door	Drive	Article no.
Caddy 2020	2755	Normal	Normal roof (H1)	Sliding door right	Front-wheel drive	1000016250
Caddy 2020	2970	Maxi	Normal roof (H1)	Sliding door right	Front-wheel drive	1000016252
ID Buzz 2022	2989	L1	Normal roof (H1)	Sliding door right	Elektroantrieb	1000020321
Т6	3000	Short	Normal roof (H1)	Sliding door right Sliding door on both sides Sliding door left	Front-wheel drive	1000013419
Т6	3400	Long	Normal roof (H1)	Sliding door on both sides Sliding door left Sliding door right	Front-wheel drive	1000013420
Crafter 2016	3640	L3	High roof (H2)	Sliding door left	Front-wheel drive Rear-wheel drive Four-wheel drive	1000012237
Crafter 2016	3640	L3	High roof (H2)	Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000005406
Crafter 2016	4490	L4	High roof (H2)	Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000010962
Crafter 2016	4490	L5	High roof (H2)	Sliding door right	Front-wheel drive Rear-wheel drive Four-wheel drive	1000011530



Load securing

ProSafe





Lashing rails

Restraint pole





Accessories

from Page 1

ProSafe as standard – Load securing



Sortimo | 131


Lashing rails

Sortimo lashing rails can be secured to the side panel, divider or to the van racking in conjunction with the SR5 side profile accessories adapter. Loads can be secured flexibly in the entire vehicle in conjunction with the SoboPro load securing floors and Sortimo lashing belts.



SR5 lashing rail incl. adapter

The ProSafe lashing rail incl. accessories adapter for the side profile of the SR5 van racking system is the perfect interface to the ProSafe lashing system in the vehicle interior. The adapter can be positioned at any height on the side profile quickly and easily, and then secured via screws.





Product	Technical details	Description	Article no.
Lashing rail ProSafe PC 03-3 SR5	WxDxH: 241 x 47 x 28 mm Weight: 0.4 kg	Width is approx. 253 mm.	1000019673
Lashing rail ProSafe PC 04-3 SR5	WxDxH: 345 x 47 x 28 mm Weight: 0.5 kg	Width is approx. 357 mm.	1000019674
Lashing rail ProSafe PC 05-3 SR5	WxDxH: 449 x 47 x 28 mm Weight: 0.5 kg	Width is approx. 461 mm.	1000019675

Side wall/divider lashing rail

The lashing rail can be secured to the side panel or to the divider n in the interior of the vehicle. This provides the perfect interface to the rest of the ProSafe lashing system. Mounting material is included in the scope of delivery.



Product	Technical details	Description	Article no.
Lashing rail ProSafe PC 40-3	WxDxH: 968 x 47 x 25.5 mm Weight: 0.9 kg	Width is approx. 968 mm.	1000013990
Lashing rail ProSafe PC 50-3	WxDxH: 1,210 x 47 x 25.5 mm Weight: 1.2 kg	Width is approx. 1,210 mm.	1000013991
Lashing rail ProSafe PC 60-3	WxDxH: 1,452 x 47 x 25.5 mm Weight: 1.4 kg	Width is approx. 1,452 mm.	1000013992
Lashing rail ProSafe PC 120-3	WxDxH: 2,904 x 47 x 25.5 mm Weight: 2.8 kg	Width is approx. 2,904 mm.	1000013993

ProSafe as standard – Load securing



Telescopic restraint poles

The universal telescopic restraint poles can be used to secure loads horizontally and vertically, depending on the position of the attachment points. With larger vehicles it is even possible to use the same restraint pole vertically and horizontally. Thanks to their eccentric shape and the resulting simultaneous movement of the telescopic restraint poles, the poles hold the load securely even when the load moves caused by braking or acceleration.

The telescopic restraint poles also have two ProSafe interfaces which can be used, among other things, to store lashing straps ready for use. The telescopic restraint pole can be retracted to its minimum size for compact storage.



ProSafe telescopic restraint pole

Product	Technical details	Article no.
ProSafe telescopic restraint pole 700-860 mm	WxDxH: 741 x 62 x 57 mm Weight: 1.91 kg	1000020082
ProSafe telescopic restraint pole 850-1150 mm	WxDxH: 900 x 62 x 57 mm Weight: 2.25 kg	1000018965
ProSafe telescopic restraint pole 1100-1400 mm	WxDxH: 1150 x 62 x 57 mm Weight: 2.62 kg	1000018966
ProSafe telescopic restraint pole 1300-1800 mm	WxDxH: 1350 x 62 x 57 mm Weight: 3.26 kg	1000018967
ProSafe telescopic restraint pole 1700-2200 mm	WxDxH: 1750 x 62 x 57 mm Weight: 3.85 kg	1000018968

ProSafe fixing rail

Fixing rails are used to carry telescopic restraint poles in the roof area and form an ideal total load securing package in conjunction with SoboPro LSC floors. The rail is available is two lengths and the fastening set is also included in the scope of delivery. They are suitable for telescopic restraint poles and the previous version, the normal restraint pole.





Product	Technical details	Article no.
Restraint pole fixing rail PS 1075 SET	WxDxH: 1,075 x 45 x 14 mm Weight: 0.4 kg	1000014082
Restraint pole fixing rail PS 1471 SET	WxDxH: 1,471 x 45 x 14 mm Weight: 0.6 kg	1000014083

Restraint pole holder

The restraint pole holder can be mounted either on the side walls or on the divider, and is a space-saving and secure aid for transporting restraint poles that are not being used.





Product	Technical details	Description	Article no.
Restraint pole storage holder PS VPE2	WxDxH: 223x160x100 mm Weight: 0,7 kg	for fixing to the lashing rail or the ProSafe side profile	1000019473
Restraint pole storage holder VPE2	WxDxH: 120x115x50 mm Weight: 4,6 kg	for fastening to the vehicle chassis	1000015353


ProSafe as standard – Load securing



Load-securing accessories

Sortimo offers the perfect solution for the respective application with its comprehensive range of accessories – suitable for the entire ProSafe load securing portfolio. Expand or optimise your existing load securing concept customised to your requirements and wishes.

		Product description	Article no.
	6	ProSafe CargoStopp WxDxH: 108 x 40 x 63 mm Weight: 0.20 kg Load securing element for inserting in the ProSafe floor lashing points provides a stop for form-closed load securing. Lashing point is retained thanks to integrated lashing eyes	1000003736
		Lashing eye set PU 2 WxDxH: 100 x 90 x 25 mm Weight: 0.13 kg Set comprising two lashing eyes and fastening material For mounting on the installation and load securing floors Provides additional lashing options permissible lashing load 400 daN	80714244
		Lashing eye solo	801009977
		ProSafe single lashing point SR5 WxDxH: 75.7 x 38 x 22.7 mm Weight: 0.14 kg Offers maximum flexibility in load securing thanks to custom positioning on the SR5 side and intermediate profile	1000013576
A A	00	ProSafe floor lashing point WxDxH: 108 x 40 x 63 mm Weight: 0.20 kg ProSafe floor lashing point integrated in the load securing floor, can be combined with all ProSafe lashing belts and nets. For the attachment of ProSafe restraint poles	6000001259





When securing cargo for transport, it makes sense to use slip resistant materials. Due to its properties, the anti-rattle mat provides an additional option for load securing in the vehicle and also protects the vehicle floor.

Product	Technical details	Description	Article no.
anti-rattle mat universal	WxDxH: 1,200 x 800 x 4.5 mm Weight: 2.02 kg	Suitable for securing pallets or other cargo Easy to clean due to closed surface Resistant to petrol and diesel 24 Friction coefficient in pulling direction $\mu \leq 0.8$	6000003365
Anti-slip mat pallets 200x100x8, 4pcs.	WxDxH: 200 x 100 x 8 mm Weight: 0.12 kg	As underlay at the corners, e.g. for Euro wooden pallets Packaging unit: 4 pieces Resistant to petrol and diesel 24 Friction coefficient in pulling direction $\mu \leq 0.6$	801014002

Load-securing strap

The ProSafe lashing system enables the flexible lashing of cargo due to the numerous potential connection points on the Sortimo vehicle floor, the van racking as well as the lashing rail for side panels and the ProPartition. Using the ProSafe lashing belt, you can secure cargo of all kinds in the vehicle quickly and easily.



ProSafe lashing belt with clamping lock

Product	Technical details	Description	Article no.
ProSafe lashing straps clamping lock 1.4 m	LxW 1400 x 25 mm Weight: 0.17 kg	End fitting ProSafe hook Load: max. 225 daN	1000000224
ProSafe lashing straps clamping lock 3 m	LxW 3000 x 25 mm Weight: 0.29 kg	End fitting ProSafe hook Load: max. 225 daN	1000000222
ProSafe lashing straps clamping lock 6 m	LxW 6000 x 25 mm Weight: 0.44 kg	End fitting ProSafe hook Load: max. 225 daN	1000000223



ProSafe lashing belt with ratchet

Product	Technical details	Description	Article no.
ProSafe lashing straps ratchet 0.77 m	LxW 770 x 25 mm Weight: 0.52 kg	End fitting ProSafe hook Load: max. 400 daN	1000000228
ProSafe lashing straps ratchet 0.93 m	LxW 930 x 25 mm Weight: 0.53 kg	End fitting ProSafe hook Load: max. 400 daN	1000000227
ProSafe lashing straps ratchet 1.5 m	LxW 1500 x 25 mm Weight: 0.45 kg	End fitting ProSafe hook Load: max. 400 daN	1000012322
ProSafe lashing straps ratchet 3.5 m	LxW 3500 x 25 mm Weight: 0.63 kg	End fitting ProSafe hook Load: max. 400 daN	1000000225
ProSafe lashing straps ratchet 6 m	LxW 6000 x 25 mm Weight: 0.79 kg	End fitting ProSafe hook Load: max. 400 daN	1000000226

Load-securing strap accessories

Product description	Article no.
Flex edge protection for lashing belts PU 4 WxDxH: 180 x 75 x 7 mm Weight: 0.24 kg The flexible plastic edge protection profile protects the load and prevents the lashing belts from slipping. Packaging unit: 4 pieces	1000001870

i-BOXX 72 G load securing

The i-BOXXes 72 G include the basic equipment for load securing in a car and/or van, making all common load securing measures possible. The load securing elements are always clearly arranged in the i-BOXX 72 G and the i-BOXX G wall holder ensures that they are always readily to hand whilst on the go.

Product description	Article no.
i-BOXX 72 G load securing for cars WxDxH: 367 x 316 x 72 mm Weight: 2.12 kg Basic equipment for load securing in the car (2x lash with clamping lock 3.5 m, 1x load securing net 1000 1x anti-rattle mat 750x500 mm, 1x load securing fly	0x1200 mm,
i-BOXX 72 G load securing for vans WxDxH: 367 x 316 x 72 mm Weight: 3.56 kg Basic equipment for load securing in the van (2x Probelts with ratchet 3.5 m, 2x ProSafe lashing belts wilock 3 m, 4x anti-rattle mats 200x100x8 mm, 4x Fle protection for lashing belts, 1x load securing flyer).	ith clamping



Useful fixing accessories for i-BOXXes G on Page 243

ProSafe as standard – Load securing _____





lashing belt with ratchet

138 | mySortimo.com

Product	Technical details	Description	Article no.
lashing belt 1 m	LxW 1000 x 25 mm Weight: 0.45 kg	Without End fitting Load: max. 400 daN	6000012841
lashing belt 3 m	LxW 3000 x 25 mm Weight: 0.51 kg	Without End fitting Load: max. 400 daN	6000012842
lashing belt 6 m	LxW 6000 x 25 mm Weight: 0.63 kg	Without End fitting Load: max. 400 daN	6000012843



ProSafe elastic cord

The ProSafe elastic cord is ideally suited for the rapid fixing of large bulky loads in the vehicle.

Product	Technical details	Description	Article no.
ProSafe elastic cord complete	LxW 1000 x 25 mm Weight: 0.13 kg	Inclusive 2 hooks	1000002455
ProSafe elastic cord Hooks solo	WxDxH: 66 x 28 x 19 mm Weight: 0.01 kg	Replacement hook for the ProSafe elastic cord	1000002480



Lashing belt with clamping lock

Product	Technical details	Description	Article no.
Lashing belt with clamping lock 0.25 m	LxW 250 x 25 mm Weight: 0.07 kg	Without End fitting Load: max. 250 daN	801015938
Lashing belt with clamping lock 0.6 m	LxW 600 x 25 mm Weight: 0.08 kg	Without End fitting Load: max. 250 daN	1000014221
Lashing belt with clamping lock 1.2 m	LxW 1200 x 25 mm Weight: 0.14 kg	Without End fitting Load: max. 250 daN	1000003942
Lashing belt with clamping lock 3.5 m	LxW 3500 x 25 mm Weight: 0.16 kg	Without End fitting Load: max. 250 daN	80714114



Lashing belt With ratchet and carabiner

Product	Technical details	Description	Article no.
Lashing belt ratchet and carabiner 3.5 m	LxW 3500 x 25 mm Weight: 0.84 kg	End fitting carabiner Load: max. 500 daN	80714091
Lashing belt ratchet and carabiner 6 m	LxW 6000 x 25 mm Weight: 0.94 kg	End fitting carabiner Load: max. 500 daN	801016217



Lashing belt With clamping lock and lashing hooks

Product	Technical details	Description	Article no.
Lashing belt clamping lock and lashing hooks 2 m	LxW 2000 x 25 mm Weight: 0.24 kg	End fitting lashing hook Load: max. 225 daN	801006371



Load securing nets

ProSafe load securing nets can be used at all available ProSafe lashing points as well as at the original lashing points of light commercial vehicles, and then easily stowed away in Sortimo BOXXes after use. Nets are available in several different sizes to ensure that even bulky or round objects are perfectly secure. The quality and functionality of all ProSafe load securing nets have been tested and certified by Dekra in compliance with the regulation VDI 2700 part 3.3.



ProSafe load securing nets with ratchet

Loading capacity: max. 400 daN mesh size: approx. 120 x 120 mm, belt width 25 mm

Product	Technical details	Description	Article no.
Small ProSafe load securing net	LxW 1400 x 1025 mm Weight: 3.2 kg	Turn buckle: 2x ratchets, 2x clamping locks End fitting ProSafe hook	1000001305
Medium ProSafe load securing net	LxW 1775 x 1150 mm Weight: 4.4 kg	Turn buckle: 2x ratchets, 2x clamping locks End fitting ProSafe hook	1000001306
Big ProSafe load securing net	LxW 2275 x 1650 mm Weight: 7.0 kg	Turn buckle: 2x ratchets, 2x clamping locks End fitting ProSafe hook	1000001307



ProSafe load securing nets with clamping lock

Loading capacity: max. 200 daN mesh size: approx. 120 x 120 mm, belt width 25 mm

Product	Technical details	Description	Article no.
Small ProSafe load securing net	LxW 775 x 900 mm Weight: 0.61 kg	Turn buckle: 4x clamping locks End fitting ProSafe hook	1000004934
Medium ProSafe load securing net	LxW 775 x 1025 mm Weight: 0.7 kg	Turn buckle: 4x clamping locks End fitting ProSafe hook	1000004935
Big ProSafe load securing net	LxW 1025 x 1275 mm Weight: 0.91 kg	Turn buckle: 4x clamping locks End fitting ProSafe hook	1000004936



Cargo net

The load securing net specially designed for cars is available in two sizes.

Product	Technical details	Description	Article no.
Small Cargo net	LxW 800 x 1000 mm Weight: 0.55 kg	Specially designed for the passenger car	6000001114
Big Cargo net	LxW 1000 x 1200 mm Weight: 0.68 kg	Specially designed for the passenger car	6000001113





Useful additions to Sortimo van racking

Accessories







SowaApp – always ready to hand



Electrical accessories – everything in the right light



Safety and first aid for any eventuality

Vehicle accessories – The mobile workshop

Workbenches

Turn your vehicle into a mobile workshop - with a work bench from Sortimo. The Sortimo workbenches can quickly and easily be adapted to the SR5 van racking or can be bolted to the floor of the vehicle. A sensible add-on to the workbench is a swivel vice plate with parallel vice which allows simple assembly work to be carried out directly at the vehicle. The mobile workshop simplifies day-to-day working and saves time while making a professional impression on the customer.



Product description	Article no.
Hinged workbench SR5	1000012542
WxDxH: 810 x 260 x 210 mm	

1000015228



The working height of the workbench varies according to the loading edge of the vehicle. Distance from loading level to worktop at least 515 mm.

Worktop dimensions 195 x 583 x 30 mm.

Fold-out workbench. (Installation on the SR5 van racking)

Hinged vice SR5

WxDxH: 180 x 115 x 720 mm

Weight: 14 kg

Compact vice for working on parts directly on the vehicle. Clamping range 200 mm, jaw width 180 mm, clamping height 40 mm

Can be installed on either side of the vehicle Suitable for SR5 van racking system



Article no.

1000000527

Heavy-duty workbench, hinged (short foot)

WxDxH: 1,810 x 325 x 320 mm

Weight: 22.1 kg

The working height of the workbench varies between 760 mm and 940 mm depending on the

loading edge of the vehicle.

Distance from ground to the loading edge 643 - 823 mm. (Console height 117 mm)

Dimensions Worktop 280 x 1,000 x 35 mm

Suitable for vehicles with a high loading edge. (Mounted to vehicle floor)



Heavy-duty workbench, hinged

WxDxH: 1,200 x 340 x 320 mm

Weight: 25.0 kg

The working height of the workbench varies between 760 mm and 940 mm depending on the

loading edge of the vehicle.

Distance from ground to the loading edge 490 - 670 mm. (Console height 270 mm)

Dimensions Worktop 280 x 1,000 x 35 mm

Suitable for vehicles with a low loading edge. (Mounted to vehicle floor)



The parallel vice is available in various different sizes and is a practical aid for a wide variety of work. All parallel vices have an integrated anvil, trapezoidal thread, forged-on pipe jaws and thus guarantee the highest precision.



Product	Article no.	
Parallel vice 100	6000002446	
Jaw width is 100 mm, opening width is 125 mm.		
Parallel vice 120	801008322	
Jaw width is 120 mm, opening width is 150 mm.		
Parallel vice 140 801008323		
Jaw width is 140 mm, opening width is 215 mm.		

Swivel vice plate

The swivel vice plate serves as a link between the workbench and the parallel vice and is thus the optimum complement for your mobile workshop. The swivel vice plate can be moved through 360° in a circle and thus permits more flexible working with the parallel vice in the vehicle.



Product	Article no.
Swivel vice plate 100	6000002447
Suitable for parallel vice 100.	
Swivel vice plate 120	801008324
Suitable for parallel vice 120.	
Swivel vice plate 140	801008325
Suitable for parallel vice 140.	

Organisation at the wheel – the mobile office



The Auto-Assistant

Efficient and safe working from a car or van is possible with the new Auto-Assistant and its state-of-the-art design. A number of useful features make mobile working simple and also make private trips more comfortable.



documents, job records and office supplies can also be

stored within easy reach.



Integrated writing surface:

The **lid** of the Auto-Assistant serves as a practical writing surface for documents up to A4 size.



Clipboard: Notes and job sheets can be held in place via the clipboard feature and in this way are prevented from sliding off



Easy to install, safe and gentle on the seat cover:
The Auto-Assistant is held in place by the three-point seat belt. This means it can be flexibly secured to any seat in the vehicle.

At the same time the rounded edges protect the seat cover. If required, the new Auto-Assistant is quickly removed and reinstalled.



Expandable storage volume: If the generous storage space in the main compartment and the open storage pocket is not enough, the Office Organizer can help. It offers additional storage and organisation options and can be retrofitted to the vehicle backrest at any



Interfaces for ProClick accessories

everything else that you might need quickly at hand in the car.

At the same time it protects the materials from flying around

when braking or cornering.

Organisation at the wheel - the mobile office .



Auto-Assistent and Office Organizer

The Auto-Assistant serves as a practical surface for writing on, as an organisational aid for documents, and for storing various office equipment.

Thanks to its open storage pocket for folders, brochures or drinks bottles up to 1.5 L and the integrated pen holder, everything important in the vehicle is always at hand. There is more storage space under the lid. The lid also serves as a surface to write on and a clip allows you to quickly hold notes in place.

The generous storage compartment can be divided into a maximum of three areas using the dividers provided.






The **Office Organizer** is the ideal addition to the Auto-Assistant for a mobile office in the passenger seat. It can be quickly and easily attached to the headrest of any seat using a belt strap, providing a tidy storage area for documents, pens etc. The main compartment is large enough to hold documents and folders up to A4 size. Various bits and pieces can be neatly stowed away in the many other pockets.

For private use, it is a good idea to use the Office Organizer in the rear area. It can be fixed to the headrests of the rear seats or to the backs of the front seats. It also offers storage space for toys, books and much more for

Product description	Article no.
Auto-Assistant WxDxH: 361 x 531 x 248 mm Weight: 2.84 kg Secure to the vehicle seat via three-point seat belt	6000013410
Office Organizer WxDxH: 370 x 120 x 305 mm Weight: 0.88 kg Secure to the headrest with belt strap	6000013636
Auto-Assistent + Office Organizer (Set) Weight: 3.72 kg Set consisting of Auto-Assistant and Office Organizer	1000017467





Interior ladder lift 1800

The Sortimo interior ladder lift provides a new solution for the simple and space-saving stowage of ladders inside the vehicle. The key benefit of this new development is that the ladder is installed underneath the ceiling, leaving the unused space available for additional storage. The optimisation of storage utilisation along with quick and easy handling saves both time and money.

- The ideal organisational aid for additional storage optimisation in the vehicle interior.
- Lets you easily transport aluminium double ladders up to 1.8 m long and 18 kg in weight on the roof
- Easy and quick operation without major effort via a gas pressure spring.
- Highest level of safety during full braking and when cornering thanks to the high quality materials.
- · Both retaining brackets are equipped with rubber mats to prevent damage.
- Not suitable for installation in vehicles with plastic strips.



-1-1	4
YEE A	-
	-55*

Product description

Interior ladder lift 1800

WxDxH: 1,790 x 184 x 250 mm

Weight: 8.0 kg

Article no. 1000004569

Suitable for all commercial vehicle models.

Aluminium foldable ladder for Sortimo TopSystem

The aluminium foldable ladder is the ideal combination for the interior ladder lift 1800, which is also suitable for high vehicles as a leaning ladder for loading and unloading from the Sortimo TopSystem. The slip-resistant rubber feet always ensure safe climbing and descending.



Product description

TopSystem aluminium foldable ladder 3000 mm

WxDxH: 1,570 x 350 x 125 mm

Weight: 6.5 kg

Stable folding lock, can fold away to 1.5 m

Max. load: 150 kg

Article no.

811016006



Sortimo TopSystem from Page 288

Telescopic ladder

The telescopic ladders from Sortimo are made of anodised tubes and glass fibre reinforced hard plastic elements. Rubber feet provide for maximum grip on the ground.

Due to the compact dimensions, the ladders are easy to transport, perfectly suited for confined spaces and even fit into the boot of a car.

All the telescopic ladders comply with the requirements of DIN EN 131-6:2015, DIN EN 131-1:2016 and DIN EN 131-3:2007.



Article no.

801012159

6000012526

80779281

Product description

Telescopic ladder Combination ladder 2.30 m

WxDxH: 730 x 680 x 165 mm Weight: 14.1 kg

with 7 rungs

Extended length: 2300 mm Retracted length: 730 mm Width: 680 mm Load-bearing capacity: 150 kg

Telescopic ladder 3.0 m

WxDxH: 760 x 465 x 100 mm Weight: 10.2 kg

With 9 rungs

Extended length: 2885 mm Retracted length: 760 mm Width: 465 mm Load-bearing capacity: 150 kg




Holder of the telescopic ladder depth 4

WxDxH: 130 x 45 x 110 mm

Weight: 0.5 kg

Secure stowage and quick accessibility, can be universally mounted in the vehicle.





Ramp rails

Whether it be a washing machine or a lawn mower, the ramp rails, available in two lengths, rigid or folding, make possible the stowing of heavy and bulky loads quickly and conveniently. The lateral border protection (30/42 mm) enables reliable holding of the track when loading and unloading, even with large and heavy items. The transport area has a width of 150 mm (external width 234 mm), an anti-rattle mat coating P13 and a carrying capacity of 380 daN. This means that the aluminium rails not only save your back, but also make possible a rapid and convenient sequence for loading and unloading activities.

	Product description	Article no.
1	Ramp rails 2 m WxDxH: 2,000 x 234 x 47 mm Weight: 18.0 kg Two foldable aluminium loading rails 200 cm long.	801009244
1>	Ramp rails 2.5 m WxDxH: 2,500 x 234 x 47 mm Weight: 22.0 kg Two foldable aluminium loading rails 250 cm long.	801009246



Fans

The authorities require vehicle ventilation with free openings when transporting gas bottles. Sortimo offers a ventilation system that can be used either for ventilation or extraction, depending on whether you are using heavy or light gases. The aerodynamic shape means that the throughput of fresh air is far in excess of the legal requirement.

	Product description	Article no.
	Roof vent WxDxH: 258 x 196 x 48 mm Weight: 0.93 kg Material: UV-resistant, impact-resistant plastic Functionality: Ventilation or extraction system (rotating) Suitable for gas transport as per DGUV. (In combination with floor or side vents)	80721099
6	Small roof vent WxDxH: 97 x 72 x 135 mm Weight: 0.12 kg Material: UV-resistant, impact-resistant plastic Functionality: permanent fresh air circulation Suitable for gas transport in accordance with Dekra certification. (In combination with floor or side vents)	801016208
	Round floor vent WxDxH: 210 x 140 x 70 mm Weight: 0.26 kg Material: impact-resistant hard plastic with integrated thread Functionality: permanent fresh air circulation Suitable for gas transport in accordance with Dekra certification. (In combination with roof or side vents)	6000001283
	Side vent WxDxH: 183 x 73 x 128 mm Weight: 0.16 kg Material: UV / weather-resistant, impact-resistant plastic Functionality: permanent fresh air circulation, ventilation cross-section: 55 cm² Suitable for gas transport in accordance with DGUV (in combination with roof or floor vent)	1000014497



Shovel holder tailgate

The shovel holder for the tailgate is perfectly suited for exploitation of this otherwise unused space on the tailgate. Bulky loads, such as boards and ladders, or shovels, brooms and other tools with long handles, are transported safely. Without having to access the vehicle, the shovel holder permits quick access to the equipment on site. In addition, the fixing rail is an aid for organised transport as a result of the hooks holding the equipment in place at all times, and thus improving organisation.



Fixing rail for shovel holder tailgate

1000002517

Article no.

WxDxH: 350 x 115 x 32 mm

Product description

Weight: 0.9 kg

Optimum supplement for the shovel holder.

Fixes the long-handled equipment at the top as well and provides organisation.

Tailgate long handled tool holder

WxDxH: 600 x 245 x 1,700 mm

Weight: 6.7 kg

Suitable for rear double doors.

Maximum load: 15 kg (bracket only!)
Please refer to the vehicle manufacturer's load information!

1000014888

Holding fixtures

The U-shaped holding fixtures are suitable for the secure transport of round or semi-round objects, such as stand-pipes, hydrant wrenches and equipment with long handles. The freight can be quickly secured and released by means of the locking device bracket. This product is particularly durable due to its sturdy holder and in addition protects the secured object from damage by means of its shock absorbing rubber rings.



Product	Technical details	Description	Article no.
Holding fixture 1	WxDxH: 156 x 44 x 126 mm	Can accommodate objects with dimensions of up to 89 x 89 mm.	801011062
Holding fixture 2	WxDxH: 126 x 44 x 96 mm	Can accommodate objects with dimensions of up to 59 x 63 mm.	801011063
Holding fixture 3	WxDxH: 116 x 44 x 80 mm	Can accommodate objects with dimensions of up to 50 x 50 mm.	801011064

Holder

With the practical Sortimo universal holders you can safely transport brooms or shovels and they remain always ready to hand.

	Product description	Article no.
	osition in the vehicle and are ideal for the mounting of equipment venent is pressed into the holder and it clamps into position in the arm	
	Universal holder 1 WxDxH: 72 x 35 x 72 mm Weight: 0.03 kg Suitable for handle diameters of 20-30 mm.	801012161
	Universal holder 2 WxDxH: 81 x 35 x 72 mm Weight: 0.04 kg Suitable for handle diameters of 30-40 mm.	801012162
	Aluminium rail for universal holder WxDxH: 917 x 55 x 9 mm Weight: 0.31 kg Aluminium rail for variable attachment of universal holder. The length is 900 mm.	801012166
BC	overhead hook WxDxH: 130 x 110 x 55 mm Weight: 0.17 kg Two-piece holder for fixing all long-handled equipment under the roof of the vehicle. Installation is on the transverse spar of the vehicle roof. Suitable for brooms, shovels, etc.	801012834

The clamping device fixes and transports shovels, brooms and large clamps in an optimum manner by suspending the rubber strap and closing the clamping lever.





Universal holder 1

801009976

WxDxH: 105 x 50 x 45 mm

Weight: 0.15 kg

Suitable for handle diameters of 15-30 mm.

Universal holder 2

80713858

WxDxH: 110 x 50 x 45 mm

Weight: 0.15 kg

Suitable for handle diameters of 20-50 mm.




More accessories for SR5 from Page 28



Hooks

The various different Sortimo hooks stow various different materials, such as chains, hoses, cables and even clothing in a safe and organised manner in the vehicle. The available storage space is used in an optimum manner, time for unnecessary material searching and sorting is saved and a professional appearance if shown to the customer.



Heavy-duty hanger


The heavy-duty hanger allows you to stow away your chains, hoses and cables in the vehicle in a quick and organised manner. It also permits immediate access to materials on site, eliminating tiresome searching and organising of cables and chains, permitting effective working.

	Product description	Article no.
2	Heavy-duty hanger 200 WxDxH: 300 x 203 x 97 mm Hook depth 20 cm, max. load 30 kg. Universal fastening in the vehicle interior.	1000003373

Aluminium wall hook

The wall hook can be installed anywhere in the vehicle and provides additional storage possibilities for lines, cables, hoses and much more. This means that important materials are always stowed in the vehicle in an organised manner and are always quickly accessible.

Product description	Article no.
Aluminium wall hook 1 WxDxH: 10 x 82 x 116 mm Hook depth 80 mm, max. load 15 kg.	801012163
Aluminium wall hook 2 WxDxH: 12 x 120 x 140 mm Hook depth 115 mm, max. load 15 kg.	801012164
Aluminium wall hook 3 WxDxH: 11 x 188 x 216 mm Hook depth 170 mm, max. load 15 kg.	801012165





Cleaning

Sortimo cleaning products offer everything to provide "clean working" and permit, at all times, a professional and organised appearance with respect to the customer, especially after difficult deployments.



	Product description	Article no.
P. 0	Wide-mouth canister 6 litres WxDxH: 277 x 132 x 296 mm Weight: 0,68 kg	6000015127
	Wide-mouth canister 11 litres WxDxH: 277 x 132 x 435 mm Weight: 0,88 kg	6000015128
	Water canister set 6 litres incl. holders GL4 3-part, wide-neck canister including bracket and PVC hose (1-metre long).	80779205
	Water canister set 11 litres incl. holders GL4	80779199
7.0	Water canister set 6 litres ProClick SR5 3-part, wide-neck canister including bracket and PVC hose (1-metre long).	1000018929
	Water canister set 11 litres ProClick SR5	1000018930
-	Hand cleaning cream in pump dispenser WxDxH: 230 x 280 x 175 mm Weight: 0.82 kg Pump dispenser including wall mount and 3 litres of hand cleaning cream. Cleans even without water. Bio-degradable, long-term skin protection with re-moisturisation, thoroughly removes, for instance, oil, grease, tar and printing ink.	80711007
	Hand cleaning cream 3 litres WxDxH: 230 x 300 x 180 mm Weight: 2.85 kg The hand cleaning cream refill set with a 3 litre capacity is suitable for the pump dispenser (Art. No.: 80711007). The hand cleaning cream cleans even without water and affords to a sustainable skin protection.	801010017
0	PVC hose 1 metre WxDxH: 30 x 170 x 165 mm Weight: 0.12 kg Passend für den Auslaufhahn (801009992) for precise and easy draining of the wide-mouth canister.	80779212
	Tap for water canister WxDxH: 105 x 51 x 51 mm Weight: 0.04 kg Outlet tap appropriate for the Sortimo wide-mouth canister 5 or 10 litres.	801009992



Additional locks

Sortimo supplies a range of different securing locks – specifically for all makes and models of vans and light commercial vehicles – that can be used as required. Your vehicle is thus protected from attempts to force it open, drill it open or tamper with it. Locks can be fitted on the rear and sliding doors as required.



UFO Classic

The tempered steel safety lock is only locked when the loose hemisphere is attached and locked manually with the key.

	Product description	Article no.
60 99	UFO Classic, single with 2 keys LxWxH: 95 x 95 x 39 mm Weight: 0.968 kg Colour: nickel finish Reinforced shell with internal tempered steel spheres 7 radial pin cylinder with up to 250,000 combinations	6000013973



UFO Classic, 2-part kit with 3 keys

LxWxH: 95 x 95 x 39 mm Weight: 1.78 kg Colour: nickel finish

Reinforced shell with internal tempered steel spheres 7 radial pin cylinder with up to 250,000 combinations



6000013974

UFO³ Smart Duo

The UFO³ Smart Duo impresses with its dual function, whereby the lock can be used as a deadlock or slamlock, as required.

Slamlock: Automatically locks when the door is closed.

Deadlock: Only locks when manually locked with the key.

Product description

LxWxH: 96 x 96 x 50 mm

The vehicle can also be opened from the load compartment.



UFO³ Smart Duo, single with 2 keys

Weight: 0.8 kg Colour: black Tempered 52-54 HRC steel shell 8 pin radial cylinder offering 250,000 combinations Tempered and cemented hardened core



8 pin radial cylinder offering 250,000 combinations Tempered and cemented hardened core 6000013976

Article no.

6000013975




SowaApp – always ready to hand



SowaApp

The Sortimo wall cladding protects your vehicle, not only from scratches and damage, but it also offers simple storage options for tools and frequently required consumables. The moisture-resistant and sturdy wall is tailor-made to suit the vehicle and serves as a system cladding e.g. above workbenches. The innovative Sortimo system perforation allows attachment of a wide range of accessories, such as hooks, hose holders, storage pockets, perforated wall hooks and much more.



SowaApp - Holder

You can transform your vehicle into a mobile workplace with the innovative accessories for the aluminium side panel. The holders have been developed specially for the system perforated plate and make the working day more efficient. The mounting process is very simple thanks to metal straps for hooking-in and additionally supplied plastic rivets for fixation purposes. Each aluminium side panel accessory can also be loaded with up to 2 kg, so that installation and electrical tools can be stowed without any problem and they remain accessible at all times.




SowaApp – always ready to hand



Clamps and hooks

The clamps and hooks, made from sturdy glass-fibre reinforced plastic, are designed precisely to suit the slotted holes in the Sortimo wall cladding and can installed and removed using just one hand and without the need for tools. The hooks and clamps locate securely in height in the wall cladding via two holes, and thus distribute the load evenly on the ground. The tool hooks, tool holders and tool clamps, and the Sortimo wall cladding have been developed specially for the dynamic loads in the vehicle.



9-part -SET- 5-part



hook set for tools 9-part Aluminium side panel

Art. No. 6000002437

The set consists of: Single hooks for tools 40, 66, 90; double hooks for tools 40, 66, 90; round hook for tools 40; round holder for tools 80 Tool tray for pliers 61



tool clamp set 5-part Aluminium side panel

Art. No. 6000002438

The set consists of: Tool clamps 19, 25, 28, 32 and 38.

Article no.

		Product	Article no.		Prod
	T	Single hook for tools 40 Aluminium side panel	6000002422	T	Tool (
	1	Single hook for tools 66 Aluminium side panel	6000002423	T	Tool Alumi
	-	Single hook for tools 90 Aluminium side panel	6000002424	T	Tool Alumi
	T	Double hook for tools 40 Aluminium side panel	6000002425	T	Tool (
	7	Double hook for tools 66 Aluminium side panel	6000002426	T	Tool (
	1	Double hook for tools 90 Aluminium side panel	6000002427		
	1	Tool tray for pliers 61 Aluminium side panel	6000002430		
	J	Round hook for tools 40 Aluminium side panel	6000002428		
	-5	Round holder for tools 80 Aluminium side panel	6000002429		


T	Tool clamp 19 Aluminium side panel	6000002435
T	Tool clamp 25 Aluminium side panel	6000002431
T	Tool clamp 28 Aluminium side panel	6000002432
T Par	Tool clamp 32 Aluminium side panel	6000002433
True	Tool clamp 38 Aluminium side panel	6000002434



6000001275


Mounted lights

The useful mounted lights from Sortimo give bright light in the darkness and light up the mobile workplace to ensure that it is illuminated in an optimum way at all times — day or night. Different versions allow perfect adjustment to individual requirements.



	Product description	Article no.
4 111	LED strip 1000 WxLxH 10 x 1000 x 2.5 mm	801018095
	LED strip 2000 WxLxH 10 x 2000 x 2.5 mm Voltage range: 12 VDC, Nominal strength: 4.8 W, Protection rating: IP 62, Line length: 200 mm, Light flux: 390 lm, Body height: 2,5 mm, On/off switch: optional extra, Installation: self-adhesive LED strip, Operating temperature: approx. –20° to 50° C, Colour temperature: 5700 K, Can be cut into 5 cm sections, 60 LEDs per metre. Please note: The LED strip is only permissible with a suitable back-up fuse on the vehicle electrical system.	801018096
	Beam connector LED, L=1050 mm	1000002349

For installation on the Roof liner creates a smooth adhesive surface for the LED strips.





Mounted light LED 12 V adjustable for workstation lighting

WxDxH: 425 x 42 x 43 mm Weight: 0.32 kg

Voltage range: 12 VDC, Nominal strength: 6 W, Protection rating: IP 40, Line length: 100 mm, Light flux: 420 lm, Body height: 43 mm, On/off switch: integrated toggle switch, Installation: Fixed vehicle connection, Operating temperature: -20° to +70° C.



Lamps

To ensure that everything is properly lit, Sortimo also offers portable lamps in various versions alongside the work lamps. For frequent working directly at the vehicle we recommend mounting a stationary work lamp directly on the vehicle, so that it provides optimum illumination of the surroundings and so that work on the vehicle can take place independently of the light conditions. For flexible deployment, Sortimo offers the LED magnet portable lamp that can be mounted anywhere on the vehicle and which is powered from the cigarette lighter via a spiral cable.

Product description	Article no.
Work lamp LED 12/24 V 2000 Im with on/off switch for workstation lighting WxDxH: 100 x 100 x 76 mm Weight: 0.91 kg LED module with 6 diodes for fixed installation on the vehicle with omega holder – can be rotated and swivelled. Voltage range: 12 – 24 VDC, Nominal strength: 25 W, Protection rating: IP 68 flux: 2000 Im, On/off switch: no switch, Installation: fixed connection Colour temperature: 5700-7000 K, Cable length: 0.5 m	6000003241
LED magnet portable lamp 12/24 V, 1500 lm WxDxH: 76 x 166 x 205 mm Weight: 2.23 kg LED module with 4 diodes for universal fixing using a magnetic holder.	6000002830

Voltage range: 12 – 24 VDC, Nominal strength: 18 W, Protection rating: IP 68, IP 69 K flux: 1500 lm, On/off switch: hermetic, Connection: cigarette lighter, Colour temperature: 5700 – 7000 K, Cable length: 8 m spiral cable

Accessories for lamps

	Product description	Article no.
तर	Spiral extension cable 12 V WxDxH: 1,980 x 9 x 9 mm Suitable for LED magnetic portable lamp (12 Volt, cable length 7m).	801009974

Cable attachment kit

Sortimo offers pre-assembled cable looms for connection of LED light two-way switching, interior lighting and various sockets and warning lamps. The cable sets have adequate cable length and are designed for all current Transporters. The required fuses and all connectors are included in the scope of delivery and thus we can ensure quick and convenient installation.

	Product description	Article no.
O :::	Cable attachment kit for two-way switching WxDxH: 190 x 120 x 65 mm Weight: 0.58 kg Suitable for LED light two-way switching. 8 metres vehicle line FLYY 2 x 0.75 mm², 10 metres vehicle line FLYY 1 x 1.5 mm², 1 fuse holder ATO floor fixing, 1 flat plug fuse 3A ATO purple, 1 ring connector for pins M6 0.5 – 1.5 mm² red, 2 flat plug sleeves fully-insulated 1.5 – 2.5 mm² 6.3 mm blue, 2 through connectors 0.5 – 1.0 mm² red, 4 flat plug sleeves fully insulated 0.5 – 1.0 mm² 4.8 mm red, 2 flat plug sleeves fully insulated 1.5 – 2.5 mm² 4.8 mm blue.	1000002079
0 !!	Cable attachment kit for on/off switches WxDxH: 140 x 120 x 50 mm Weight: 0.39 kg Suitable for LED interior lighting or individual lights in the van. 10 metres vehicle line FLYY 2 x 0.75 mm², 1 fuse holder ATO floor fixing, 1 flat plug fuse 2A ATO grey, 1 ring connector for pins M6 0.5 – 1.5 mm² red, 2 flat plug sleeves fully-insulated 1.5 – 2.5 mm² 6.3 mm blue, 3 through connectors 0.5 – 1.0 mm² red, 2 flat plug sleeves fully insulated 0.5 – 1.0 mm² 4.8 mm red.	1000002080



Cable attachment kit - universal

WxDxH: 125 x 120 x 55 mm

Weight: 0.35 kg

Suitable for 12 V sockets, beacons and lamps.

8 metres vehicle line FLYY 1 x 2.5 mm² black 1 metre vehicle line FLY 1 x 2.5 mm² brown, 1 fuse holder ATO wall mounting, 1 flat plug fuse 10A ATO red, 2 ring connector for pins M6 – 1.5 – 2.5 mm² blue, 3 flat plug sleeves fully insulated 1.5 – 2.5 mm² 6.3 mm blue, 1 flat connection plug G+H GSK 1 pin (also suitable for original fuse box in MB vehicles).

1000002946

Sortimo – experts in vehicle electronics

Benefit from

- our decades of experience with vehicle electronics
- our qualified and regularly trained technical personnel
- our product range which is carefully selected to meet the highest expectations
- compliance with all legally required tests and guidelines


The installation and removal of electronic components may only be performed by qualified technical personnel.





Switches

Sortimo has various different versions of switches in their product portfolio – to suit the application in question. With the variants with integrated check lamp you can see at a glance whether the power supply is switched on or off, which is particularly useful when working with warning lamps. With the two-way and push-button switches, pressing the button causes the power supply to be switched on or off, depending on the previous position of the switch. Therefore a switch can be positioned both on the tailgate as well as on the sliding doors and the light can always be controlled from any position.



	Product description	Article no.
	12 V on/off switch with orange indicator light Suitable for body switch for beacons. Voltage range: 12 VDC, Max. switching power: 8 A, Installation dimension: Ø installation 12 mm, Connection: three flat plug connections with 6.3 mm	801014906
1	On/off switch with indicator lamp orange, round Suitable for body switches for beacons. Voltage range: 12 VDC, Max. switching power: 20 A, Installation dimension: Ø installation 21 mm, Connection: three flat plug connections with 6.3 mm	6000002918
0	Two-way switch round on/on Suitable for light and two-way switching. Voltage range: 12 VDC, Max. switching power: 8 A, Installation dimension: Ø installation 21 mm, Connection: three flat plug connections with 4.8 mm	600000710
	Push-button switch round off/on Suitable for controlling the LED mounted light (Art. No. 6000000547). Voltage range: 12 VDC, Max. switching power: 8 A, Installation dimension: Ø installation 21 mm, Connection: two flat plug connections with 4.8 mm	600000711
0	Switch tape round Ø 20 Suitable for two-way switch and round push-button switch. Outside Ø: 40 mm, Inside Ø: 20 mm:	6000001305

Body and interior plug sockets

Sortimo offers various different body and interior plug sockets for diverse applications. This allows small electrical equipment to be charged and measuring instruments to be operated. But also for external use, Sortimo offers a spray-protected capability of using electrical equipment in the vehicle at the common European voltage of 230 V AC, using the CEE input socket.

Product description Article no. The body plug sockets are available in two sizes and are designed specially for internal use. The body plug sockets are equipped with 2 screw clamps and can be installed individually in the vehicle and loaded with 16 Amps. 801009981 12 V standard plug, small WxDxH: 60 x 35 x 25 mm Weight: 0.02 kg Suitable for charging of testing and measuring devices with a small plug according to DIN ISO 4165. Voltage range: 12 VDC, Max. load: 16 A, Diameter: 12 mm 801005397 12V Standard plug for internal use big **WxDxH:** 77 x 34 x 53 mm Weight: 0.04 kg Suitable for charging electrical equipment in the vehicle via the cigarette lighter. Voltage range: 12 VDC, Max. load: 16 A, Diameter: 21 mm The input socket is protected from dust and spray by a rubber closure.



CEE external weather proof socket

80713643

WxDxH: 145 x 130 x 98 mm

Weight: 0.31 kg

Suitable for all CEE external weather proof sockets.

Voltage range: 230 V AC, Max. load: 16 A for 6 h, Protection rating: IP 44, Connection: 3-pin or 2-pin + PE, Installation depth: 82 mm, Protective flap with magnetic holder, therefore no

mechanical strain on the electrical socket Pull protection for CEE coupling.

The adapter cable used is a high-quality rubber sheathed cable H07RN-F 3G with a core cross-section of 2.5 mm². The line is IP 44 spray protected and has a protected contact plug (plug type F) and a CEE coupling (3-pin). Suitable for a CEE external weather proof socket (Art. No. 80713643).



Power adapter cable 230 V CEE 1.5 m

80713667

WxDxH: 190 x 190 x 95 mm Weight: 0.56 kg The cable lenoth is 1.5 m.

Sockets

Even the selection of the correct socket rail or the matching power distributor involves consideration of many different aspects, and large differences must be taken into account. We therefore recommend being clear, in advance, about the application in order then to be able to make the correct decision about the design and various different functionalities. Sortimo offers a wide range of various different options, depending on the requirement.



	Product description	Article no.
	4-way socket combination with RCD switch WxDxH: 300 x 140 x 140 mm Weight: 2.46 kg Voltage range: 230 VAC 50 Hz, Fuse rating: 16 A, Connection power: 3.6 kVA Protection rating: IP 44 Switch: RCD/LS switch (25 A / 16 A) Ready for connection and single piece tested to EN 60439-1.	6000001811
0000	Multiple socket 4-fold (fixed installation IP 44) WxDxH: 350 x 90 x 78 mm Weight: 0.75 kg Voltage range: 230 VAC 50 Hz, Max. fuse rating: 16 A, Max. load: 3600 W, Socket receptacles: 30° rotated socket receptacles Protection rating: IP 44 (when mounted vertically) Wired ready for connection socket rail with flap covers and internal stress relieving.	600000316
WW S	Electric power supply 4-fold IP 44 04-7 WorkMo WxDxH: 396 x 526 x 506 mm Weight: 1.02 kg Voltage range: 230 VAC 50 Hz, Max. fuse rating: 16 A, Max. load: 3500 W, Line: 2 m (neoprene), Protection rating: IP 44. Distributor socket 4-fold with self-closing flap lid, suitable for all WorkMo modules.	1000003774

Product description Article no. 801009971 Multiple socket 5-fold with on/off switch **WxDxH:** 483 x 71 x 59 mm Weight: 0.86 kg Voltage range: 230 VAC 50 Hz, Max. fuse rating: 16 A, Max. load: 3600 W, Socket receptacles: 90° rotated socket receptacles Line: 1.4 m connection line (H05VV-3FG1.5 mm²) Socket rail with increased protection against contact and 2-pin illuminated switch. Multiple socket 4-fold with RCD switch 801009972



WxDxH: 483 x 71 x 83 mm Weight: 1.11 kg

Voltage range: 230 VAC 50 Hz, Max. fuse rating: 16 A, Max. load: 3600 W, Socket receptacles: 90° rotated socket receptacles, Line: 1.4 m connection line (H05VV-3FG1.5 mm²) Switch RCD/LS switch (B16 A / 30 mA), Protection rating: IP 20. Socket rail with increased protection against contact and RCD/LS switch.

The energy distributor for the professional


The energy distributors with insulation monitor for working inside and outside the vehicle comply with the DGUV (German Statutory Accident Insurance Association) and offer the highest level of safety in professional use. Having just a single drilled hole and one input line, we create a full-fledged workplace in your vehicle, offering the utmost flexibility and maximum safety, thus saving time and money.

Product description	Article no.
Power distributor 2-fold insulation monitor 16 A WxDxH: 300 x 145 x 140 mm Weight: 2.6 kg Voltage range: 230 VAC 50 Hz, Max. fuse rating: 16 A, Connection power: 3.6 kVA, Protection rating: IP 44, Switch: RCD/LS switch (25 A / 16 A), Connection power: 5 m (flexible), Earth line: 2 m (flexible), 1x Schuko socket red, 1x Schuko socket blue, 1x LS switch, 1x Isometer, 1x installation contactor, 1x RCD. Wired ready for connection and single piece tested to EN 61439-3.	6000011119
Power distributor 4x insulation monitor 16 A WxDxH: 330 x 310 x 120 mm Weight: 3.4 kg Voltage range: 230 VAC 50 Hz, Max. fuse rating: 16 A, Connection power: 3.6 kVA, Protection rating: IP 44, Switch: RCD/LS switch (25 A / 16 A), Connection power: 5 m (flexible), Earth line: 2 m (flexible), 1x Schuko socket red, 3x Schuko socket blue, 1x LS switch, 1x Isometer, 1x installation contactor, 3x RCD. Wired ready for connection and single piece tested to EN 61439-3.	6000011118



Inverter

The inverter generates 230 V AC from the 12 V on-board power, thus also permitting the operation of electrical equipment in the vehicle on the road. All Sortimo inverters are input side protected against reverse voltage, over voltage and under voltage, and on the output side are protected from short-circuiting, overload and over-temperature. Installation and use inside or outside the vehicle is only allowed after testing and compliance with the required intended purpose.



	Product description	Article no.
E 5.9	AC inverter 400 Suitable for smaller electric equipment, such as laptops, TVs, smartphones, tablets and chargers for cordless tools. Input voltage: 10 – 15.5 VDC, Output voltage: 230 VAC 50 Hz, Output power: 400 W, Peak power: 800 W (briefly, 1 second).	6000013813
	AC inverter 700 Suitable for laptops, smartphones, tablets and tools up to 600 Watt. Input voltage: 10 – 15.5 VDC, Output voltage: 230 VAC 50 Hz, Output power: 700 W, Peak power: 1230 W (briefly)	600000755
	AC inverter 1000 Suitable for cooling and freezing equipment up to 140 Watt and tools up to 800 Watt. Input voltage: 10 – 15.5 VDC, Output voltage: 230 VAC 50 Hz, Output power: 1000 W, Peak power: 2000 W (briefly)	801014816
	AC inverter 1500 Suitable for pumps up to 1200 Watt, air conditioners up to 900 Watt and tools up to 1400 Watt. Input voltage: 10 – 15.5 VDC, Output voltage: 230 VAC 50 Hz, Output power: 1500 W, Peak power: 3000 W (briefly)	6000001007
	AC inverter 2000 Suitable for compressors up to 900 Watt and electric tools up to 2000 Watt. Input voltage: 10 – 15.5 VDC, Output voltage: 230 VAC 50 Hz, Output power: 2000 W, Peak power: 3500 W (briefly)	6000002831

Product description Article no. Cable attachment kit Pre-assembled cable looms for connecting an inverter to the vehicle battery. Ends of the cables are already provided with cable lugs on one end. Fuse: 250 A, Earth line: 1 m, Connection power: 2.5M. Cable lug on inverter already crimped, additional crimp cable lugs are included. Cable attachment kit WR700 25 mm² 6000000999 Suitable for AC inverter 700. Cable attachment kit WR1000 35 mm² 6000001000 Suitable for AC inverter 1000. Cable attachment kit WR1500 50 mm² 6000001001 Suitable for AC inverter 1500. 6000002832 Cable attachment kit WR2000 70 mm² Suitable for AC inverter 2000.

Product description	Article no.
Remote control for AC inverter 700-2000 Practical remote control with on/off control and indicator light for the "ON" function. Suitable for AC inverters 700, 1000, 1500 and 2000.	6000003495

Safety and first aid – for all eventualities _____



First Aid

The Sortimo First Aid BOXXes are useful aids in an emergency. The integrated small component inserts means that the dressings are clearly laid out, they are easy to see and are quickly to hand if required. This helps you to stay calm and retain your composure even in difficult situations.



	Product description	Article no.
	L-BOXX 102 G4 first aid WxDxH: 444 x 360 x 118 mm Weight: 2.99 kg L-BOXX 102 G4 first aid with contents as per DIN 13157.	1000011313
HST AID +	i-BOXX 72 G car first-aid kit WxDxH: 367 x 316 x 72 mm Weight: 1.37 kg i-BOXX 72 G first aid kit with contents as per DIN 13164 car first-aid kit).	1000011392
IST AID	i-BOXX 72 G Work first aid kit WxDxH: 367 x 316 x 72 mm Weight: 1.57 kg i-BOXX 72 G Work first aid kit with contents as per DIN 13157 aid kit). suitable for application in the firm, on building sites or also in schools and kindergartens.	1000011391
•	First aid contents as per DIN 13157 WxDxH: 444 x 360 x 118 mm Weight: 2.99 kg Contents as per DIN 13157	6000001129



Contents as per DIN 13157 Suitable for work first-aid kit

Safety and first aid – for all eventualities



Beacons

The Sortimo beacons raise awareness in the danger area and thus increase safety in deployment both during the day and at night. The yellow flashing light is used specially to warn about hazards (see § 38 StVO). Sortimo offers various different options for construction - fixed in the vehicle, installation on a plug base or telescopic masts and, for flexible use, fixing by magnetic holder.



Product description

Article no.

LED warning beacon yellow 10-30 V fixed installation **WxDxH:** 155 x 155 x 185 mm



Weight: 0.8 kg

Operating voltage: 10-30 VDC, Fixing: fixed installation on the vehicle roof (B1 type in accordance with DIN 14620), Protection rating: IP 67, Operating temperature: -40 to +70°C, Height: 141 mm, Diameter: 154 mm, Number of double flashes: 120 per minute Complies with the stipulations of ECE R65 E04 006598 and ECE R10-04.







LED beacon yellow ,10-30 V plug socket

WxDxH: 155 x 155 x 235 mm

Weight: 0.84 kg

Operating voltage: 10-30 VDC, Fixing: plug socket type A Ø 24 mm in accordance with DIN 72591, Protection rating: IP 67, Operating temperature: –40 to +70°C, Height: 198 mm, Diameter: 149 mm, Number of double flashes: 120 per minute

Complies with the stipulations of ECE R65 E04 006598 and ECE R10-04.



Sortimo TopSystem from Page 288

Product description

LED warning beacon yellow 10-30 V magnetic base

Article no. 6000002371

WxDxH: 186 x 186 x 165 mm

Weight: 1.39 kg

Operating voltage: 10-30 VDC, Fixing: via magnetic base Protection rating: IP 67 Operating temperature: -40 to $+70^{\circ}$ C, Height: 152 mm, Diameter: 183 mm

Line: spiral cable with socket, Max. travel speed: 110 km,

Number of double flashes: 120 per minute, Connection: on-board socket / cigarette lighter

Complies with the stipulations of ECE R65 E04 006598 and ECE R10-04.

6000002372



WxDxH: 170 x 170 x 16 mm

Base for LED beacon

Levelling wedge (2-14 mm) for levelling the roof inclination for fixed installation.

(Hole pattern 130 mm) Suitable for all LED beacons yellow 10-30 V fixed installation.

Safety and first aid – for all eventualities _____



Warning accessories

The Sortimo warning accessories optimise protection in dangerous situations or in darkness on the road. The allocation of signal colours increases the awareness with other road users, thus increasing road safety.




High visibility jacket WxDxH: 190 x 240 x 20 mm Weight: 0.13 kg A high visibility jacket in a signal colour with reflective stripes helps you to stand out in dangerous situations or in the dark while in traffic. The high visibility jacket fulfils the requirements of EN471 and DIN 30711. (One size fits all)	Article no. 80720009
Warning labels set for vehicles DIN 30710 WxDxH: 562 x 141 x 1 mm Weight: 0.10 kg Warning labels set (4-part) for common vehicle types in accordance with DIN 30710. Minimum marking and BAST certified in accordance with DIN 30710 Type II. Quick and easy installation in the vehicle with high-reflection power for your safety.	1000002178
Lashing set for traffic cones WxDxH: 170 x 80 x 45 mm Weight: 0.4 kg Lashing kit for fixing 1-5 pylons in the vehicle. (Traffic cones not included in the scope of supply). The strap length is 1.63 m.	80711137
Car fire extinguisher 2 kg WxDxH: 370 x 155 x 108 mm Weight: 3.9 kg Height: 370 mm, Width: 155 mm, Diameter: 108 mm, Operating weight: 3.9 kg Powder fire extinguisher for fire classification ABC, high level of functional security thanks to inset pressure cartridge.	80713032
Car fire extinguisher 6 kg incl. holder WxDxH: 440 x 225 x 155 mm Weight: 8.1 kg Height: 520 mm, Width: 240 mm, Diameter: 155 mm, Operating weight: 9.6 kg Stored pressure fire extinguisher incl. holder for fire classification ABC, suitable for use on electronic devices up to 1,000 Volts.	80713070



The SR5 organisational system

SR-BOXX







Transparent lid provides protection and visibility of contents



Convenient access, thanks to pull-out function and flap lid



Individual organisation using dividers

SR-BOXX – The organisational system for SR5




	S	M	XM	L	XL
03					
04					
05					

SR-BOXXes without lid

SR-BOXXes are ideal for stowing small components and tools. The BOXXes can be integrated on, and under, the shelves in the van racking using the plastic slides. Optional subdivision options provide even greater organisation. Label clips can be used on the front of the SR-BOXXes to apply *my*Sortimo labels to the BOXXes. The contents of the BOXXes can be categorised using differently coloured labelling.

Product	Technical details	Description	Article no.
SR-B0XX 03-8 M	WxDxH: 140 x 243 x 128 mm Weight: 0.29 kg	The interior space can be divided across the depth using a 00-8 M divider.	6000011426
SR-B0XX 03-8 XM	WxDxH: 200 x 243x 128 mm Weight: 0,28 kg	The interior space can be divided across the depth using a 00-8 XM divider.	6000014274
SR-B0XX 03-8 L	WxDxH: 292 x 243 x 128 mm Weight: 0.48 kg	The interior space can be divided across the depth using a 00-8 L divider.	6000011427
SR-B0XX 23-8 XL	WxDxH: 443 x 243 x 128 mm Weight: 0.68 kg	The interior space can be divided widthways with up to two 03-8 XL dividers.	6000011428
SR-B0XX 04-6 S	WxDxH: 140 x 347 x 94 mm Weight: 0.34 kg	The interior space can be divided across the depth using a 00-6 S divider.	6000011429
SR-B0XX 04-8 M	WxDxH: 140 x 347 x 128 mm Weight: 0.41 kg	The interior space can be divided across the depth using up to three 00-8 M dividers.	6000011430
SR-B0XX 04-8 XM	WxDxH: 200 x 347 x 128 mm Weight: 0.46 kg	The interior space can be divided across the depth using up to three 00-8 XM dividers.	6000012238
SR-B0XX 04-8 L	WxDxH: 292 x 347 x 128 mm Weight: 0.64 kg	The interior space can be divided across the depth using up to three 00-8 L dividers.	6000011431
SR-B0XX 24-8 XL	WxDxH: 443 x 347 x 128 mm Weight: 0.87 kg	The interior space can be divided widthways with up to two 04-8 XL dividers.	6000011432
SR-B0XX 05-10 M	WxDxH: 140 x 451 x 162 mm Weight: 0.61 kg	The interior space can be divided across the depth using up to four 00-10 M dividers.	6000011433
SR-B0XX 05-10 L	WxDxH: 292 x 451 x 162 mm Weight: 0.90 kg	The interior space can be divided across the depth using up to four 00-10 L dividers.	6000011434

SR-BOXX dividers





Product	Technical details	Description	Article no.
Divider for SR-BOXX 00-6 S	WxDxH: 120 x 14 x 128 mm Weight: 0.05 kg	Suitable for SR-B0XX 04-6 S	6000011618
Divider for SR-BOXX 00-8 M	WxDxH: 120 x 14 x 128 mm Weight: 0.05 kg	Suitable for SR-BOXX 03-8 M, SR-BOXX 04-8 M	6000011619
Divider for SR-BOXX 00-10 M	WxDxH: 120 x 14 x 128 mm Weight: 0.05 kg	Suitable for SR-B0XX 05-10 M	6000011620
Divider for SR-BOXX 00-8 XM	WxDxH: 109 x 14 x 94 mm Weight: 0.05 kg	Suitable for SR-B0XX 04-8 XM	6000012239
Divider for SR-BOXX 00-8 L	WxDxH: 272 x 14 x 128 mm Weight: 0.05 kg	Suitable for SR-B0XX 03-8 L, SR-B0XX 04-8 L	6000011621
Divider for SR-BOXX 00-10 L	WxDxH: 272 x 14 x 128 mm Weight: 0.05 kg	Suitable for SR-B0XX 05-10 L	6000011622
Divider for SR-BOXX 03-8 XL SR5	WxDxH: 194 x 2 x 112 mm Weight: 0.05 kg	Suitable for SR-B0XX 23-8 XL; for dividing across the width.	1000012505
Divider for SR-BOXX 04-8 XL SR5	WxDxH: 298 x 2 x 112 mm Weight: 0.05 kg	Suitable for SR-B0XX 24-8 XL; for dividing across the width.	1000012506

SR-BOXX including insetbox set

The SR-BOXXes equipped with insetboxes ensure the secure and tidy transport of small component. The integrated divider guides, in conjunction with the dividers included in the set provide additional subdivision options, making them even more flexible and efficient.

Product description	Article no.
SR-BOXX 24-8 XL incl. IB set 6 pcs. H95 WxDxH: 347 x 443 x 128 mm Weight: 1.92 kg 6-12 subdivision options for height 95 mm (2 x IB 1.5x4, 2 x IB 2x2, 2 x IB 2x6, 2 x DI IB 1.5x4, 2 x DI IB 1x0, 2 x DI IB 2x0)	1000012524
Insetbox set without SR-BOXX	1000012905
SR-BOXX 24-8 XL incl. IB set 9 pcs. H95 S WxDxH: 347 x 443 x 128 mm Weight: 1.97 kg 9-15 subdivision options for height 95 mm (2 x IB 1.5x4, 4 x IB 2x2, 1 x IB 1x4, 2 x IB 2x3, 2 x DI IB 1.5x4, 2 x DI IB 1x0, 2 x DI IB 2x0)	1000012525
SR-BOXX 24-8 XL incl. IB set 10 pcs. H95 WxDxH: 347 x 443 x 128 mm Weight: 1.96 kg 10-16 subdivision options for height 95 (2 x IB 1.5x4, 8 x IB 2x2, 2 x DI IB 1.5x4, 2 x DI IB 1x0, 2 x DI IB 2x0).	1000012526
Insetbox set without SR-BOXX	1000012907

SR-BOXX – The organisational system for SR5



Lids for SR-BOXXes

The transparent lid closes the SR-BOXX dust-tight, and protects the contents from dirt. The transparent design provides for a constant overview of the contents. On the one hand, this minimises the time you spend searching for materials and consumables, at the same time allowing stock levels of small components to be determined at a glance. You can see earlier when you need to re-order, thereby avoiding costly downtimes.

Product	Description	Article no.
Lid for SR-BOXX 03 M	Suitable for SR-B0XX 03-8 M	6000011654
Lid for SR-BOXX 03 L	Suitable for SR-B0XX 03-8 L	6000011655
Lid for SR-BOXX 23 XL	Suitable for SR-BOXX 23-8 XL	6000011656
Lid for SR-BOXX 04 S/M	Suitable for SR-BOXX 04-6 S SR-BOXX 04-8 M	6000011658
Lid for SR-BOXX 04 L	Suitable for SR-B0XX 04-8 L	6000011659
Lid for SR-BOXX 24 XL	Suitable for SR-BOXX 24-8 XL	6000011660
Lid for SR-BOXX 05 M	Suitable for SR-BOXX 05-10 M	6000011661
Lid for SR-BOXX 05 L	Suitable for SR-BOXX 05-10 L	6000011662



Transparent lid
protects the contents
And provides visibility of the contents
at all times



quick access to the contents

– even within the rack –
thanks to the flap lid




Main lid permits access to the entire contents e.g. for refilling

SR-BOXXes with lid

The SR-BOXXes with lid already include the matching transparent lid for optimum protection of the contents

	Product	Technical details	Article no.
	SR-BOXX 03-8 M with cover	WxDxH: 243 x 140 x 136 mm Weight: 0.42 kg	1000012279
	SR-BOXX 03-8 L with cover	WxDxH: 243 x 292 x 136 mm Weight: 0.67 kg	1000012280
	SR-BOXX 23-8 XL with cover	WxDxH: 243 x 443 x 136 mm Weight: 0.95 kg	1000012281
	SR-B0XX 04-6 S with cover	WxDxH: 347 x 140 x 102 mm Weight: 0.47 kg	1000012282
	SR-BOXX 04-8 M with cover	WxDxH: 347 x 140 x 136 mm Weight: 0.54 kg	1000012283
	SR-BOXX 04-8 L with cover	WxDxH: 347 x 292 x 136 mm Weight: 0.77 kg	1000012284
	SR-BOXX 24-8 XL with cover	WxDxH: 347 x 443 x 136 mm Weight: 1.23 kg	1000012285
()	SR-BOXX 05-10 M with cover	WxDxH: 451 x 140 x 170 mm Weight: 0.84 kg	1000012286
	SR-BOXX 05-10 L with cover	WxDxH: 451 x 292 x 170 mm Weight: 1.22 kg	1000012287





The small helpers for tidy organisation

Insetboxes







Labelling – Colour-coded for greater organisation



Individual organisation and easy removal of small parts



Flexibility, thanks to many different subdivision options


Insetboxes – Small aids for great organisation _____



Insetbox height 31 mm	Insetbox height 63 mm	Insetbox height 95 mm	Metal case / T-BOXX G L-BOXX G4 series	L-BOXX G series i-BOXX G SR-BOXX 24-8 XL
1x1 Insetbox 1x1 H31 Art. No. 6000010900 PU: 288 pieces	Insetbox 1x1 H63 Art. No. 6000010903 PU: 144 pieces			
1x2 Insetbox 1x2 H31 Art. No. 6000010901 PU: 144 pieces	Insetbox 1x2 H63 Art. No. 6000010904 PU: 72 pieces			
Insetbox 2x2 H31 Art. No. 6000010902 PU: 72 pieces	Insetbox 2x2 H63 Art. No. 6000010905 PU: 36 pieces	Insetbox 2x2 H95 Art. No. 6000010916 PU: 24 pieces		
2x3	Insetbox 2x3 H63 Art. No. 6000010907 PU: 24 pieces	Insetbox 2x3 H95 Art. No. 6000010918 PU: 16 pieces		
1x4	Insetbox 1x4 H63 Art. No. 6000010906 PU: 36 pieces	Insetbox 1x4 H95 Art. No. 6000010919 PU: 24 pieces		
2x6	Insetbox 2x6 H63 Art. No. 6000010908 PU: 12 pieces	Insetbox 2x6 H95 Art. No. 6000010920 PU: 8 pieces		
Dividers	Divider insetbox 1x0 H63 Art. No. 6000010921	Divider insetbox 1x0 H95 Art. No. 6000010923		
	Divider insetbox 2x0 H63 Art. No. 6000010922	Divider insetbox 2x0 H95 Art. No. 6000010924	Q	
Thanks to the insetboxes of height 31 mm , the respective intermediate floors for cases, L-BOXXes and T-BOXXes can be filled, thereby allowing safe storage and transportation of small components on two levels.	The insetboxes with a height of 63 mm fit in all cases and BOXXes and can be subdivided further with dividers as of a grid size of 1x2. This height is ideal for sorting your small components and consumables and increasing organisation.	The insetbox height of 95 mm was developed specifically for the L-BOXX 136 G4, the metal case KM 330 and the drawer height 8 and higher. The insetboxes can be subdivided as desired with dividers. They can safely store large quantities of small components as well as larger consumables.	Preconfigured insetbox sets immediately at the respective case or BOXX. Labels for individual design and better overview from page 327.	Insetbox 1x1 H63 1x1 Width: 52 mm Length: 52 mm 1 IB grid: 52 mm H63 height 63 mm

Insetboxes – Small aids for great organisation










The sturdy case for tough everyday use

Metal cases







Interior with customised subdivision



Integration in all Sortimo transport solutions possible



Foam insert in the lid prevents mixing of small parts
















Metal case KM (small components case)

Empty KM Metal cases can be equipped with insetboxes as daily needs require.

Product	Technical details	Description	Article no.
1 metal case KM 320	WxDxH: 440 x 330 x 66 mm Weight: 2.6 kg	Metal case for storing insetboxes height 63 mm. Optional combination of insetbox heights 31 mm / 31 mm in in connection with with an intermediate floor.	5228000
2 metal case KM 330	WxDxH: 440 x 330 x 100 mm Weight: 3.0 kg	Metal case for storing insetboxes height 95 mm. Optional combination of insetbox heights 63 mm / 31 mm in in connection with with an intermediate floor.	5228390
3 metal case KM 340	WxDxH: 440 x 330 x 130 mm Weight: 3.52 kg	Metal case for storing insetboxes. Optional combination of insetbox heights 31 mm / 95 mm as well as 63 mm / 63 mm in in connection with with an intermediate floor)	5228550
4 metal case KM 350	WxDxH: 440 x 330 x 170 mm Weight: 3.68 kg	Metal case for storing insetboxes. Optional combination of insetbox heights 63 mm / 95 mm in in connection with with an intermediate floor.	5228710



Small components case KM 320

The following pre-configured sets with insetboxes are available to you for the daily challenges in storage and safe transport of small parts.

Product description	Article no.
Metal case KM 321 incl. 8 insetboxes H63 WxDxH: 440 x 330 x 66 mm Weight: 3.59 kg Metal case with 8-16 subdivision options for height 63 mm (8x IB 2x3, 4x DIV IB 2x0, 4x DIV IB 1x0) Insetbox set without metal case	1000011066
Metal case KM 321 incl. 12 insetboxes H63 WxDxH: 440 x 330 x 66 mm Weight: 3.65 kg Metal case with 24-32 subdivision options for height 63 mm (12x IB 2x2, 4x DIV IB 2x0, 4x DIV IB 1x)	1000011065
Insetbox set without metal case	1000011039
Metal case KM 321 incl. 23 insetboxes H63 WxDxH: 440 x 330 x 66 mm Weight: 3.76 kg Metal case 23-31 dividing options for height 63 mm (12x IB 1x1, 6x IB 1x2, 3x IB 2x2, 2x IB 2x3, 4x DI IB 2x0, 4x DI IB H63) Insetbox set without metal case	1000011067
	4000044004
Metal case KM 321 incl. 24 insetboxes H63 WxDxH: 440 x 330 x 66 mm Weight: 3.75 kg Metal case with 24-28 dividing options at height 63 mm (24x IB 1x2, 4x DI IB 1x0)	1000011064
Insetbox set without metal case	1000012358
Metal case KM 321 incl. 48 insetboxes H63 WxDxH: 440 x 330 x 66 mm Weight: 3.88 kg Metal case with 48 subdivision options at height 63 mm (48x IB 1x1)	1000011063
Insetbox set without metal case	1000012357



Small components case KM 330

Our new insetbox height of 95 mm is ideal for larger consumables and a large number of specific small parts. Various combinations of insetbox heights of 31 mm, 63 mm and 95 mm are also possible for the metal case 330.

Product description	Article no.
Metal case KM 332 incl. 8 insetboxes H95 WxDxH: 440 x 330 x 100 mm Weight: 4.41 kg 8-16 subdivision options at height 95 mm (6x IB 2x2, 2x IB 2x6, 4x DIV IB 2x0, 4x DIV IB 1x0) Insetbox set without metal case	1000011070
Metal case KM 321 including insetbox set H31 and H63 WxDxH: 440 x 330 x 100 mm Weight: 5.41 kg 53-61 subdivision options on 2 levels (upper height 31 mm: 18x IB 1x1, 9x IB 1x2, 3x IB 2x2; lower height 63 mm: 12x IB 1x1, 6x IB 1x2, 3x IB 2x2, 2x IB 2x3, 4x DIV IB 2x0, 4x DIV IB 1x0)	1000011068
Intermediate floor without metal case and insetboxes	5232816

Metal case KM 340

It is possible to protect and transport a multitude of small parts on two levels in just one metal case.

Combinations of the insetbox heights 31 mm / 95 mm and 63 mm / 63 mm with the corresponding intermediate floors are possible here.

	Product description	Article no.
	Metal case KM 342 incl. 2 insetbox sets H63 WxDxH: 440 x 330 x 130 mm Weight: 6.42 kg 46 – 54 subdivision options on 2 levels at height 63 mm (upper: 12x IB 1x1, 6x IB 1x2, 3x IB 2x2, 2x IB 2x3; lower: 12x IB 1x1, 6x IB 1x2, 3x IB 2x2, 2x IB 2x3, 4x DIV IB 2x0, 4x DIV IB 1x0)	1000011069
	Intermediate floor without metal case and insetboxes	5232823

Metal case DK 321

The special case for the HVAC trade for organised transport of heating burner nozzles.

Product description	Article no.
Metal case DK 321 WxDxH: 440 x 330 x 66 mm Weight: 3.89 kg Metal case for the HVAC industry for storing heating burner nozzles. (165 nozzles, Ø 22 mm)	5228338
Foam insert without metal case	5200532




Further insetbox sets

Insetbox sets in a height of 63 mm are ideal for the metal case KM 320 – and in a height of 95 mm, perfect for the metal case KM 330.

Product	Layout	Technical details	Description	Article no.
Inset boxes set 4 pcs. H63		WxDxH: 418 x 314 x 63 mm Weight: 0.82 kg	4 – 12 dividing options at height 63 mm (4x IB 2x6. 4x DI IB 1x0. 4x DI IB 2x0).	1000011037
Inset boxes set 16 pcs. H63		WxDxH: 418 x 314 x 63 mm Weight: 0.97 kg	16 – 24 dividing options for height 63 mm (6x IB 1x1, 4x IB 1x2, 2x IB 2x2, 1x IB 2x3, 2x IB 1x4, 1x IB 2x6, 4x DI IB 1x0, 4x DI IB 2x0).	1000011040
Inset boxes set 4 pcs. H95		WxDxH: 418 x 314 x 97 mm Weight: 1.09 kg	4 – 8 dividing options for height 95 mm (4x IB 2x6, 4x DI IB 2x0).	1000011111
Inset boxes set 9 pcs. H95		WxDxH: 418 x 314 x 97 mm Weight: 1.23 kg	9 – 17 dividing options for height 95 mm (4x IB 2x2, 2x IB 2x3, 2x IB 1x4, 1x IB 2x6, 4x DI IB 1x0, 4x DI IB 2x0).	1000011112






Single divider insert

The divider inserts enable dividers and slotted dividers to be fixed inside the case – available for all case heights.

Product	Technical details	Description	Article no.
Divider insert 320	WxDxH: 420 x 45 x 30 mm Weight: 0.12 kg	Suitable for metal case 320 (case height 66 mm).	49232960
Divider insert 330	WxDxH: 430 x 80 x 35 mm Weight: 0.22 kg	Suitable for metal case 330 (case height 100 mm).	49232977
Divider insert 340	WxDxH: 420 x 107 x 32 mm Weight: 0.32 kg	Suitable for metal case 340 (case height 130 mm).	49232984
Divider insert 350	WxDxH: 420 x 145 x 3 mm Weight: 0.42 kg	Suitable for metal case 350 (case height 170 mm).	49232991

Grid foam insert









Dividers and slotted dividers

Sortimo offers a choice between various dividers per case height for individual subdivision of the interior.

Metal case WM 320	Metal case WM 330	Metal case WM 340	Metal case WM 350
Slotted divider 309 x 62 mm for Metal case WM 320/321	Slotted divider 309 x 93 mm for Metal case WM 330/331	Slotted divider 309 x 127 mm for Metal case WM 340/341	Slotted divider 309 x 161 mm for Metal case WM 350/351
Art. No. 5267641 Slotted divider for subdividing	Art. No. 5267740 the metal case across the width an	Art. No. 5267849 and for attaching dividers	Art. No. 5267948
Divider 145 x 62 mm for Metal case WM 320/321	Divider 145 x 93 mm for Metal case WM 330/331	Divider 145 x 127 mm for Metal case WM 340/341	Divider 145 x 161 mm for Metal case WM 350/351
Art. No. 5267603	Art. No. 5267702	Art. No. 5267801	Art. No. 5267900

Divider (1/3 case width) for subdividing the metal case across the depth, in combination with the respective slotted divid



 Divider 262 x 62 mm for Metal case WM 320/321
 Divider 262 x 93 mm for Metal case WM 330/331
 Slotted divider 262 x 127 mm for Metal case WM 340/341
 Slotted divider 262 x 161 mm for Metal case WM 350/351

 Art. No. 5267610
 Art. No. 5267719
 Art. No. 5267818
 Art. No. 5267917

Divider (2/3 case width) for subdividing the metal case across the depth, in combination with the respective slotted divider.



 Divider
 Divider
 Divider
 Divider
 Divider
 415 x 62 mm for
 415 x 93 mm for
 415 x 127 mm for
 415 x 161 mm for
 Metal case WM 340
 Metal case WM 350

 Art. No. 5267634
 Art. No. 5267733
 Art. No. 5267832
 Art. No. 5267931

Divider for organising the metal case across the depth.






The champion in organisation

T-BOXX G







Easy to carry with a rubberised grip



Cost-savings due to long service life



Flexibility via the removal of individual insetbo<u>xes</u>

T-BOXX G – The champion in organisation.




T-BOXX G including Insetbox set

The T-BOXX G not only gives you a clear view of what you have got with you, but also allows convenient and safe transport of small parts to every place of use. The optimal insetbox height for the T-BOXX G is 63 mm – in combination with an intermediate floor, two levels with an insetbox height of 31 mm are also possible.

	Product description	Article no.
	T-BOXX G empty WxDxH: 442 x 351 x 80 mm Weight: 1.59 kg T-BOXX G, empty for individual equipping.	6000010978
	T-BOXX G incl. 4 insetboxes H63 WxDxH: 440 x 350 x 80 mm Weight: 2.33 kg 4– 12 dividing options at height 63 mm (4x IB 2x6. 4x DI IB 1x0. 4x DI IB 2x0)	6000010984
	Insetbox set without T-BOXX G	1000011037
	T-BOXX G incl. 8 insetboxes H63 WxDxH: 440 x 350 x 80 mm Weight: 2.35 kg 8– 16 dividing options for height 63 mm (8x IB 2x3, 4x DI IB 1x0, 4x DI IB 2x0)	6000010983
	Insetbox set without T-BOXX G	1000011038
	T-BOXX G incl. 12 insetboxes H63 WxDxH: 440 x 350 x 80 mm Weight: 2.42 kg 12– 20 dividing options for height 63 mm (12x IB 2x2, 4x DI IB 1x0, 4x DI IB 2x0)	6000010982
	Insetbox set without T-BOXX G	1000011039
	T-BOXX G incl. 16 insetboxes H63 WxDxH: 440 x 350 x 80 mm Weight: 2.48 kg 16-24 subdivision options for height 63 mm (6x IB 1x1, 4x IB 1x2, 2x IB 2x2, 2x IB 1x4, 1x IB 2x3, 1x IB 2x6, 4x DIV IB 1x0, 4x DIV IB 2x0)	6000010981
	Insetbox set without T-BOXX G	1000011040
	T-BOXX G incl. 23 insetboxes H63 WxDxH: 440 x 350 x 80 mm Weight: 2.53 kg 23–31 subdivision options for height 63 mm (12x IB 1x1, 6x IB 1x2, 3x IB 2x2, 2x IB 2x3, 4x DIV IB 1x0 H63, 4x DIV IB 2x0).	6000010980



T-BOXX G hook-in adapter



Insetbox set without T-BOXX G

1000011030






The stacking champions for all-rounders.

L-BOXXes G/G4







Integrated Safety in the Sortimo van racking system



Organisation by means of colour-coded labelling



Anti-theft protection also with interconnected G4 L-BOXXes







Insetboxes

Thanks to the insetbox grid on the bottom of the L-BOXX 102 G4 and L-BOXX 136 G4, insetboxes can be arranged individually and removed at any time when needed. Small components are transported safely and stock levels are visible at all times. The insetboxes can also be integrated in the L-BOXX 238 G and L-BOXX 374 G using an intermediate floor.

from page 215



Mobility

Sortimo offers a range of transport options to optimise trips to work – naturally tailored to meet everyday needs. The BOXXes range with mobility solutions not only saves time, but also increases efficiency when it comes to the transport of tools and materials. Stowed safely in the vehicle for an easy trip to the place of use.

from page 227



L-BOXX inserts

To meet the daily challenges in the transport and storage of materials, Sortimo offers a range of inserts with which the L-BOXX G/G4 can be adapted to individual requirements. Sortimo thus offers the ideal storage solution and optimises work procedures for various applications.

from page 222



Dividers

The many different divider combinations offer the optimum in tidiness and organisation. That allows effective work while simultaneously protecting the contents. Larger tools and work utensils are transported safely and stored tidily. The dividers are available individually or in a preconfigured set.

from page 217



Tool storage

Tool modules enable tidy and structured storage of tools. Sortimo offers solutions for the interior as well as for the side tool cards on the outer side walls. This guarantees quick access and makes work procedures even more efficient, resulting in an immense saving of time in your routine daily work.

from page 225



Worktops

The worktops can be fastened to the BOXX lids quickly and easily to convert the L-BOXX G/G4 to a mobile workplace for minor adaptations at the work site. Sortimo offers a choice of four different work tops.

from page 229





L-BOXXes empty

The practical L-BOXXes made of shock- and impact-resistant ABS plastic are available in four different sizes that are compatible with each other. The BOXXes can be equipped individually as required with insetboxes, dividers and various inserts.

	Product	Technical details	Article no.
1	L-BOXX 102 G4	WxDxH: 444 x 360 x 118 mm Weight: 1.72 kg	6000010876
2	L-BOXX 136 G4	WxDxH: 444 x 360 x 152 mm Weight: 1.78 kg	6000010877
3	L-BOXX 238 G	WxDxH: 442 x 357 x 253 mm Weight: 2.8 kg	6000010992
4	L-B0XX 374 G	WxDxH: 442 x 357 x 389 mm Weight: 3.4 kg	6000010994



L-BOXX 102 G4 with insetbox set

Preconfigured L-BOXX 102 G4 with insetbox sets with a height of 63 mm and lid insert for tidy sorting of small components and consumables.

Product description	Article no.
L-BOXX 102 G4 incl. 7 insetboxes H63 WxDxH: 444 x 360 x 118 mm Weight: 2.69 kg 7-13 subdivision options for height 63 mm (2x IB Ux6 incl. 2 DIV, 5x IB 2x3, 2x DIV IB 1x0, 2x DIV IB 2x0) and a lid insert. insetbox set without L-BOXX	1000011328 1000011029
L-BOXX 102 G4 incl. 8 insetboxes H63 WxDxH: 444 x 360 x 118 mm Weight: 2.71 kg 7-13 subdivision options for height 63 mm (2x IB Ux6 incl. 2 DIV, 5x IB 2x3, 2x DIV IB 1x0, 2x DIV IB 2x0) and a lid insert. insetbox set without L-BOXX	1000011314 1000011033
I DOWN 400 OA': I 40': II IIIO	4000044045
L-BOXX 102 G4 incl. 12 insetboxes H63 WxDxH: 444 x 360 x 118 mm Weight: 2.79 kg 12-22 subdivision options for height 63 mm (2x IB Ux6 incl. 2 DIV, 2x IB 1x1, 3x IB 1x2, 2x IB 2x2, 1x IB 2x3, 2x IB 1x4, 4x DIV IB 1x0, 4x DIV IB 2x0) and lid insert. insetbox set without L-BOXX	1000011315
L-BOXX 102 G4 incl. 32 insetboxes H63 WxDxH: 444 x 360 x 118 mm Weight: 2.82 kg 32-34 subdivision options for height 63 mm (2x IB Ux6 incl. 2 DIV, 30x IB 1x1) and lid insert. insetbox set without L-BOXX	1000011316 1000011032
L-BOXX 102 G4 incl. 30 insetboxes H31/H63 WxDxH: 444 x 360 x 118 mm Weight: 3.31 kg 30-32 subdivision options on 2 levels (lower: 2x IB Ux6 H63 incl. 2 DIV, 6x IB 1x1 H31, 4x IB 1x2 H31, 4x IB 2x2 H31; upper: 6x IB 1x1 H31, 4x IB 1x2 H31, 4x IB 2x2 H31) and lid insert. intermediate floor for insetboxes H31 empty	1000011317



L-BOXX 136 G4 with insetbox set

Preconfigured L-BOXX 136 G4 with insetbox sets with a height of 95 mm and lid insert for storage of large quantities of small components and consumables.

Product description	Article no.
L-BOXX 136 G4 incl. 6 insetboxes H95 WxDxH: 444 x 360 x 152 mm Weight: 3.11 kg 6-14 subdivision options for height 95 mm (2x IB Ux6 incl. 2 DIV, 3x IB 2x3, 1x IB 2x6, 2x DIV IB 1x0, 4x DIV IB 2x0) and a lid insert. insetbox set without L-BOXX	1000011333
L-BOXX 136 G4 incl. 7 insetboxes H95 WxDxH: 444 x 360 x 152 mm Weight: 3.18 kg 7-15 subdivision options for height 95 mm (2x IB Ux6 incl. 2 DIV, 2x IB 2x2, 1x IB 2x3, 1x IB 1x4, 1x IB 2x6, 2x DIV IB 1x0, 4x DIV IB 2x0) and a lid insert. insetbox set without L-BOXX	1000011334
L-BOXX 136 G4 incl. 8 insetboxes H95 WxDxH: 444 x 360 x 152 mm Weight: 3.14 kg 8-16 subdivision options for height 95 mm (2x IB Ux6 incl. 2 DIV, 3x IB 2x2, 3x IB 2x3, 2x DIV IB 1x0, 4x DIV IB 2x0) and a lid insert. insetbox set without L-BOXX	1000011335 1000011035
Lid insert EPP L-BOXX G4 WxDxH: 438 x 327 x 28 mm Weight: 0.07 kg The lid insert is suitable for the L-BOXX 102 G4 or 136 G4 and seals the top of the insetboxes or small component trays stored in the BOXX, preventing the contents from becoming mixed up.	1000011324



Insetboxes from page 189

L-BOXX 238 G and L-BOXX 374 G with insetbox set (and divider set)

Preconfigured L-BOXX G with insetbox set (height 63 mm) on intermediate floor, a divider set with 4 different subdivision options and a lid insert. Combined transport of small components, tools and other work utensils is thus possible without problem.

	Product description	Article no.
	L-BOXX 238 G incl. divider set 4F and 12 insetboxes H63 WxDxH: 442 x 357 x 253 mm Weight: 5.2 kg Divider set (4 subdivisions), above 12-20 subdivision options for height 63 mm (2x IB U3 G incl. 2 DIV, 2x IB 1x1, 3x IB 1x2, 2x IB 2x2, 1x IB 2x3, 2x IB 1x4, 4x DIV IB 1x0, 2x DIV IB 2x0) and lid insert. Intermediate floor without insetbox set and L-BOXX Intermediate floor incl. insetbox set without L-BOXX	1000011141 1000011089 1000011148
	L-BOXX 374 G incl. divider set 4F and 12 insetboxes H6 WxDxH: 442 x 357 x 389 mm Weight: 6.5 kg Divider set (4 subdivisions), above 12-20 subdivision options for height 63 mm (2x IB U3 G incl. 2 DIV, 2x IB 1x1, 3x IB 1x2, 2x IB 2x2, 1x IB 2x3, 2x IB 1x4, 4x DIV IB 1x0, 4x DIV IB 2x0) and lid insert. Intermediate floor without insetbox set and L-BOXX Intermediate floor incl. insetbox set without L-BOXX	1000011197 1000011089 1000011148
	Lid insert for the L-BOXX G range WxDxH: 405 x 321 x 22 mm Weight: 0.05 kg The lid insert is suitable for the L-BOXX 238 G, L-BOXX 374 G and 306 G and seals the top of the insetboxes or small component trays stored in the BOXX, preventing the contents from becoming mixed up.	121014678






L-BOXXen G/G4 inkl. Divider set

Sortimo offers ready-made divider sets for safe transport of tools and storage of larger work utensils in the L-BOXX G/G4.

Product description	Article no.
L-BOXX 102 G4 incl. divider set 3F WxDxH: 444 x 360 x 118 mm Weight: 2.32 kg L-BOXX 102 G4 with divider set (3 subdivisions) and lid insert.	1000011330
Divider set without L-BOXX	1000011195
L-BOXX 102 G4 incl. divider set 4F WxDxH: 444 x 360 x 118 mm Weight: 2.33 kg L-BOXX 102 G4 with divider set (4 subdivisions) and lid insert.	1000011331
Divider set without L-BOXX	1000011250
L-BOXX 136 G4 incl. divider set 4F WxDxH: 444 x 360 x 152 mm Weight: 2.46 kg L-BOXX 136 G4 with divider set (4 subdivisions) and lid insert.	1000011337
Divider set without L-BOXX	1000011231







L-BOXXen G/G4 inkl. Divider set

Sortimo offers ready-made divider sets for safe transport of tools and storage of larger work utensils in the L-BOXX G/G4.









		-	
L-B0XX 102	L-B0XX 136	L-B0XX 238	L-B0XX 374
Divider 140 x 60 mm for the L-BOXX 102 G4 Art. No. 1000002926	Divider 140 x 100 mm for the L-BOXX 136 G4 Art. No. 100000293	Divider 137 x 130 mm for the L-BOXX 238 G Art. No. 121017248	Divider 137 x 255 mm for the L-BOXX 374 G Art. No. 1000000094
 The divider provides organisation	n for the L-BOXX across the width	in combination with a divider fram	e and slotted divider (354 mm).
Divider 173 x 60 mm for the L-BOXX 102 G4 Art. No. 1000002927	Divider 173 x 100 mm for the L-BOXX 136 G4 Art. No. 100000293	Divider 173 x 130 mm for the L-BOXX 238 G Art. No. 121017249	Divider 173 x 255 mm for the L-BOXX 374 G Art. No. 1000000098
 The divider provides organisation	n for the L-BOXX across the depth	in combination with a divider fram	e and slotted divider (288 mm).
Slotted divider 288 x 60 mm for the L-BOXX 102 G4 Art. No. 1000002924	Slotted divider 288 x 100 mm for the L-BOXX 136 G4 Art. No. 1000002928	Slotted divider 283 x 130 mm for the L-BOXX 238 G Art. No. 121017246	Slotted divider 283 x 255 mm for the L-BOXX 374 G Art. No. 1000000088



Art. No. 1000002925

Slotted divider 354 x 60 mm for the L-BOXX 102 G4 Slotted divider 354 x 100 mm for the L-BOXX 136 G4 Slotted divider 354 x 130 mm for the L-BOXX 238 G mm for the L-BOXX 374 G Art. No. 1000002929

Art. No. 121017247

Art. No. 1000000093



The slotted divider provides organisation for the L-BOXX across the depth in combination with a divider frame.

The slotted divider provides organisation for the L-BOXX across the width in combination with a divider frame.



L-BOXX G4 including small component tray

	Product description	Article no.
	L-BOXX 102 G4 incl. small component tray 5 recesses. WxDxH: 444 x 360 x 118 mm Weight: 2.15 kg L-BOXX 102 G4 with small component tray and lid insert. Small component tray without L-BOXX	1000011332 6000010967
	L-BOXX 102 G4 incl. small component tray 8 recesses. WxDxH: 444 x 360 x 118 mm Weight: 2.15 kg L-BOXX 102 G4 with small component tray and lid insert. Small component tray without L-BOXX	1000011318 6000010969
	L-BOXX 136 G4 incl. small component tray 4 recesses. WxDxH: 444 x 360 x 152 mm Weight: 2.28 kg L-BOXX 136 G4 with small component tray and lid insert. Small component tray without L-BOXX	1000011338 6000010966
	L-BOXX 136 G4 incl. small component tray 8 recesses. WxDxH: 444 x 360 x 152 mm Weight: 2.28 kg L-BOXX 136 G4 with small component tray and lid insert. Small component tray without L-BOXX	1000011321 6000010970

L-BOXX incl. first aid inlay

Product description	Article no.
L-BOXX 102 G4 first aid WxDxH: 444 x 360 x 118 mm Weight: 2.99 kg L-BOXX 102 G4 first aid with contents as per DIN 13157.	1000011313

L-BOXX G4 including Foam insert

	Product description	Article no.
6	L-BOXX 102 G4 incl. Foam insert WxDxH: 444 x 360 x 118 mm Weight: 1.96 kg L-BOXX 102 G4 with perforated grid foam insert (15 x 15 mm) and lid insert.	1000011329
	Grid foam insert without L-BOXX	1000011119
	L-BOXX 136 G4 incl. Foam insert WxDxH: 444 x 360 x 152 mm Weight: 2.13 kg L-BOXX 136 G4 with perforated grid foam insert (15 x 15 mm) and lid insert.	1000011319
	Grid foam insert without L-BOXX	1000011118

EPP cutting insert without BOXX

Product description	Article no.
EPP cutting insert L-BOXX G4 WxDxH: 418 x 310 x 20 mm Weight: 0.05 kg Cutting insert made of rigid foam for customisation of the interior of your L-BOXX. Delivery includes a 15 mm thick EPP cutting insert.	6000010973
Self-cutting insert set EPP L-BOXX 102 G4 PU4 WxDxH: 418 x 310 x 65 mm Weight: 0.21 kg The cutting insert made of rigid foam allows you to customise storage for the devices and tools being transported (PU: 4 pieces).	1000011102
Self-cutting insert set EPP L-BOXX 136 G4 PU4 WxDxH: 418 x 310 x 95 mm Weight: 0.31 kg The cutting insert made of rigid foam allows you to customise storage for the devices and tools being transported (PU: 6 pieces).	1000011101



L-BOXX incl. thermal insert

Product description	Article no.	Price
L-BOXX 238 G Thermo WxDxH: 442 x 357 x 253 mm Weight: 2.92 kg L-BOXX 238 G equipped with a thermal insert; its insulation effect protects sensitive construction chemicals from extreme temperatures.	1000011201	88.50 EUR
L-BOXX 374 G Thermo WxDxH: 442 x 357 x 389 mm Weight: 3.58 kg L-BOXX 374 G equipped with a thermal insert; its insulation effect protects sensitive construction chemicals from extreme temperatures.	1000011146	97.50 EUR

Product	Layout	Technical details	Description	Article no.
Crosswise divider for L-BOXX Thermo		WxDxH: 264 x 140 x 0 mm Weight: 0.1 kg	Used to subdivide the L-BOXX Thermo across the width. You can also subdivide the interior across the depth in combination with lengthways dividers.	121018347
Lengthways divider for L-BOXX Thermo		WxDxH: 355 x 140 x 0 mm Weight: 0.1 kg	Used to subdivide the L-BOXX Thermo across the depth. You can also subdivide the interior across the width in combination with crosswise dividers.	121018348



L-BOXX G including cartridge insert

Product description	Article no.
L-BOXX 374 G Inclusive foam cartridge inlay WxDxH: $442 \times 357 \times 389$ mm Weight: 3.51 kg L-BOXX 374 G with two foam cartridge inserts (a total of 14 cartridges, $\emptyset = 73$ mm).	1000011246
Foam cartridge inlay without L-BOXX	121015286
L-BOXX 374 G Inclusive silicone cartridge inlay WxDxH: 442 x 357 x 389 mm Weight: 3.51 kg L-BOXX 374 G with two cartridge cartridge inserts (a total of 26 cartridges, Ø = 53 mm).	1000011248
Silicone cartridge inlay without L-BOXX	121015285


L-BOXX G including tool tray insert

Product description	Article no.
L-BOXX 374 G Inclusive tool tr for carpenters WxDxH: 440 x 355 x 440 mm Weight: 3.9 kg Carpenter's tool tray insert (space for 42 to 7-13 subdivision options for height 63 mn 2x IB 1x2, 1x IB 2x2, 1x IB 1x4, 1x IB 2x3, 2x DIV IB 2x0). Without tools	ools) and n (2x IB 1x1,
Tool tray insert without L-BOX	X 6000001237
L-BOXX 374 G Inclusive tool tr for electricians WxDxH: 440 x 355 x 440 mm Weight: 3.9 kg Electrician's tool tray insert (space for 45 the 12-18 subdivision options for height 63 m 3x IB 1x2, 1x IB 2x2, 2x IB 1x4, 1x IB 2x6, 2x DIV IB 2x0). Without tools	tools) and m (5x IB 1x1,
Tool tray insert without L-BOX	X 6000001238



Tool storage

To allow optimal use of the storage area inside the L-BOXX G/G4, Sortimo offers tool modules in various sizes and designs for efficient work processes and safe and secure storage of tools and work materials.





AluCaddy foldable





Sortimo 229

L-BOXX trolley




L-BOXX seat cushion



L-BOXX ProSafe bracket

Product description	Article no.
L-BOXX ProSafe bracket WxDxH: 115 x 52 x 20 mm Weight: 0.45 kg Secure individual L-BOXXes or in combination between the two ProSafe brackets. Furthermore, the BOXXes can be secured with the ProSafe lashing belt, which can be directly hooked into the L-BOXX ProSafe brackets. The lashing points have a resilience of up to 200 daN.	1000001773

Tool mats



Product	Technical details	Description	Article no.
tool mat L-B0XX 102/136 G4	WxDxH: 416 x 307 x 2 mm Weight: 0.10 kg	Suitable for the L-BOXX 102 G4 and L-BOXX 136 G4	6000010972
tool mat L-BOXX 238 G	WxDxH: 380 x 300 x 2 mm Weight: 0.08 kg	Suitable for for the L-BOXX 238 G	121015733
tool mat L-BOXX 374 G	WxDxH: 380 x 290 x 4 mm Weight: 0.08 kg	Suitable for for the L-BOXX 374 G	121015734

L-BOXX work tops

The worktops can be fastened to the BOXX lids quickly and easily to convert the L-BOXX to a mobile workplace for minor adaptations at the work site. The worktops come in four different variants.

	Product description	Article no.
	Small L-BOXX worktop WxDxH: 500 x 700 x 18 mm Weight: 4.5 kg The small L-BOXX worktop is attached flexibly to the L-BOXX family via a latching mechanism. This results in a mobile workplace, based on top of several BOXXes stacked on top of one another, which is ideal for doing smaller adjustment work directly on site.	1000001369
A MARIE OF THE PROPERTY OF THE	Worktop L-BOXX two pieces WxDxH: 228 x 328 x 30 mm Weight: 1.97 kg Two-part worktop made from high-quality beech-Multiplex (14 mm thickness) for smaller tasks directly on site.	121017994
	Worktop L-BOXX one piece WxDxH: 440 x 350 x 18 mm Weight: 1.27 kg Worktop made from high-quality beech-Multiplex (18 mm thickness) for smaller tasks directly on site.	121017995
	Screw clamp 160 WxDxH: 208 x 81 x 22 mm Weight: 0.32 kg Screw clamp with span of 160 mm to fasten workpieces.	6000002539





Article no. 6000013894

Article no. 6000014068

6000014069

The space miracle for bulky loads

XL-BOXX




Space miracle – maximum storage space of 30 litres



Functionality – individually adjustable L-BOXX inserts can be used



Full compatibility with the entire L-BOXX family, T-BOXXes and the Hilti case 20



Certified dangerous goods container – approved as transport container for dangerous goods in accordance with the ADR

The XL-BOXX extends the previous L-BOXX system to include a fully compatible, spacious and cleverly conceived machine and transport box. With its appealing design, the BOXX also impresses with its light weight, without sacrificing robustness, load protection or load-carrying capacity.

To meet the requirements for transporting dangerous goods containers, for instance containing batteries, the XL-BOXX ADR is approved as a transport container for the transport of dangerous goods in accordance with the ADR, RID, IMDG Code, UN Recommendations on the Transport of Dangerous Goods, ICAO-TI and IATA-DGR. However, the approval only applies when used in conjunction with the lid insert supplied and a foam insert adapted to the load. This can be quickly and easily selected via the *my*Sortimo inlay service, which can be customised within certain limits.

Product description XL-BOXX ADR

WxDxH: 607 x 395 x 179 mm **Weight:** 3.2 kg

including lid insert

maximum payload: 25 kg/9 kg when used as a dangerous goods container

Accessories

Of course, the XL-BOXX ADR is also perfectly suited for storing and transporting tools, machines or consumables. The following accessories provide more order in and around the BOXX.

	8	
	THE STREET	
V		Jan .

Product description

XL-BOXX divider set


Weight: 1 kg

divides the interior into up to 5 compartments also compatible with L-BOXX 136 G4 inserts



transparent, stackable and click-in flexible push-fit dividers Outer dimensions shown in the insetboxes grid 5x2







The flexible all-rounder for every trade

LS-BOXX 306 G







Adaptable to every requirement



Stability thanks to robust and hard-wearing construction




Colour-coded labelling for greater organisation

LS-BOXX 306 G – The flexible all-rounder for every trade



	Product description	Article no.	Price
	LS-BOXX 306 G empty WxDxH: 442 x 357 x 322 mm Weight: 3.8 kg LS-BOXX 306 G empty for individual configurations.	6000011072	
	LS-BOXX 306 G includes 2 LS drawers 72 G WxDxH: 445 x 357 x 321 mm Weight: 4.9 kg L-BOXX 306 G with integrated guide rails Inclusive two LS drawers 72 G (height 72 mm).	1000018325	
	LS-BOXX 306 G includes 2 i-BOXXes 72 G WxDxH: 442 x 357 x 322 mm Weight: 6.84 kg L-BOXX 306 G incl. two i-BOXXes 72 G each with 10-16 subdivision options for height 63 mm (1x IB 1.5x5 incl. 2 DIV, 3x IB 1x1, 2x IB 1x2, 2x IB 2x2, 1x IB 2x3, 1x IB 1x4, 2x DIV IB 1x0, 2x DIV IB 2x0).	1000018326	
	Inset box set 12 p. H63 LS-BOXX 306 G WxDxH: 402 x 314 x 63 mm Weight: 0.9 kg 12-20 subdivision options for height 63 mm (2x IB U3 G incl. 2 DIV, 2x IB 1x1, 3x IB 1x2, 2x IB 2x2, 1x IB 2x3, 2x IB 1x4, 4x DIV IB 1x0, 4x DIV IB 2x0).	1000012356	
	LS drawer 72 G WxDxH: 370 x 314 x 72 mm Weight: 0.51 kg LS drawer 72 G empty for individual equipping.	6000011065	
	Anti-rattle mat LS-BOXX 306 G WxDxH: 398 x 307 x 0 mm Weight: 0.09 kg Soft insert mat made of rubber to protect contents against damage and avoid disruptive noises while driving.	121015732	
	Lid insert for the L-BOXX G range WxDxH: 405 x 321 x 22 mm Weight: 0.05 kg The lid insert is suitable for the L-BOXX 238 G, L-BOXX 374 G and LS-BOXX 306 G and seals the top of the insetboxes or small component trays stored in the BOXX, preventing the contents from becoming mixed up.	121014678	







The open box for quick access

LT-BOXX G

- Time saved through quick access to cargo
- Click system for secure combined transport
- Easy to carry thanks to swivel handle
- Cost-savings due to long service life

	Product description	Article no.
	LT-BOXX 136 G WxDxH: 445 x 362 x 152 mm Weight: 2.1 kg L T-BOXX 136 G empty for individual configurations.	6000011066
	LT-BOXX 272 G	6000011068






WxDxH: 445 x 362 x 288 mm
Weight: 2.9 kg
L T-BOXX 272 G empty for individual configurations.



The divider set 3F subdivides the LT-BOXX crosswise into three compartments to allow safe storage and transport of larger tools and work utensils.

Product	Layout	Suitable for	Description	Article no.
Divider set 3F for LT-BOXX 136 G		WxDxH: 410 x 105 x 35 mm Weight: 0.46 kg	Suitable for the LT-BOXX 136 G	1000002937
Divider set 3F for LT-BOXX 272 G		WxDxH: 442 x 362 x 30 mm Weight: 0.94 kg	Suitable for the LT-BOXX 272 G	1000002481





The see-through box for a clearer view.

i-BOXX G







Integration in transport box and BOXX solutions from Sortimo



Optimisation of work procedures through individual equipping



Integrated handle in the body

i-BOXX G - The transparent one for a clearer view.



i-BOXX 72 G inclusive insetboxes

I-DOAK 12 U IIIGIUSI	VC III3CtbOXC3		
		Product description	Article no.
		i-BOXX 72 G empty WxDxH: 367 x 316 x 72 mm Weight: 14.0 kg i-BOXX 72 G empty for individual equipping.	6000010986
		i-BOXX G incl. 10 insetboxes H63 WxDxH: 367 x 316 x 72 mm Weight: 1.52 kg 10-16 subdividsion options for height 63 mm (1x IB 1.5x5 incl. 2 DIV, 3x IB 1x1, 2x IB 1x2, 2x IB 2x2, 1x IB 2x3, 1x IB 1x4, 2x DIV IB 1x0, 2x DIV IB 2x0).	6000010993
		i-BOXX 72 G incl. insetbox set 11 pcs. H63 WxDxH: 367 x 316 x 72 mm Weight: 1.52 kg 11-19 subdivision options for height 63 mm (3x IB 1.5x5 incl. 6 DIV, 6x IB 1x1, 2x IB 1x2, 2x DIV IB 1x0).	6000011362
		i-BOXX G incl. 12 insetboxes H63 WxDxH: 367 x 316 x 72 mm Weight: 1.53 kg 12-18 subdivision options for height 63 mm (1x IB 1.5x5 incl. 2 DIV 5x IB 1x1, 2x IB 1x2, 4x IB 2x2, 2x DIV 1x0, 2x DIV 2x0).	6000010988
		i-BOXX 72 G incl. 26 insetboxes H63 WxDxH: 367 x 316 x 72 mm Weight: 1.59 kg 26-28 subdivision options for height 63 mm (1x IB 1.5x5 incl. 2 DIV, 25x IB 1x1).	6000010989



Small component tray for i-BOXX 72 G



Sortimo offers inexpensive small component trays of deep-drawn plastic with different subdivision possibilities.

Product	Technical details	Description	Article no.
small component tray 7 recesses i-BOXX 72 G	WxDxH: 355 x 275 x 70 mm Weight: 0.15 kg	Small component tray with 7 subdivision options.	6000001813
small component tray 12 recesses i-BOXX 72 G	WxDxH: 349 x 270 x 62 mm Weight: 0.46 kg	Small component tray with 12 subdivision options.	6000001480
small component tray 16 recesses i-BOXX 72 G	WxDxH: 349 x 271 x 62 mm Weight: 0.5 kg	Small component tray with 16 subdivision options.	6000001814

i-BOXX G – The transparent one for a clearer view.





Wall holder for i-BOXX 72 G

Product description	Article no.
i-BOXX wall holder G WxDxH: 322 x 354 x 46 mm Weight: 0.38 kg The i-BOXX wall holder G secures i-BOXXes 72 G so that they are clearly visible and quickly accessible in your vehicle or workshop.	6000011032

i-BOXX 72 G special configurations

	Product description	Article no.
CHUNG THE TAID TO	i-BOXX 72 G car first-aid kit DIN 13164 WxDxH: 367 x 316 x 72 mm Weight: 1.37 kg i-BOXX 72 G with contents as per DIN 13164 (car first-aid kit).	1000011392
COAD-SEQUEE	i-BOXX 72 G load securing for vans WxDxH: 367 x 316 x 72 mm Weight: 3.56 kg Baisc equipment for load securing in the van (2x ProSafe lashing belts with ratchet 3.5 m, 2x ProSafe lashing belts with clamping lock 3 m, 4x anti-rattle mats 200x100x8 mm, 4x Flex edge protection for lashing belts 1x load securing flyer).	1000011185
OAD-SECURE COAD-SECURE	i-BOXX 72 G load securing for cars WxDxH: 367 x 316 x 72 mm Weight: 2.12 kg Basic equipment for load securing in the car (2x lashing belts with clamping lock 3.5 m, 1x load securing net 1000x1200 mm, 1x anti-rattle mat 750x500 mm, 1x load securing flyer).	1000011186
CO P	i-BOXX 72 G work first-aid kit DIN 13157 WxDxH: 367 x 316 x 72 mm Weight: 1.47 kg The i-BOXX 72 G with contents as per DIN13157 (work first-aid kit) suitable for use in industry, on building sites or even in schools and nursery schools.	1000011391





The expandable system for even more Flexibility.

i-BOXX rack G

- Flexibly extendible organisational system
- Fast replacement of equipment
- Click system for secure combined transport
- Compatible with complete L-BOXX system

Product description	Article no.
i-BOXX rack G WxDxH: 442 x 342 x 100 mm Weight: 1.1 kg i-BOXX Rack G empty for individual configurations.	6000011093
i-BOXX Rack G 3-compartments	6000011091



i-BOXX Rack G 3-compartments

WxDxH: 442 x 342 x 304 mm **Weight:** 4.2 kg

The i-BOXX Rack G 3-compartment is a fixed module consisting of three individual racks with an i-BOXX Rack G lid as the top cover.






The universal transport solution.



- robust BOXX with transparent lid
- folding handle
- large storage volume of 17 L
- integrated interfaces for ProClick Tool Bags

The C-BOXX is a robust transport solution for lots of activities in trade, industry and service. Thanks to its bucket-like design, it can be used universally for storing tools and consumables or even for transporting dirty used parts. The transparent lid seals the C-BOXX and protects the contents. The folding handle makes the C-BOXX easy to carry. The handle can be folded down again to save space. The size of the C-BOXX is optimally designed for shelves and shelf trays of the Sortimo van racking system. What makes the C-BOXX special is the fact it can be expanded with ProClick Tool Bags, which can be added using integrated interfaces in the top edge. They permit tools to be quickly transported from the vehicle on site, and include the required consumables in the C-BOXX.

	Product description	Article no.
Sortimo	C-BOXX with lid WxDxH: 311 x 309 x 306 mm Empty weight: 1.44 kg Load capacity: 20 kg	6000013614
Sortino Co	SR5 C-BOXX Holder WxDxH: 209 x 63 x 222 mm Load capacity: 20 kg Hang the C-BOXX on the side profile of the SR5 van racking system to save space. Convenient and quick access including from outside the vehicle.	1000018390
X	GL4 C-BOXX Holder For mounting on the aluminium side wall via mounting rails (not included, as they depend on the block depth).	1000018274





The standard container for everything.

E-BOXX

- standard container enables inter-company transport of goods
- resistant to most chemicals
- small load carrier according to VDA standard 4500
- optional with cover and load securing elements

The small load carrier enables the inter-company transport of goods and comes in five different sizes for different requirements.

Product	Technical details	Article no.
E-BOXX 600x400x148	WxDxH: 600 x 400 x 148 mm Weight: 1.4 kg	37234032
E-BOXX 400x300x148	WxDxH: 400 x 300 x 148 mm Weight: 0.7 kg	37234049
E-B0XX 600x400x270	WxDxH: 600 x 400 x 270 mm Weight: 1.8 kg	37234056
E-BOXX 400x300x270	WxDxH: 400 x 300 x 270 mm Weight: 1.1 kg	37234063
E-BOXX 300x200x148	WxDxH: 300 x 200 x 148 mm Weight: 0.42 kg	37234070
E-BOXX cover 400x300	WxDxH: 400 x 300 x 25 mm Weight: 0.35 kg	37234148
E-BOXX cover 600x400	WxDxH: 600 x 400 x 25 mm Weight: 0.6 kg	37234155










The customizable service depot in pallet format

sContainer







Minimum footprint, maximum use of space



Seamless integration into transport and logistics chains



Low acquisition and maintenance costs

sContainer – The advantages at a glance _____





Mobile depot with optional shelf system

The sContainer is used as a mobile depot on construction sites or during service calls – if desired, including an organisation system. This means that tools and consumables are available directly on site. This is a great advantage for longer-term construction sites or inner city operations where it is not always possible to drive commercial vehicles to the site.

Seamless integration into transport and logistics chains

Because its footprint is the same format as a euro pallet, the sContainer is cost-effective to integrate into any logistics process. It can be moved by forklift trucks and transported inexpensively by lorry, ship or plane. So you can use the sContainer globally and have it delivered directly to the place of use. Your service or construction site team simply follows behind.





Minimum footprint, maximum use of space

The footprint of the sContainer is no larger than one euro pallet. This makes the service container a compact depot with plenty of interior space for the tightest of construction sites or service operations. Because integrating an SR5 racking system creates storage space on several levels, which can be used for tools and consumables.

Low acquisition and maintenance costs

The sContainer is not only much cheaper to buy than a commercial vehicle, for example, but also cheaper to maintain. Because motor vehicle insurance and taxes do not apply. So use the mobile depot to avoid having to drive your tools, machinery and consumables back and forth every day – saving a lot of fuel costs in the process and ensuring that no equipment is left behind.



contact is listed from page 332

sContainer – Product features



Sturdy material

A solid frame forms the basis, permitting a load capacity of up to 500 kg. The casing is made of powder-coated sheet steel. A plastic hood reliably prevents the penetration



Ventilation

The ventilation system ensures a permanent flow of

fresh air. Suitable for gas transport in accordance with ····· Lifting eyes Dekra certification. As an option, the lifting eyes can be retrofitted so that the sContainer can also be moved around on site by crane.





· · · · · Lock

Choose between three locks for the sContainer. The cheapest variant is the padlock, which ensures solid protection against theft. Alternatively, you can choose a cylinder lock or the high-end version, the electronic combination lock that does away with the need for keys.



Advertising space

The sContainer offers a large area for company logos or advertising graphics, which we can can create for you or you can design and order them directly via the mySortimo graphics labelling configurator.

With little effort, your storage space becomes an ideal and cost-effective advertising medium.



Transport slots(in series) The floor assembly of the sContainer is based on a euro

pallet. This means the container can be picked up and transported by forklift trucks.





Interior

The interior is easily accessible through a large door. The floor is covered with resistant SoboGrip flooring. A unique feature is that components of the SR5 van racking can be installed in the interior and ensure optimum organisation and additional load securing. For a quotation with the SR5 shelving system, please contact your nearest Sortimo sales person mySortimo.com/contact





sContainer – Versatility in pallet format _____



SContainer size and locking system selection according to requirements

The sContainer is available in heights of 1.20 m and 1.90 m. The basic dimensions, which are based on the Euro pallet size, always remain the same. Depending on your needs, you can order the sContainer with different variants of locking systems Optionally, the sContainer can be equipped with crane eyes, ventilation and individual advertising stickers – depending on the intended use.





	sContainer 1200	Article no.
1	with U-lock	1000016409
2	with Cylinder lock	1000016407
3	features electronic number lock	1000016408

	sContainer 1900	Article no.
1	with U-lock	1000013961
2	with Cylinder lock	1000013962
3	features electronic number lock	1000013963

Accessories for outside

	Product description	Article no.
SCONTAINER: 0	Lifting kit sContainer WxDxH: 55.5 x 36.5 x 73.5 mm Weight: 1 kg The lifting kit can be used to upgrade the container to allow it to be transported by crane. The eyes can still be rotated even under load and are therefore always optimally aligned in the direction of force.	1000013967
- ST	Small roof vent WxDxH: 97 x 72 x 135 mm Weight: 0.12 kg Material: UV-resistant, impact-resistant plastic Functionality: permanent fresh air circulation Suitable for gas transport in accordance with Dekra certification. (In combination with floor or side vents)	801016208
	U-lock with a hard plastic coating WxDxH: 140 x 90 x 70 mm Weight: 1.13 kg Ideal complement to the sContainer PL. The plastic shell protects surrounding parts from damage. This function is ensured even under unfavourable weather conditions thanks to the cover cap.	6000002883



*my*Sortimo graphics

Use your sContainer as a mobile advertising space

The sContainer offers a large area for company logos or advertising graphics, which we can create for you or you can design and order them directly via the mySortimo graphics labelling configurator. With little effort, your storage space becomes an ideal and cost-effective advertising medium.

Online configuration >>> mySortimo.com/graphics

sContainer – Accessories





Accessories for the interior

	Product description	Article no.
	round floor vent WxDxH: 210 x 140 x 70 mm Weight: 0.26 kg The floor vent, in combination with the roof vent (Art. No. 801016208) ensures permanent air exchange inside the sContainer. The combined installation of the two vents is certified by Dekra for gas transport.	6000001283
ST. ST. ST.	Shelf 711x498mm storage SCON SR5 WxDxH: 711 x 498 x 73 mm Weight: 5.18 kg The shelf offers a generous storage area. Combining two shelves creates a storage space over the entire depth of the sContainer.	1000014331
	ProSafe single lashing point SCON SR5 WxDxH: 50 x 31 x 26 mm Weight: 0.14 kg The load stowed in the sContainer can be secured using the ProSafe lashing point.	1000014311
	Lashing rail ProSafe PC 1000mm SCON SR5 WxDxH: 1,220 x 200 x 70 mm Weight: 2.17 kg The ProSafe lashing rail provides numerous lashing points for securing the load in the sContainer. The rubber inlay provides a contact surface for the load and protects it from damage.	1000019660









Article no. 1000014321


Product	Technical details	Article no.
Hose holder medium SCON SR5	WxDxH: 260 x 190 x 106 mm Weight: 0.81 kg	1000014315

Hook strip

The hook strips are available in three different sizes and can be mounted on the side panels of the sContainer.










The mobile workplace for workshop and building site

WorkMo







Modularity -Combine according to need



Diversity – application range from the workshop to the building site




Compatibility with the Sortimo BOXXes programme

WorkMo – at a glance





WorkMo is a multi-functional transport, organisation and work system. The individual modules can be combined flexibly to suit the application. Comprehensive accessories are used to create application-oriented and transportable workplaces for the workshop and the building site. The WorkMo is also unique due to its compatibility with the Sortimo BOXXes range. Various organisational solutions offer storage space for small parts and tools of all kinds. Diverse BOXX partnerships with suppliers of power tools and electric tools and mounting and fastening materials mean that complete system compatibility is a given. Click, connect, everything fits together – you can't get more productive!




























working







WorkMo – 24-500

WxDxH: 526 x 396 x 506 mm


Load-bearing strength of lid: 100 kg

Maximum payload: 100 kg



The modules of size 24-500 are the most compact in the WorkMo family. They are therefore suited to frequent transport and variable combinations as a result of their light weight. The wide range of options with drawers, BOXXes, cases or a universal cabinet offer solutions for diverse applications. The modules can be coupled together to, for example, combine two modules with accessories, such as a tool shelf, worktops or worktables to produce a mobile workplace. Mobility solutions, such as dollies, roller skids or the AluCaddy make the WorkMo a mobile unit.

Product description	Article no.
WorkMo 24-500 with 3 BOXX floors Weight: 11.8 kg Example equipment: 3x L-BOXX 102 G4	1000003813
WorkMo 24-500 with 8 service case rails Weight: 7.5 kg Example equipment: 4xT-BOXXes G	1000003732
WorkMo 24-500 with 4 case trays Weight: 16.5 kg Example equipment: 4x Small components case KM 320	1000003914
WorkMo 24-500 with 2 drawers and case trays Weight: 15 kg Example equipment: 1X L-BOXX 136 G4	1000003747





WorkMo - 24-750


WxDxH: 526 x 396 x 744 mm

Load-bearing strength of lid: 100 kg

Maximum payload: 100 kg

WorkMos in size 24-750, at the same width, are about 250 mm higher than the modules in size 24-500. This obviously offers benefits in terms of storage. Many configurations with drawers, BOXXes, cases, universal cabinets and shelves provide for diverse applications. A working height of about 90 cm is available when using a module in combination with a roller or the roller skids. Complemented with accessories, such as a tool shelf, worktops or benches and various side panel accessories, this creates a fully-fledged mobile workplace for use in the workshop or on site.

Product description	Article no.
WorkMo 24-750 with 4 BOXX floors Weight: 24.7 kg Example equipment: 4x L-BOXX 136 G4	1000004460
WorkMo 24-750 with 8 service case rails Weight: 18.1 kg Example equipment: 1X L-BOXX 102 G4 3x L-BOXX 136 G4	1000004447
WorkMo 24-750 With drawers and case rails Weight: 24.8 kg Example equipment: 4xT-BOXXes G	1000004458
WorkMo 24-750 with 5 drawers V1 Weight: 14.7 kg With one drawer in height 6 and four drawers in height 8.	1000004432
WorkMo 24-750 with 6 drawers Weight: 26.4 kg With five drawers in height 6 and one drawer in height 8.	1000004431



WxDxH: 789 x 396 x 506 mm

Load-bearing strength of lid: 100 kg

Maximum payload: 100 kg

The sizes 34-500 and 34-750 offer even more storage space for your tools and consumables. The most varied of applications are possible, equipped with drawers, shelves with drop-down fronts or BOXXes. There are also accessories such as dollies, roller skids, worktops and side panel accessories available for these modules.

Product description	Article no.
WorkMo 34-500 with 3 drawers Weight: 24.1 kg With three drawers in height 8.	1000003791
WorkMo 34-500 with 4 drawers Weight: 25.9 kg With four drawers in height 6.	1000003703

WorkMo -44-500



WxDxH: 1.052 x 396 x 506 mm Load-bearing strength of lid: 100 kg

Maximum payload: 100 kg

The width modules truly come into their own when used stationary: providing maximum storage space and a large worktop! Options equipped with drawers, shelves with drop-down fronts or BOXXes allow a wide range of uses. With accessories such as worktops, dollies and roller skids, as well as various different extensions for the side panels, the WorkMo can be further enhanced.

Product description	Article no.
WorkMo 44-500 with 3 drawers Weight: 28.8 kg With three drawers in height 8.	1000003792
WorkMo 44-500 with 4 drawers Weight: 31.3 kg With four drawers in height 6.	1000003704

Roller – Flexible and high-load



You can make your WorkMo mobile by using the roller made from beech-Multiplex. The fully rubberised wheels (2 of which have brakes) are sturdy and ensure quiet movement, even on rough terrain. They are connected to the WorkMo by a coupling lever. The flat surface, in combination with integrated lashing points and the load-bearing capacity of up to 200 kg also allows its use as a transport roller.





Roller

Product	Technical details	Description	Article no.
Roller WorkMo 24	WxDxH: 612 x 493 x 144 mm Weight: 6.54 kg	WorkMo modules sizes 24-500 and 24-750	1000003706
Roller WorkMo 34	WxDxH: 854 x 493 x 144 mm Weight: 8.94 kg	WorkMo modules sizes 34-500 and 34-750	1000003707
Roller WorkMo 44	WxDxH: 1,096 x 493 x 144 mm Weight: 10 kg	WorkMo modules sizes 44-500 and 44-750	1000003708



Wall fixation roller WorkMo

WxDxH: 270 x 97 x 254 mm

Weight: 1.5 kg

Installation on the van racking system or bodywork. Secure storage of all WorkMo dollies in the vehicle.

Article no.

1000003963

AluCaddy – compact and flexible



The WorkMo is permanently mobile with the roller skids. Once mounted the WorkMo can be permanently rolled.

The roller skid is compatible with all WorkMo modules. Two of steering wheels are lockable so that stability and steadiness are guaranteed during work.

	Product description	Article no.
***	Roller skid WorkMo PU2 WxDxH: 546 x 145 x 108 mm Weight: 2.56 kg Permanent mobility for the WorkMo Suitable for all WorkMo modules. Load capacity up to 150 kg.	6000002992

	Product description	Article no.
9	AluCaddy foldable WxDxH: 490 x 490 x 1,090 mm Weight: 6.0 kg The WorkMo modules can be transported conveniently using the folding AluCaddy. The AluCaddy, with a bearing load of 150 kg, is a practical aid for the daily transport of materials.	801014905
	Wall fixation AluCaddy WxDxH: 504 x 53 x 61 mm Weight: 1.2 kg The wall fixation can, for example, be mounted on the rear door and serves for safe mounting of the collapsed AluCaddy in the vehicle.	1000004391

Worktops – Work when and where you want



The worktop made from high quality beech-Multiplex provides an ideal work surface for both general and delicate tasks. The panels can be attached to the top surface of the WorkMo using a latching mechanism and can easily be removed again if necessary. The perforated design permits a wide range of attachment options when machining workpieces.

WorkMo worktop

Product	Technical details	Description	Article no.
Worktop WorkMo 24	WxDxH: 426 x 571 x 41 mm Weight: 3.91 kg	all WorkMo modules 24-500 and 24-750	1000003697
Worktop WorkMo 34	WxDxH: 426 x 834 x 41 mm Weight: 5.1 kg	all WorkMo modules 34-500 and 34-750	1000003698
Worktop WorkMo 44	WxDxH: 426 x 1,098 x 41 mm Weight: 7.5 kg	all WorkMo modules 44-500 and 44-750	1000003699

Side panel accessories – For even more benefits




Product description	Article no.
Storage pocket 04-7 WxDxH: 352 x 132 x 103 mm Weight: 0.38 kg Additional storage options for the WorkMo side panel. Integrated clamping strip for storing screwdrivers, pliers, etc.	6000001329
suitable fastening material	1000003777
Storage pocket for paperwork WxDxH: 157 x 210 x 74 mm Weight: 0.41 kg Document storage for the WorkMo side panel. Suitable for documents up to A4 size	801016054
suitable fastening material	1000003777
Electric power supply 4-fold IP 44 04-7 WorkMo WxDxH: 396 x 526 x 506 mm Weight: 1.02 kg 4-way distributor socket with 2 metre connection line. Including cable hooks and fastening material. protection class IP44	1000003774

Clamping devices – Holding without compromise



Tool shelf – Effortless transformation to a workshop trolley





Product description	Article no.
Locating pin 65 mm, PU2 WxDxH: 2 x 2 x 65 mm Weight: 0.08 kg Suitable for system perforation of worktops and worktables. Flexible position stops for work pieces.	6000002974
Screw clamp 160 WxDxH: 208 x 81 x 22 mm Weight: 0.32 kg Screw clamp with span of 160 mm to fasten workpieces.	6000002539

Can be used in the system perforation and aluminium profiles of perforated worktables.



Product description	Article no.
Tool shelf WorkMo WxDxH: 364 x 520 x 103 mm Weight: 0.4 kg Flexibly connected with WorkMo. Can be subdivided using dividers or insetboxes (grid 6 x 8). Resistant to most solvents, oils and fuels.	1000004390
Divider short tool shelf WorkMo WxDxH: 328 x 8 x 69 mm Weight: 0.1 kg Subdivides the tool shelf in width. Compartments compatible with insetboxes.	1000004487

Perforated aluminium grid – Everything to hand




Security – No chance for thieves



Tool hooks and clamps

6000002430





	Product description	Article no.
	Removal safety device WorkMo 500 WxDxH: 102 x 338 x 78 mm Weight: 1.05 kg Suitable for all WorkMo modules height 500.	1000004560
	Removal safety device WorkMo 750 WxDxH: 102 x 576 x 78 mm Weight: 2.0 kg Suitable for all WorkMo modules height 750.	1000004561
A	U-lock with a hard plastic coating WxDxH: 140 x 90 x 70 mm Weight: 1.13 kg The U lock with hard plastic coating secures your WorkMo perfectly on the building site.	6000002883

Drawer accessories – For increased organisation



Divider sets for drawers

Subdivide the drawer into up to four compartments. Can be extended by the use of additional dividers.



Product Divider set drawer 24-6 1000000449 Divider set drawer 34-6 1000000452 Divider set drawer 44-6 1000000455 Divider set drawer 24-8 1000000450 Divider set drawer 34-8 1000000453 Divider set drawer 44-8


1000000456

Tool mats for drawers

Ensure secure hold and prevent rattling noises.



Product	
Anti-rattle mat drawer 24-0	
651003661	
Anti-rattle mat drawer 34-0	
651003662	
Anti-rattle mat drawer 44-0	
651003663	



Diawei Subulvisioi	13		
		Product description	Article no.
		Insetbox set 23 pcs. H63	1000011030
The state of the s		Small component tray 10 drawer 24-5	411016008

Inner drawer dimensions in mm	Width	Depth	Height
Width 2 / height 6	418	314	89
Width 2 / height 8	418	314	123
Width 3 / height 6	660	314	89
Width 3 / height 8	660	314	123
Width 3 / height 10	660	314	157
Width 4 / height 6	902	314	89
Width 4 / height 8	902	314	123
Width 4 / height 10	902	314	157

ProSafe – Load securing at the highest level _____



The ProSafe system offers comprehensive solutions for securing loads in your vehicle. Along with general load securing elements, load securing accessories specially adapted to the WorkMo are also available. This ensures safe transport.



Lashing Straps ProSafe with clamping lock



Product	Technical details	Description	Article no.
ProSafe lashing straps clamping lock 1.4 m	WxDxH: 110 x 80 x 40 mm Weight: 0.17 kg	The ProSafe lashing belt Clamping lock 1.4 m can be used in a universal manner in the vehicle and can be operated intuitively with just one hand.	1000000224
ProSafe lashing straps clamping lock 3 m	WxDxH: 110 x 110 x 45 mm Weight: 0.29 kg	The ProSafe lashing belt Clamping lock 3 m can be used in a universal manner in the vehicle and can be operated intuitively with just one hand.	1000000222
ProSafe lashing straps clamping lock 6 m	WxDxH: 150 x 110 x 40 mm Weight: 0.44 kg	The ProSafe lashing belt Clamping lock 6 m can be used in a universal manner in the vehicle and can be operated intuitively with just one hand.	1000000223

Lashing Straps ProSafe with ratchet



Product	Technical details	Description	Article no.
ProSafe lashing straps ratchet 3.5 m	WxDxH: 130 x 110 x 50 mm Weight: 0.63 kg	The ProSafe lashing belt with ratchet 3.5 m can be mounted universally in the vehicle and has a load-bearing capacity of up to 400 daN.	1000000225
ProSafe lashing straps ratchet 6 m	WxDxH: 130 x 140 x 55 mm Weight: 0.79 kg	The ProSafe lashing belt with ratchet 6 m can be mounted universally in the vehicle and has a load-bearing capacity of up to 400 daN.	1000000226

Product description	Article no.	Price
ProSafe CargoStopp WxDxH: 108 x 40 x 63 mm Weight: 0.20 kg Load securing element for inserting in the ProSafe floor lashing points provides a stop for form-closed load securing Lashing facility is retained thanks to integrated lashing eye.	1000003736	
WorkMo Fix WxDxH: 155 x 66 x 9 mm Weight: 0.78 kg Load securing package for all WorkMos in the vehicle. Suitable for Sortimo protection floors 9 mm in thickness. Must be milled into the vehicle floor and is thus recessed flush with the floor	1000004978	
WorkMo belt guide PU2 WxDxH: 15 x 300 x 75 mm Weight: 0.4 kg Ensures the optimal position of lashing belts. Easy to use by inserting into the WorkMo.	1000005129	





Endless possibilities with just one click

ProClick



Cross-system compatibility –
Fits perfectly into the Sortimo and
Bosch ecosystems



Perfect ergonomics and freedom of movement thanks to the tool belt



Direct access and organisation – No need to search through your trouser pockets



Safe and durable Thanks to robust design and hard-wearing material

ProClick — Endless possibilities with just one click _____



The ProClick system is not just a new product line for mobile working, but also a system that incorporates itself seamlessly in the working day of every tradesperson and service technician. Together with the joint venture BS Systems, Sortimo and BOSCH have developed ProClick, a product line that integrates into the Sortimo and BOSCH product world that also enables tools and consumables to be carried directly on the body. The frustration of bending and searching is now a thing of the past thanks to the tool bags. Similarly, the tools and consumables are easy to put away again. Unlike trouser pockets, which you would have to empty first.



This allows you to carry tools and working materials directly on your body via textile bags. It also fits into the Sortimo and BOSCH ecosystem – which means it is compatible with a wide range of products already available in the Sortimo and BOSCH product range – regardless of which brand.

Furthermore, ProClick is compatible with the ProSafe load securing system, as it uses the same mounts. This means ProClick bags can be hooked into all side profiles of the SR5 system with ProSafe via the integrated hooks.



Holder

At the heart of the system is the ProClick Holder. This is what holds all ProClick Tool Bags. All ProClick bags available on the market can be hooked into the Holder – across different systems. In turn, the ProClick Holder can be attached to any standard belt.

	Product description	Article no.
	ProClick Holder	6000013927
	Dimensions (WxDxH): 83 x 58 x 27 mm Load capacity: 5 kg	
1119	Fits all standard belts with a width of up to 5 cm	

ProClick – Endless possibilities with just one click



ProClick shoulder strap

The ProClick shoulder strap is the perfect complement to the ProClick tool belt. Thanks to the snap hooks on the adjustable webbing straps, the belt can be quickly and easily attached to the D-rings of the tool belt. Thus, the load is optimally distributed over the body, and the belt supports ergonomic working with the ProClick tool bags. The breathable mesh padding in the shoulder area also increases wearing comfort, especially for longer and more intensive operations. Two integrated strap loops allow the additional attachment of the ProClick Holder. This means that ProClick tool pockets can also be placed in the chest area to always have tools at hand. Additional pockets also offer storage options for smaller tools such as screwdrivers and pens on the chest strap.

Product description	Article no.	
ProClick Shoulder Strap S/M Padding dimensions: 42 cm Belt strap length: 90–125 cm Load capacity: 24 g (ProClick tool belt is not included)	6000015243	
ProClick Shoulder Strap L/XL Padding dimensions: 52 cm Belt strap length: 105–140 cm Load capacity: 24 kg	6000015244	

(ProClick tool belt is not included)



Connection to the ProClick belt with D-rings.



Integrated belt loops in the chest area allow optional attachment of ProClick holders. Above the shoulder strap additional ProClick bags can be added as well.



Pockets offer additional storage options for smaller tools such as screwdrivers or pens.

Tool belt

The tool belt enables tools and working materials to be kept directly on the body. The integrated padding and sturdy structure mean that you can carry tools on your hip comfortably and without straining your back. The ProClick Holders can be attached flexibly to your tool belt, allowing you to quickly switch tool bags by simply clicking and releasing.

	Product description	Article no.
	ProClick Tool Belt S Padding dimensions: 80 x 12 cm Belt strap length: 100 cm Load capacity: 24 kg Space for up to five ProClick Holders	6000013940
	ProClick Tool Belt M	6000013933
	Padding dimensions: 90 x 12 cm Belt strap length: 120 cm Load capacity: 24 kg	
	Space for up to five ProClick Holders	
	ProClick Tool Belt L	6000013941
	Padding dimensions: 100 x 12 cm Belt strap length: 140 cm Load capacity: 24 kg	
2 9	Space for up to five ProClick Holders	
	ProClick Tool Belt XL	6000015090
	Padding dimensions: 110 x 12 cm Belt strap length: 160 cm Load capacity: 24 kg	
	Space for up to five ProClick Holders	

Tool tray

The ProClick Tool Tray is a carrier system for ProClick pockets and accessories, as well as the C-BOXX and the SR5 van racking system. In simple terms, the tool tray can be compared to a toolbox. It has a large stowage facility for tools and consumables, which is accessible and easily visible from above. Pockets and loops inside and outside contribute to an improved overview and order. The sturdy plastic base protects not only the tray and its contents from impacts and dirt, but also allows it to click onto any L-BOXX using the integrated connecting clamp. This makes it a genuine all-rounder for every use.

Product description	Article no.
ProClick Tool Tray Dimensions (WxDxH): 480 x 240 x 330 mm Load capacity: 24 kg Six integrated interfaces for ProClick Tool Bags. Can be expanded with ProClick Holder Compatible with ProClick Tool Container and all L-BOXXes	6000013934
ProClick Tool Container Outer dimensions (WxDxH): 440 x 233 x 88 mm Inner dimensions (WxDxH): 365 x 226 x 75 mm Load capacity: 5 kg Compatible with tool tray and all L-BOXXes	6000013936

ProClick – Endless possibilities with just one click




Tool bags and accessories

The ProClick bags are available in different sizes and designs. They are made from sturdy polyester (1000 den) and are fitted with practical dividers, loops and holders, so that tools and consumables all have their own fixed place and are easy to reach.

Unlike your trouser pockets, the ProClick tool bags provide a perfect overview of work materials and can be pre-sorted according to the task at hand. The reflective strips on the sides improve visibility in the dark and offers additional protection — particularly in the dark winter months.

Product description	Article no.
ProClick Tool Bag M 14 Dimensions (WxDxH): 140 x 120 x 270 mm Load capacity: 5 kg Equipment: 13 elastic loops for tools and one strip loop for carabiners	6000013928
ProClick Nail Bag M Dimensions (WxDxH): 140 x 120 x 270 mm Load capacity: 5 kg Equipment: 6 elastic loops for tools, a strip loop for carabiners and a drawstring to close the nail bag	6000013929
ProClick Tool Bag L 16 Dimensions (WxDxH): 220 x 120 x 270 mm Load capacity: 5 kg Equipment: 15 elastic loops for tools and one strip loop for carabiners	6000013930
ProClick Tool Bag L 36 Dimensions (WxDxH): 220 x 200 x 270 mm Load capacity: 5 kg Equipment: 15 elastic loops for tools, a strip loop for carabiners, an outer fabric loop, a separate inner compartment, 16 mini elastic loops, an additional bag (compatible with Insetbox 1x2 H63) and a prop on the back	6000013931
ProClick Tool Bag L 39 Dimensions (WxDxH): 260 x 200 x 270 mm Load capacity: 5 kg Equipment: 15 elastic loops for tools, a strip loop for carabiners, an outer fabric loop, a separate inner compartment, 16 mini elastic loops, an additional bag (compatible with Insetbox 1x2 H63), a prop on the back, a hammer loop, a strip loop with buckle and a tape measure holder for belt clips	6000013932
ProClick Battery Holder, PU 2 pcs. Dimensions (WxDxH): 74 x 98 x 36 mm Load capacity: 1 kg Compatible with all commercially-available 18 V Bosch Professional batteries and batteries from the CAS system (Cordless Alliance System) used by various manufacturers	6000013935



ProClick Sets

The ProClick Starter Sets offer you the perfect introduction to the ProClick system so that you are ideally equipped for all daily challenges – whether on the construction site wearing the ProClick Tool Belt or with the mobile transport solutions such as the C-BOXX or tool tray.

Product description	Article no.
ProClick Starter Set Tool Belt Tool belt in the respective size incl. 3 ProClick Holders, 1 ProClick Nail Bag M, 1 ProClick Tool Bag L 39 and 1 ProClick Battery Holder with ProClick Tool Belt S, length 100 cm with ProClick Tool Belt M, length 120 cm with ProClick Tool Belt L, length 140 cm	1000018828 1000018829 1000018830
ProClick Starter Set C-BOXX C-BOXX incl. 3 ProClick Holders, 1 ProClick Nail Bag M, 1 ProClick Tool Bag M 14, 1 ProClick Battery Holder and ProClick Tool Belt in the respective size with ProClick Tool Belt S, length 100 cm with ProClick Tool Belt M, length 120 cm with ProClick Tool Belt L, length 140 cm	1000018825 1000018826 1000018827
ProClick Starter Set Tool Tray Tool tray incl. 2 ProClick Holders, 1 ProClick Nail Bag M, 1 ProClick Tool Bag M 14, 1 ProClick Battery Holder and 1 ProClick Tool Container to expand the storage space under the tray.	1000018831





Flexible load-securing on the vehicle roof

TopSystem





Einfache Ladungssicherung durch das ProSafe Verzurrsystem



Flexibel erweiterbar mit umfangreichem Zubehör



Zeitsparendes und ergonomisches Be- und Entladen von Ladegut

TopSystem – flexible load securing on the vehicle roof



Basic carrier

Cross members with integrated ProSafe lashing system



Accessories



- extension for the basic carrier
- side limit stop for cargo
- extension for the basic carrier
- continuous closure of the cross members creates additional stability

side rail

- side limit stop for cargo
- · aerodynamic contour



loading roller

- Simplifies loading: cargo can be pushed onto the TopSystem from the rear of the vehicle
- time-saving and ergonomic loading and unloading of cargo
- prevents damage to the vehicle and cargo
- has a bearing load of up to 50 kg



Your advantages

- safe transport of long, bulky goods
- high payloads thanks to a low net weight
- aerodynamic contour ensuring low wind noises and fuel savings
- unique load securing options with the optionally integrated ProSafe lashing system
- flexibility for expansion with versatile accessories
- corrosion-resistance and durability thanks to high-quality stainless steel and aluminium components



† Please consult the vehicle tables for the required length of the side rails and for the dimensions of the appropriate loading roller.



Basic carrier

Jumper 2006

4035 mm, L2

High roof

4035 mm, L1 Medium high roof

CITROËN						Option	al length 🕌
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Berlingo 2008	2728 mm	Normal roof	2 pieces	7.0 kg	1000011358	2200 mm	1250 mm
Berlingo 2018	2785 mm	Normal roof	3 pieces	11.0 kg	1000015776	2200 mm	1450 mm
Berlingo 2018	2975 mm	Normal roof	3 pieces	11.0 kg	1000015777	2500 mm	1450 mm
Jumpy 2016	2925 mm 3275 mm	Normal roof	2 pieces	7.5 kg	1000011362	2000 mm 2500 mm	1450 mm
Jumpy 2016	3275 mm, L1 3275 mm, L2	Normal roof	3 pieces	11.0 kg	1000011363	2000 mm 2800 mm	1450 mm
Jumper 2006	3000 mm 3450 mm	Normal roof Medium high roof	3 pieces	13.0 kg	1000011360	3000 mm 3500 mm	1750 mm

17.5 kg **1000011361**

1750 mm

4000 mm

4500 mm

4 pieces

FIAT						- Option	nal length 🕌
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Doblo 2010	2755 mm 3105 mm	Normal roof	3 pieces	10.0 kg	1000011364	2200 mm 2800 mm	1250 mm
Scudo 2022	2925 mm 3275 mm	Normal roof	2 pieces	7.5 kg	1000020234	2000 mm 2500 mm	1450 mm
Scudo 2022	3275 mm 3275 mm L2	Normal roof	3 pieces	11.0 kg	1000020235	2500 mm 2800 mm	1450 mm
Talento 2016	3098 mm 3498 mm	Low	2 pieces	8.5 kg	1000011289	2800 mm 3500 mm	1650 mm
Talento 2016	3098 mm 3498 mm	Low	3 pieces	12.5 kg	1000011305	2800 mm 3500 mm	1650 mm
Talento 2016	3098 mm 3498 mm	Low	4 pieces	16.0 kg	1000011301	2800 mm 3500 mm	1650 mm
Ducato 2006	3000 mm 3450 mm	Normal roof Medium high roof	3 pieces	13.0 kg	1000011365	3000 mm 3500 mm	1750 mm
Ducato 2006	4035 mm, L1 4035 mm, L2	Medium high roof High roof	4 pieces	17.5 kg	1000011366	4000 mm 4500 mm	1750 mm

FORD						Option	nal length 🕌
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Connect 2014	2662 mm 3062 mm	Normal roof	2 pieces	8.0 kg	1000011367	2000 mm 2500 mm	1450 mm
Connect 2014	3062 mm	Normal roof	3 pieces	11.5 kg	1000011369	2500 mm	1450 mm
Courier 2014	2498 mm	Normal roof	2 pieces	7 kg	1000020487	2200mm	1250mm
Transit Connect 2012	2933 mm 3300 mm	Normal roof	2 pieces	8.5 kg	1000011372	3000 mm 3500 mm	1550 mm
Transit Connect 2012	2933 mm 3300 mm	Normal roof	3 pieces	12.5 kg	1000011374	3000 mm 3500 mm	1550 mm
Transit 2014	3300 mm 3750 mm 3750 mm, L2	Medium high roof High roof	3 pieces	13.0 kg	1000011166	3000 mm 3500 mm 4000 mm	1750 mm
Transit 2014	3750 mm, L2	Medium high roof High roof Super-high roof	4 pieces	17.0 kg	1000011165	4000 mm	1750 mm

IVECO						Option:	al length 🕌
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Daily 1999 Daily 2014	3000 mm 3520 mm	Normal roof	3 pieces	13.5 kg	1000011375	2200 mm 2200 mm	1750 mm
Daily 1999 Daily 2014	3000 mm 3250 mm, L2 3300 mm 3520 mm 3520 mm, L2 3950 mm 4100 mm 4100 mm, L2	Medium high roof	3 pieces	12.0 kg	1000011376	2200 mm 2500 mm 2500 mm 2500 mm 2500 mm 2500 mm 2500 mm 2500 mm	1550 mm

LEVC	EVC						Optional length	
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller	
VN5 2020	3386 mm	Normal roof	2 Stück	7,5 kg	1000019294	2500 mm	1450 mm	
VN5 2020	3386 mm	Normal roof	3 Stück	11,0 kg	1000019297	2500 mm	1450 mm	



Optional length

Optional length

MAN

MAN	MAN						
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
TGE 2016	3640 mm 4490 mm	Normal roof High roof	3 pieces	12.5 kg	1000018681	3500 mm 4500 mm	1650 mm
TGE 2016	3640 mm 4490 mm	Normal roof High roof	4 pieces	16.5 kg	1000011377	3500 mm 4500 mm	1650 mm
TGE 2016*	3640 mm 4490 mm 4490 mm L2	Normal roof High roof	3 pieces	12.5 kg	1000018680	3500 mm 4500 mm 4500 mm	1650 mm

^{*}Suitable for models with the C-rail.

MERCEDES-BENZ

Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Citan 2012	2697 mm	Normal roof	2 pieces	7.0 kg	1000011379	2000 mm	1250 mm
Citan Maxi 2012	3081 mm	Normal roof	2 pieces	7.0 kg	1000011381	2500 mm	1250 mm
Citan Maxi 2012	3081 mm	Normal roof	3 pieces	10.0 kg	1000011383	2500 mm	1250 mm
Citan 2021	2716 mm	Normal roof	2 pieces	7.0 kg	1000019270	2000 mm	1250 mm
Citan 2021	2716 mm	Normal roof	3 pieces	10.0 kg	1000019271	2000 mm	1250 mm
Vito 2003 Vito 2014	3200 mm, L1 3200 mm, L2 3430 mm	Normal roof	4 pieces	16.0 kg	1000011164	2800 mm 3200 mm 3500 mm	1550 mm
Sprinter 2006 Sprinter 2018	3250 mm 3259 mm 3665 mm 3924 mm	Normal roof	3 pieces	12.5 kg	1000011384	3200 mm 3200 mm 3700 mm 3700 mm	1650 mm
Sprinter 2006 Sprinter 2018	3250 mm 3259 mm 3665 mm 3924 mm	Normal roof	4 pieces	16.5 kg	1000011386	3200 mm 3200 mm 3700 mm 3700 mm	1650 mm
Sprinter 2006 Sprinter 2018	3250 mm 3259 mm 3665 mm 3924 mm 4325 mm	High roof	3 pieces	12.0 kg	1000011388	2800 mm 2800 mm 3500 mm 3700 mm 4500 mm	1550 mm
Sprinter 2006 Sprinter 2018	3250 mm 3259 mm 3665 mm 3924 mm 4325 mm	High roof	4 pieces	16.0 kg	1000011390	2800 mm 2800 mm 3500 mm 3700 mm 4500 mm	1550 mm

NISSAN

Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
NV200 10	2725 mm	Normal roof	2 pieces	7.0 kg	1000011398	2200 mm	1250 mm
NV200 10	2725 mm	Normal roof	3 pieces	10.0 kg	1000011400	2200 mm	1250 mm
Townstar 21	2716 mm	Normal roof	2 pieces	7.0 kg	1000020238	2000 mm	1250 mm
Townstar 21	2716 mm	Normal roof	3 pieces	10.0 kg	1000020239	2000 mm	1250 mm
NV300 16/Primastar 21	3098 mm 3498 mm	Normal roof	2 pieces	8.5 kg	1000011288	2800 mm 3500 mm	1650 mm
NV300 16/Primastar 21	3098 mm 3498 mm	Normal roof	3 pieces	12.5 kg	1000011304	2800 mm 3500 mm	1650 mm
NV300 16/Primastar 21	3098 mm 3498 mm	Normal roof	4 pieces	16.0 kg	1000011300	2800 mm 3500 mm	1650 mm
NV400 12/Interstar 21	3182 mm 3682 mm 4332 mm	Normal roof Medium high roof	4 pieces	18.5 kg	1000011401	3200 mm 3700 mm 4500 mm	1650 mm

OPEL

Optional length

						•	•
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Combo 2012	2755 mm 3105 mm	Normal roof	3 pieces	10.0 kg	1000011402	2200 mm 2800 mm	1250 mm
Combo 2018	2785 mm	Normal roof	3 pieces	11 kg	1000015780	2200 mm	1450 mm
Combo 2018	2975 mm	Normal roof	3 pieces	11 kg	1000015781	2500 mm	1450 mm
Vivaro 2014	3098 mm 3498 mm	Normal roof	2 pieces	8.5 kg	1000011287	2800 mm 3500 mm	1650 mm
Vivaro 2014	3098 mm 3498 mm	Normal roof	3 pieces	12.5 kg	1000011303	2800 mm 3500 mm	1650 mm
Vivaro 2014	3098 mm 3498 mm	Normal roof	4 pieces	16.0 kg	1000011299	2800 mm 3500 mm	1650 mm
Vivaro 2019	2925 mm 3275 mm	Normal roof	2 pieces	7.5 kg	1000016025	2000 mm 2500 mm	1450 mm
Vivaro 2019	3275 mm 3275mm, L2	Normal roof	3 pieces	11.0 kg	1000016026	2500 mm 2800 mm	1450 mm
Movano 2010	3182 mm 3682 mm 4332 mm	Normal roof Medium high roof	4 pieces	18.5 kg	1000011403	3200 mm 3700 mm 4500 mm	1650 mm
Movano 2021	4035 mm 4035 mm L2	Medium high roof High roof	4 Stück	17.5 kg	1000020366	4000 mm 4500 mm	1750 mm
Movano 2021	3000 mm 3450 mm	Medium high roof High roof	3 Stück	13.0 kg	1000020365	3000 mm 3500 mm	1750 mm



PEUGEOT

Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Partner 2008	2728 mm 2728 mm, L2	Normal roof	2 pieces	7.0 kg	1000011408	2200 mm	1250 mm
Partner 2018	2785 mm	Normal roof	3 pieces	11 kg	1000015778	2200 mm	1450 mm
Partner 2018	2975 mm	Normal roof	3 pieces	11 kg	1000015779	2500 mm	1450 mm
Expert 2016	2925 mm 3275 mm	Normal roof	2 pieces	7.5 kg	1000011406	2000 mm 2500 mm	1450 mm
Expert 2016	3275 mm 3275 mm, L2	Normal roof	3 pieces	11.0 kg	1000011407	2500 mm 2800 mm	1450 mm
Boxer 2006	3000 mm 3450 mm	Normal roof Medium high roof	3 pieces	13.0 kg	1000011404	3000 mm 3500 mm	1750 mm
Boxer 2006	4035 mm 4035 mm, L2	Medium high roof High roof	4 pieces	17.5 kg	1000011405	4000 mm 4500 mm	1750 mm

RENAULT

RENAULT	RENAULT						
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Kangoo 2012	2697 mm	Normal roof	2 pieces	7.0 kg	1000011409	2000 mm	1250 mm
Kangoo Maxi 2010	3081 mm	Normal roof	2 pieces	7.0 kg	1000011411	2500 mm	1250 mm
Kangoo Maxi 2010	3081 mm	Normal roof	3 pieces	10.0 kg	1000011413	2500 mm	1250 mm
Kangoo 2021	2716 mm	Normal roof	2 pieces	7.0 kg	1000018189	2000 mm	1250 mm
Kangoo 2021	2716 mm	Normal roof	3 pieces	10.0 kg	1000018190	2000 mm	1250 mm
Express Van 2021	2812 mm	Normal roof	2 pieces	7.0 kg	1000019650	2200 mm	1250 mm
Express Van 2021	2812 mm	Normal roof	3 pieces	10.0 kg	1000019652	2200 mm	1250 mm
Trafic 2014	3098 mm 3498 mm	Normal roof	2 pieces	8.5 kg	1000011286	2800 mm 3500 mm	1650 mm
Trafic 2014	3098 mm 3498 mm	Normal roof	3 pieces	12.5 kg	1000011302	2800 mm 3500 mm	1650 mm
Trafic 2014	3098 mm 3498 mm	Normal roof	4 pieces	16.0 kg	1000011298	2800 mm 3500 mm	1650 mm
Master 2010	3182 mm 3682 mm 4332 mm	Normal roof Medium high roof	4 pieces	18.5 kg	1000011414	3200 mm 3700 mm 4500 mm	1650 mm

TOYOTA

Optional length

TOYOTA						Option:	al length 🕌
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
Proace 2016	2925 mm 3275 mm	Normal roof	2 pieces	7.5 kg	1000011415	2000 mm 2500 mm	1450 mm
ProAce 2016	3275 mm 3275 mm, L2	Normal roof	3 pieces	11.0 kg	1000011416	2500 mm 2800 mm	1450 mm
Proace City 2020	2785 mm	Normal roof	3 pieces	11.0 kg	1000016004	2200 mm	1450 mm
Proace City 2020	2975 mm	Normal roof	3 pieces	11.0 kg	1000016005	2500 mm	1450 mm

VOLKSWAGEN

Optional length

V OLI (OV V/ (C	ALI V					- Options	ai leligui 🔻
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roll
Caddy 2003 Caddy 2015	2682 mm	Normal roof	2 pieces	7.0 kg	1000011418	2200 mm	1250 mm
Caddy 2003 Caddy 2015	2682 mm	Normal roof	3 pieces	10.5 kg	1000011420	2200 mm	1250 mm
Caddy 2020	2755 mm	Normal roof	2 pieces	7.0 kg	1000017829	2000 mm	1250 mm
Caddy 2020	2755 mm	Normal roof	3 pieces	10.5 kg	1000017830	2000 mm	1250 mm
Caddy Maxi 2008 Caddy Maxi 2015	3002 mm 3006 mm	Normal roof	2 pieces	7.0 kg	1000011422	2500 mm	1250 mm
Caddy Maxi 2008 Caddy Maxi 2015	3002 mm 3006 mm	Normal roof	3 pieces	10.0 kg	1000011425	2500 mm	1250 mm
Caddy Maxi 2008 Caddy Maxi 2015	3002 mm 3006 mm	Normal roof	4 pieces	13.0 kg	1000011427	2500 mm	1250 mm
Caddy Maxi 2020	2970 mm	Normal roof	2 pieces	7.0 kg	1000017831	2200 mm	1250 mm
Caddy Maxi 2020	2970 mm	Normal roof	3 pieces	10.5 kg	1000017832	2200 mm	1250 mm
Caddy Maxi 2020	2970 mm	Normal roof	4 pieces	13.0 kg	1000017833	2200 mm	1250 mm
ID-Buzz Cargo 2022	2988 mm	Normal roof	2 pieces	7.5 kg	1000020105	2000 mm	1450 mm
ID-Buzz Cargo 2022	2988 mm	Normal roof	3 pieces	11.0 kg	1000020106	2000 mm	1450 mm
T5 2003 T6 2015	3000 mm 3400 mm	Normal roof	2 pieces	8.0 kg	1000011155	2800 mm 3000 mm	1450 mm
T5 2003 T6 2015	3000 mm 3400 mm	Normal roof	3 pieces	12.0 kg	1000011153	2800 mm 3000 mm	1450 mm



Sortimo | 299

VOLKSWAGEN

VOLKSVVAC	ali N					Optional	al length 🕌
Model / model year	Wheelbase	Roof shape	cross members	Weight	Article no.	Side rail	loading roller
T5 2003 T6 2015	3000 mm 3400 mm	Normal roof	4 pieces	15.5 kg	1000011151	2800 mm 3000 mm	1450 mm
Crafter 2006	3250 mm 3665 mm	Normal roof	3 pieces	12.5 kg	1000011428	3200 mm 3700 mm	1650 mm
Crafter 2006	3250 mm 3665 mm	Normal roof	4 pieces	16.5 kg	1000011430	3200 mm 3700 mm	1650 mm
Crafter 2006	3250 mm 3665 mm 4325 mm	Medium high roof	3 pieces	12.0 kg	1000011432	2800 mm 3500 mm 4500 mm	1550 mm
Crafter 2006	3250 mm 3665 mm 4325 mm	Medium high roof	4 pieces	16.0 kg	1000011434	2800 mm 3500 mm 4500 mm	1550 mm
Crafter 2016	3640 mm 4490 mm	Normal roof High roof	3 pieces	12.5 kg	1000018679	3500 mm 4500 mm	1650 mm
Crafter 2016	3640 mm 4490 mm	Normal roof High roof	4 pieces	16.5 kg	1000011436	3500 mm 4500 mm	1650 mm
Crafter 2016*	3640 mm 4490 mm 4490 mm L2	Normal roof High roof	4 pieces	16.5 kg	1000011437	3500 mm 4500 mm 4500 mm	1650 mm
Crafter 2016*	3640 mm 4490 mm 4490 mm L2	Normal roof High roof	3 pieces	12.5 kg	1000018678	3500 mm 4500 mm 4500 mm	1650 mm

 $^{{}^{*}\}text{Suitable}$ for models with the C-rail.

ACCESSORIES

Side rails

Side closure for your TopSystem. Please see the vehicle tables for the side rail lengths required for your vehicle. The item includes a side rail as well as fastening material for the side of the TopSystem basic carrier.







Loading roller 500 mm WxDxH: 500 x 50 x 50 mm Weight: 1.0 kg

The loading roler for convenient and time-saving loading and unloading of heavy, long or large-volume transport goods on the vehicle roof. Installation is also possible without side rails, the loading roller 500 is attached directly to the rearmost cross member.

Loading rollers


These loading rollers can only be mounted in combination with side rails mounted on both sides. Please see the vehicle tables for the loading roller lengths required for your vehicle.

Product	Technical details	Article no.
STS loading roller set side rail 1250	WxDxH: 1,250 x 70 x 80 mm Weight: 1.8 kg	1000012248
STS loading roller set side rail 1450	WxDxH: 1,450 x 70 x 80 mm Weight: 2.1 kg	1000012249
STS loading roller set side rail 1550	WxDxH: 1,550 x 70 x 80 mm Weight: 2.15 kg	1000012250
STS loading roller set side rail 1650	WxDxH: 1,650 x 70 x 80 mm Weight: 2.25 kg	1000012251
STS loading roller set side rail 1750	WxDxH: 1,750 x 70 x 80 mm Weight: 2.35 kg	1000012252
STS loading roller set side rail 1850	WxDxH: 1,850 x 70 x 80 mm Weight: 2.45 kg	1000012253



1000010569





ProSafe lashing belt with ratchet

ProSafe lashing belt with ratchet for securing cargo on the ProSafe version of the Sortimo TopSystem.



Load: max. 400 daN	Strap width: 25 mm	Turn buckle: Ratc	het	End fitting ProSafe hook
Product	Technical	details	Article no	
ProSafe lashing belt 0.77	m Weight: 0.	49 kg	10000002	28
ProSafe lashing belt 0.93	m Weight: 0.	5 kg	10000002	27
ProSafe lashing belt 1.5 n	n Weight: 0.	43 kg	10000123	22
ProSafe lashing belt 3.5 n	n Weight: 0.	55 kg	10000002	25

Lashing belt with ratchet without end fitting

The single-section Sortimo lashing belt with ratchet does not have an end fitting and is therefore perfect for strapping down all kinds of loads.



Load: max. 400 daN	Strap width: 25 mm	Turn buckle: Ratch	net	Without End fitting
Product	Technical (details	Article no.	
lashing belt 1.0 m	Weight: 0.4	15 kg	600001284	1
lashing belt 3.0 m	Weight: 0.51 kg		6000012842	
lashing belt 6.0 m	Weight: 0.6	63 kg	600001284	3

Lashing belts with clamping lock without end fitting

The lashing strap is deployable for a multitude of load securing applications. Thanks to the clamp buckle it can be tensioned and loosened quickly and simply.







Transport tube



Aluminium transport tube with large loading cross-section for the safe transport of pipes or other long materials.

	Product	Technical details	Article no.			
2-part	STS 2.0 transport tube 3000 mm 2-part	WxDxH: 3.240 x 243 x 155 mm Weight: 17,9 kg	1000019198			
	STS 2.0 transport tube 4000 mm 2-part	WxDxH: 4.240 x 243 x 155 mm Weight: 22,8 kg	1000019199			
	STS 2.0 transport tube 5000 mm 2-part	WxDxH: 5.280 x 243 x 155 mm Weight: 27,1 kg	1000020757			
	STS 2.0 transport tube 6000 mm 2-part	WxDxH: 6.318 x 243 x 155 mm Weight: 30,8 kg	1000020758			
3-part	STS 2.0 transport tube 5000 mm 3-part	WxDxH: 5.280 x 243 x 155 mm Weight: 28,4 kg	1000019200			
0	STS 2.0 transport tube 6000 mm 3-part	WxDxH: 6.280 x 243 x 155 mm Weight: 33,3 kg	1000019226			
Varianten inkl. 150 mm Erhöhung – ideal für Fahrzeuge mit Heckklappe						
	STS 2.0 transport tube 5000 mm 2-part HK	WxDxH: 5.280 x 243 x 305 mm Weight: 30,0 kg	1000020759			
	STS 2.0 transport tube 6000 mm 2-part HK	WxDxH: 6.318 x 243 x 305 mm Weight: 35,8 kg	1000020760			

Aid for load securing

Product description	Article no.
Ladder locking device side rail WxDxH: 77 x 35 x 84 mm Weight: 0.25 kg Set consisting of two corrosion-resistant brackets to prevent the ladder from shifting sidewards.	1000005400
TopSystem aluminium foldable ladder 3000 mm WxDxH: 1,570 x 350 x 125 mm Weight: 6.5 kg A 3 m long ladder is ideal for loading and unloading the roof rack on high vehicles and ensures safe climbing.	811016006
Holder of the telescopic ladder depth 4 WxDxH: 130 x 45 x 110 mm Weight: 0.5 kg Holder telescopic ladder for safe stowage and quick gripping of the telescopic combination ladder.	80779281
Ladder clamp VPE2 WxDxH: 55 x 482 x 115 mm Weight: 2.5 kg Ladder clamp for secure attachment of the ladder to the Sortimo TopSystem.	6000014968
Flex edge protection for lashing belts PU 4 WxDxH: 180 x 75 x 7 mm Weight: 0.24 kg The flexible plastic edge protection profile protects the load and prevents the lashing belts from slipping.	1000001870
Load stopper WxDxH: 130 x 116 x 150 mm Weight: 0.7 kg The load stopper secures the cargo as well as functioning as a transport tube for narrow tubes or bars.	1000005398
Side support cross member WxDxH: 79 x 66 x 149 mm Weight: 0.3 kg Side closure and end stop for load prevents load from falling down during loading and unloading	1000005397



Rear ladder lift

The rear ladder lift can bear a ladder weight of up to 51 kg. It lifts ladders conveniently onto the vehicle roof with the aid of pressure cylinders. There the lift locks audibly into the end position. The ladder is load secured when it is folded, therefore the height poses no problem. As a result the user does not have to climb onto the roof in order to secure the ladder.



Beacons

	Product description	Article no.
11100	Warning beacon plug base holder for side rails WxDxH: 110 x 35 x 100 mm Weight: 0.35 kg Warning beacon plug base holder for fixing the warning beacon onto the TopSystem side rail.	1000005392
4.4.0.0.	Warning beacon plug base holder for cross members WxDxH: 110 x 66 x 100 mm Weight: 0.4 kg Warning beacon plug base holder for fixing the warning beacon to the cross member.	1000005393
	LED beacon yellow ,10-30 V plug socket WxDxH: 155 x 155 x 235 mm Weight: 0.84 kg Long-life LED beacon yellow with magnetic base, height 152 mm and diameter 183 mm.	6000002370
	Warning beacon magnetic holder for cross members WxDxH: 200 x 200 x 55 mm Weight: 0.85 kg The warning beacon magnetic holder set secures beacons magnetically.	1000005394
	LED beacon yellow 10-30V magnetic socket WxDxH: 186 x 186 x 165 mm Weight: 1.39 kg Long-life LED beacon yellow on a magnetic base, height 152 mm and diameter 183 mm.	6000002371



Ladder side lift



- Advantages at a glance:
- time-saving and ergonomic loading and unloading of ladders
- space-saving, side access to the ladder, no space required at the rear of the vehicle
- reliably prevents errors when securing ladders
- easily convertible to a different ladder size





easy operation, system locks and secures the ladder automatically



fully rubberised surfaces in the limit stop area for the ladder



suitable for 1-, 2-, or 3-stage ladders; max. ladder length up to 1.5 times the length of the cross member spacing of the TopSystem; the cross member spacing can be varied from 1380 to 3000 mm up to 35 kg load

- flexible and simple assembly
- can be mounted on both sides
- weatherproof

Videos about the side ladder lift

- net weight of only 20 kg
- suitable for vehicles that have
 a height of 2.0 m (e.g. MB Vito H1 and VW T6 H1)



















Rear door ladder

Loading and unloading roof racks is a time-consuming process in your everyday working life. Depending on the height of the vehicle, it may also be necessary to carry ladders for this purpose, which will take up valuable loading space. Dismantling the ladder and erecting it securely also takes precious time. Compromises are often made for the sake of speed when erecting the ladder securely and this can create dangerous situations. We offer a rear door ladder, as an extension to our accessories range for roof racks, to make these procedures safe and efficient. Apart from its lightweight construction, the main advantage of our ladder is the fact that it is assembled using clamps, and so can be removed leaving no trace on the vehicle. The aluminium cross beam and rungs, and the high-quality galvanised steel mounting parts, ensure the stability of the ladder coupled with a low inherent weight.

The advantages at a glance

- ease of use without leaving traces on the body of the vehicle
- load-bearing capacity of up to 120 kg
- corrosion-resistant by the use of high-quality materials
- secure purchase, thanks to the ergonomic shape of the cross beam profile
- ribbed rung surface for secure working











Rear door ladder

CITROËN

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Jumper 06	H2	Hinged door	Front-wheel drive	7.5 kg	1000019047
Jumper 06	НЗ	Hinged door	Front-wheel drive	8.4 kg	1000019048
Jumpy 16	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019051

FIAT

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Ducato 06	H2	Hinged door	Front-wheel drive	7.5 kg	1000019041
Ducato 06	НЗ	Hinged door	Front-wheel drive	8.4 kg	1000019042
Scudo 22	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000020249
Talento 16	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019083
Talento 16	Normal roof	Tailgate	Front-wheel drive	5.9 kg	1000019084

FORD

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Transit Custom 12	H1	Hinged door	Front-wheel drive	6.7 kg	1000019055
Transit 14	H2	Hinged door	Front-wheel drive	8.0 kg	1000019057
Transit 14	Н3	Hinged door	Front-wheel drive	8.9 kg	1000019058

IVECO

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Daily 14	H2	Hinged door	Rear-wheel drive	8.0 kg	1000019060

MAN

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
TGE 16	Normal roof	Hinged door	Front/Rear/Four-wheel drive	5.60 kg	1000019087
TGE 16	High roof	Hinged door	Front/Rear/Four-wheel drive	6.75 kg	1000019088

MERCEDES-BENZ

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Sprinter 18	Normal roof	Hinged door	Rear-wheel drive	6,8 kg	1000019065
Sprinter 18	Normal roof	Hinged door	Rear-wheel drive	6.4 kg	1000019066
Sprinter 18	High roof	Hinged door	Front-wheel drive	7.1 kg	1000019067
Sprinter 18	High roof	Hinged door	Rear-wheel drive	6.4 kg	1000019068
Vito 14	Normal roof	Tailgate	Rear-wheel drive	7.0 kg	1000019070
Vito 14	Normal roof	Hinged door	Rear-wheel drive	7.1 kg	1000019069

NISSAN

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
NV400 10 / Interstar 21	H2, H3	Hinged door	Front/Rear-wheel drive	6.3 kg	1000019076
NV300 16 / Primastar 21	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019081
NV300 16 / Primastar 21	Normal roof	Tailgate	Front-wheel drive	5.9 kg	1000019082

VAUXHALL

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Movano 10	H2, H3	Hinged door	Front/Rear-wheel drive	6.3 kg	1000019074
Movano 21	H2	Hinged door	Front-wheel drive	7.5 kg	1000020361
Movano 21	Н3	Hinged door	Front-wheel drive	8.4 kg	1000020362
Vivaro 14	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019079
Vivaro 14	Normal roof	Tailgate	Front-wheel drive	5.9 kg	1000019080
Vivaro 19	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019835

RENAULT

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Master	H2, H3	Hinged door	Front/Rear-wheel drive	6.3 kg	1000019072
Trafic	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019077
Trafic	Normal roof	Tailgate	Front-wheel drive	5.9 kg	1000019078



PEUGEOT

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Boxer 06	H2	Hinged door	Front-wheel drive	7.5 kg	1000019044
Boxer 06	Н3	Hinged door	Front-wheel drive	8.4 kg	1000019045
Expert 16	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019049

TOYOTA

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Proace	Normal roof	Hinged door	Front-wheel drive	5.9 kg	1000019053

VOLKSWAGEN

Model / model year	Roof shape	Rear door	Drive	Weight	Article no.
Crafter 16	Normal roof	Hinged door	Front/Rear/Four-wheel drive	5.60 kg	1000019085
Crafter 16	High roof	Hinged door	Front/Rear/Four-wheel drive	6 75 ka	1000019086







Online configurator for vehicle decals

mySortimo graphics



Simple to design without knowledge of graphics



Full cost control and available 24 hours a day



Durability as a result of the use of high-quality films



One-stop shopping – everything from a single supplier

mySortimo graphics – Online configurator for vehicle decals



Vehicle decals are a simple and very effective way of increasing the awareness of your company. Reach a large number of potential customers at a reasonable cost. Vehicle decals also represent a sensible addition to your other marketing activities and are a cost-effective sustainable alternative to newspaper advertising, posters and radio advertising. Decals last for many years if they are applied professionally. They mean that you can reach your target group over a long period without additional expenditure – especially if you are driving around in the region every day.

Your vehicle is your company's mobile business card and plays an important role in drawing your company to the attention of existing and potential customers and partners. Make the most of this potential for a professional presence and be noticed. Configure your personal vehicle decals right now, quickly and simply on the computer using the online configurator from *my*Sortimo graphics.

Effective marketing

Make an impression and get yourself noticed. A professional presence allows you to reach potential customers every day and increase your turnover.

Professional templates

Various templates to get you quickly started. Generate relevant designs quickly and simply without the need for specific knowledge of graphics.

Full cost control

You will have the current price in view during the design process and you decide yourself how extensive your decals need to be and how much you want to invest.

Everything from a single source

Benefit from the Sortimo complete service. Save time through reduced downtimes and head off to the next job with your personally branded vehicle.


















mySortimo graphics – Online configurator for vehicle decals




The quickest and simplest way to design your personal vehicle decals.


You want to use your vehicle as a mobile advertising surface and thus generate more awareness for your company, contact potential customers and achieve increased turnover. Professional vehicle decals are the ideal solution. However, historically the option for getting decals on a vehicle has been associated with lots of time and expense.

mySortimo graphics – the online configurator for vehicle decals by Sortimo – makes designing and ordering your individual advertising decals simpler than ever before.

Design your vehicle yourself in just a few steps whenever you want. *my*Sortimo graphics makes it possible in very little time using templates and vehicle-specific editing areas. Prolonged discussions with service providers are a thing of the past and you are completely independent of business hours as it is permanently available.







Vehicle decals entirely in accordance with your wishes

In the *my*Sortimo graphics online configurator, choose either the "quick & easy" or "individual & creative" design options.

In the "quick & easy" solution, simply enter your required advertising data and then choose the colour of the film. The text is automatically placed in the optimum position on the vehicle - you just need to place the order. If you would like to further customise the decal, you can add the finishing touches to your design using the many functions in the editor. The editor offers even more possibilities for an eye-catching vehicle design. Create your preferred personal decals, even without any knowledge of graphics, based on the various different templates and defined editing areas. Intuitive operating elements can be used to edit the text of the decals, shapes and your own graphics can be added, and the colour of the film can be changed. The all-round design can be achieved by simply changing the view from the passenger side to the driver's side and between the front view and the rear view, letting you design your vehicles to meet your precise requirements.

Compare the design of your decals with your planned budget. The total cost of the vehicle decals with film production and application to your vehicle is available to view at all times using the dynamic price indication in the online configurator.

The production of your vehicle decals uses only high-quality films from leading manufacturers with excellent adhesion and outstanding quality. The materials are UV-resistant and weatherproof. Durability is between 5 and 7 years, depending on the effects of weathering and care. The decals can, of course, be removed from the paint on your vehicle without leaving any residues.








Individually configurable foam inlays

mySortimo inlay







Easy planning of your inlays via online configurator



Custom-made for you even in the smallest quantities



Systematic organisation inside your containers

mySortimo inlay – Individually configurable foam inlays



With mySortimo inlay you can tidy your BOXXes, cases and drawers. This means that – in line with 5S work-place organisation – everything is in its place and is quickly at hand for you at all times. This reduces unproductive time spent searching for things and optimises your daily work routine.

The two-colour combination of blue base body and black top layer allows missing parts and tools to be quickly identified. This prevents the loss of expensive tools and saves you unnecessary replacement and other costs. Your tools are ideally protected from damage in the robust foam inlays.

Quality

- perfect fit for Sortimo BOXXes, cases and drawers from the Sortimo van racking system and the WorkMo
- sturdy, high-quality material
- easy to clean
- odourless

Benefits

- protects your tools from damage
- creates a perfect overview
- tools always ready to hand
- increases your productivity
- prevents loss and expensive replacement



mySortimo foam inlays	Dim. (WxDxH)	Artikel-Nr.
mySortimo Inlay TB 55mm	420 x 310 x 55 mm	6000012615
mySortimo Inlay KM320 60mm	420 x 313 x 60 mm	6000012616
mySortimo Inlay KM330 95mm	420 x 313 x 95 mm	6000012617
mySortimo Inlay LB102 G4 40mm	420 x 317 x 40 mm	6000012618
mySortimo Inlay LB102 G4 65mm	420 x 317 x 65 mm	6000012619
mySortimo Inlay LB136 G4 70mm	420 x 317 x 70 mm	6000012620
mySortimo Inlay LB136 G4 95mm	420 x 317 x 95 mm	6000012621
mySortimo Inlay SBL 24 40mm	415 x 315 x 40 mm	6000012755
mySortimo Inlay SBL 24 60mm	415 x 315 x 60 mm	6000012756
mySortimo Inlay SBL 25 40mm	415 x 415 x 40 mm	6000012757
mySortimo Inlay SBL 25 60mm	415 x 415 x 60 mm	6000012758

mySortimo foam inlays	Dim. (WxDxH)	Artikel-Nr.
mySortimo Inlay SBL 34 40mm	665 x 315 x 40 mm	6000012759
mySortimo Inlay SBL 34 60mm	665 x 315 x 60 mm	6000012760
mySortimo Inlay SBL 35 40mm	665 x 415 x 40 mm	6000012761
mySortimo Inlay SBL 35 60mm	665 x 415 x 60 mm	6000012762
mySortimo Inlay SBL 44 40mm	910 x 315 x 40 mm	6000012763
mySortimo Inlay SBL 44 60mm	910 x 315 x 60 mm	6000012764
mySortimo Inlay SBL 45 40mm	910 x 415 x 40 mm	6000012765
mySortimo Inlay SBL 45 60mm	910 x 415 x 60 mm	6000012766
mySortimo Inlay SR Schub 34 50mm	615 x 280 x 50 mm	6000012767
mySortimo Inlay SR Schub 44 50mm	865 x 280 x 50 mm	6000012768
mySortimo Inlay SR Schub 34 80mm	615 x 280 x 80 mm	6000014011
mySortimo Inlay SR Schub 34 110mm	615 x 280 x 110 mm	6000014012
mySortimo Inlay SR Schub 44 80mm	865 x 280 x 80 mm	6000014013
mySortimo Inlay SR Schub 44 110mm	865 x 280 x 110 mm	6000014014
mySortimo Inlay SR Schub 44 50mm	865 x 280 x 50 mm	6000012768
mySortimo Inlay LB102 40mm	400 x 310 x 40 mm	6000013647
mySortimo Inlay LB102 65mm	400 x 310 x 65 mm	6000013648
mySortimo Inlay LB136 70mm	400 x 310 x 70 mm	6000013649
mySortimo Inlay LB136 95mm	400 x 310 x 95 mm	6000013650
mySortimo Inlay SBL 24 GL4 40mm	415 x 315 x 40 mm	6000013651
mySortimo Inlay SBL 24 GL4 60mm	415 x 315 x 60 mm	6000013652
<i>my</i> Sortimo Inlay SBL 25 GL4 40mm	415 x 418 x 40 mm	6000013653
mySortimo Inlay SBL 25 GL4 60mm	415 x 418 x 60 mm	6000013654
mySortimo Inlay SBL 34 GL4 40mm	657 x 314 x 40 mm	6000013655
mySortimo Inlay SBL 34 GL4 60mm	657 x 314 x 60 mm	6000013657
mySortimo Inlay SBL 35 GL4 40mm	657 x 418 x 40 mm	6000013658
mySortimo Inlay SBL 35 GL4 60mm	657 x 418 x 60 mm	6000013659
mySortimo Inlay SBL 44 GL4 40mm	899 x 314 x 40 mm	6000013660
<i>my</i> Sortimo Inlay SBL 44 GL4 60mm	899 x 314 x 60 mm	6000013661
mySortimo Inlay SBL 45 GL4 40mm	899 x 418 x 40 mm	6000013662
mySortimo Inlay SBL 45 GL4 60mm	899 x 418 x 60 mm	6000013663
mySortimo Inlay i-BOXX 40mm	337 x 258 x 40 mm	6000014015
mySortimo Inlay i-BOXX 60mm	337 x 258 x 60 mm	6000014016
mySortimo Inlay XL-BOXX 110mm	583 x 360 x 110 mm	6000014073

mySortimo inlay – Individually configurable foam inlays



Bring your productivity to the next level! With *my*Sortimo inlay foam inlays, we offer you a 100% custom solution for enhancing your Sortimo BOXXes, cases and drawers from the Sortimo van racking system – adapted to your needs.

You can use the online configurator to create custom foam inlays with optimal fit in just a few steps. Simply enter the tools you have using a smartphone or digital camera and design the interior of your container using various alignment and positioning functions. Manage your foam inlays in your *my*Sortimo account, from where you can make adjustments or re-order inlays at any time.





The mySortimo inlay online configurator



- intuitive, custom design
- 24/7 available around the clock
- no software installation necessary
- full price transparency
- can be ordered directly online
- 100% perfect fit for Sortimo containers
- manage stored and ordered configurations
- fast delivery thanks to process optimisation

Five steps to your custom foam inlay:







Set in order and standardise

mySortimo labels



Keeps things tidy – custom labelling prevents duplicate inventory management



Quick access – improved clarity of contents thanks to Sortimo colour code



Save time – consistent labelling cuts down time to refill contents



Configurable – turnkey ordering with SR5 van racking

SR5 – *my*Sortimo labels



With mySortimo labels it is possible to gain an even greater added value in the standardisation and systematisation of the mobile working day. Following handover of a vehicle with van racking, there is often no time to label the rack components by hand. A carefully planned configuration combined with custom-fit labelling of the racking forms the basis for simplified and productive workplace organisation in our daily world of work. Thanks to mySortimo labels, this is done in the form of labelling that is custom-printed and applied to the desired components of the SR5 van racking and delivered at the same time, ready to use. Carrier clips allow labels to be rearranged quickly and at any time across all components of the SR5 van racking system.


With the integration of cutting-edge methods of workplace organisation to meet the 5S standard, such as the Sortimo colour code, mySortimo labels are helping to ensure even greater productivity and efficiency in the daily routine. The selection of

colour codes for the labels is a very easy way of organising work materials in a standardised manner so that they can be immediately identified by every employee thanks to visual colour coding. The use of colour codes indicates what the material belongs to, e.g. by type, purpose or persons. This code can be customised accordingly from a range of six colours.

Writing on the label then allows the specific contents to be subdivided further. Setting standards for labelling makes it considerably easier for staff to select the right materials from the stockroom and the van racking and to put them in their proper place in the vehicle. This is particularly helpful when vehicles are used by more than one person.


A further benefit is that sorting simplifies and speeds up the replenishment process. mySortimo labels ensure that materials that are about to run out or have already run out are noticed early on and can be reordered in good time.

Sortimo colour code





Five steps to your complete vehicle labelling:




ySortimo services

SR5 – *my*Sortimo labels .



For labelling the SR5 van racking as well as the BOXXes and cases, the labels are also available as a Print@Home solution outside the van racking configurator. The labels are available on pre-printed sheets in the six basic colours of the Sortimo colour codes and can be individually labelled from the comfort of your own home. PDF templates help you in this process. These can be downloaded free of charge from mySortimo.com/labels. In combination with the SR label clip, all components of the SR5 van racking system (SR-BOXXes, drawers and shelves) can be optimally labelled.






Labelling SR

For SR5 open shelves with border, SR5 drawers and BOXXes. You will need an SR label clip when using SR-BOXXes and SR5 components.


Product description	Article no.
Labels, assorted colours, for BOXXes/ cases/clips 12 pcs. (1 sheet)	6000011233
Labels, blue, for BOXXes/cases/ clips 12 pcs. (1 sheet)	6000011553
Labels, yellow, for BOXXes/cases/ clips 12 pcs. (1sheet)	6000011554
Labels, green, for BOXXes/cases/ clips 12 pcs. (1 sheet)	6000011555
Labels, light green, for BOXXes/ cases/clips 12 pcs. (1 sheet)	6000011556
Labels, orange, for BOXXes/ cases/clips 12 pcs. (1 sheet)	6000011557
Labels, red, for BOXXes/ cases/clips 12 pcs. (1 sheet)	6000011558



Labelling for insetboxes

For insetboxes and insetbox dividers.

Product description	Article no.
Labels for insetbox 30 pcs., assorted colours (1 sheet)	6000011232
Labels for insetbox 30 pcs., blue (1 sheet)	6000011547
Labels for insetbox 30 pcs., yellow (1 sheet)	6000011548
Labels for insetbox 30 pcs., green (1 sheet)	6000011549
Labels for insetbox 30 pcs., light green (1 sheet)	6000011550
Labels for insetbox 30 pcs., orange (1 sheet)	6000011551
Labels for insetbox 30 pcs., red (1 sheet)	6000011552



332 | mySortimo.com



Branch offices and partners

Sortimo in Germany



Sortimo International GmbH Head office

Dreilindenstraße 5 86441 Zusmarshausen Tel. 08291 850-0 E-mail: info@sortimo.de

Sortimo Branch Office Berlin

Paulsternstraße 13 13599 Berlin Tel. 030 2005370-0 E-mail: berlin@sortimo.de

Sortimo Branch Office Dresden

Hamburger Straße 14 01067 Dresden Tel. 0351 207362-0 E-mail: dresden@sortimo.de

Sortimo Branch Office

Düsseldorf

Bonner Straße 205 40589 Dusseldorf Tel. 0211 889206-0 E-mail: duesseldorf@sortimo.de

Sortimo Branch Office Frankfurt/Main

Waldstraße 74 63128 Dietzenbach Tel. 06074 91456-0 E-mail: frankfurt@sortimo.de

Sortimo Branch Office Hamburg

Ausschläger Allee 178 20539 Hamburg Tel. 040 571954-0 E-mail: hamburg@sortimo.de

Sortimo Branch Office München

Landshuter Straße 13 85716 Unterschleissheim Tel. +49 89 37004560 E-mail: muenchen@sortimo.de

Sortimo Branch Office Nürnberg

Benno-Strauß-Straße 37 90763 Fürth Tel. 0911 48035-35 E-mail: nuernberg@sortimo.de

Sortimo Branch Office Stuttgart

Nürtinger Straße 50 73257 Köngen Tel. 07024 9726-0 E-mail: stuttgart@sortimo.de

Sortimo Branch Office Zusmarshausen

Dreilindenstraße 5 86441 Zusmarshausen Tel. 08291 850-147 E-mail: zusmarshausen@sortimo.de

Sortimo Station Berlin

IFP GmbH Buckower Chaussee 85 12277 Berlin Tel. 030 72016005

E-mail: kontakt@sortimo-berlin.de

Sortimo Station Brilon

Bosch Car Service Herting Knippenbergstraße 7 59929 Brilon Tel. 02961 9724-0 E-mail: info@bs-herting.de

Sortimo Station Brüggen

Bartsch + Feikes GmbH Weihersfeld 18 41379 Brüggen Tel. 02163 9997-0 E-mail: info@bartsch-feikes.de

Sortimo Station Emsbüren

Fahrzeugbau Dülmer GmbH & Co. KG Pliniusstraße 2 48488 Emsbüren Tel. 05903 93551-0 E-mail: sortimo@fahrzeugbau-duelmer.de

Sortimo Station Essen

Heiko Dworak GmbH & Co. Verwaltungs KG Johanniskirchstraße 98 45329 Essen Tel. 0201 747008-1 E-mail: service@sortimo-essen.de

Sortimo Station Ettenheim SiTraFa GmbH & Co. KG

SiTraFa GmbH & Co. K Rudolf-Hell-Strasse 10 77955 Ettenheim Tel. 07822 78934-0 E-mail: info@sitrafa.de

Sortimo Station Fulda

Josef Leibold GmbH Philipp-Reis-Straße 19-21 36093 Künzell Tel. 0661 31019 E-mail: info@leibold-karosseriebau.de

Sortimo Station Gera

PFK Eickmeier GmbH & Co. KG Wiesenring 8 07554 Korbußen Tel. 036602 241-0 E-mail: pfk-eickmeier@t-online.de

Sortimo Station Gerstetten

Klaus Fries Amselweg 5 89547 Gerstetten Tel. 07323 3907 E-mail: sortimo-station-gerstetten@t-online.de

Sortimo Station Halle

Gruber Fahrzeugbau GmbH Geltestr. 3 06184 Kabelsketal OT Dölbau Tel. 034602 4364-0 E-mail: info@gruber-sortimo.de

Sortimo Station Hannover

HIG GmbH Molkereistraße 33 30826 Garbsen Tel. 05131 4829 930 E-mail: vertrieb@hig-hannover.de

Sortimo Station Heilbronn

Hartmut Stöckel Sägmühlstraße 45 74930 Ittlingen Tel. 07266 911555 E-mail: info@stoeckel-fahrzeugbau.de

Sortimo Station Koblenz

L & S GmbH & Co. KG Gebrüder-Pauken-Str. 10 56218 Mülheim-Kärlich Tel. 02630 95652-0 E-mail: info@sortimo-koblenz.de

Sortimo Station Magdeburg

Lohanser GmbH Geschwister-Scholl-Straße 147 39218 Schönebeck (Elbe) Tel. 03928 4102-76 E-mail: info@lohanser.de

Sortimo Station Mannheim

soflex GmbH Schildkrötstraße 29 68199 Mannheim Tel. 0621 84254-0 E-mail: contact@soflex-ma.de

Sortimo Station Marl

Gahlen GmbH Boschstraße 6 45770 Marl Tel. 02365 81911 E-mail: gahlen-sortimo@t-online.de

Sortimo Station Kaiserslautern/Mainz

soflex GmbH Am Sonnenhang 4 55288 Schornsheim Tel. 0631 3507545 E-mail: walz@soflex-ma.de

Sortimo Station Pforzheim

HS Fahrzeug- und Betriebseinrichtungen GmbH Hoheneichstraße 48 75217 Birkenfeld Tel. 07231 80019-0 E-mail: info@sspf.de

Sortimo Station Schweinfurt

Sortimo Station Schweinfurt e.K. Kreuzstraße 2 97532 Üchtelhausen Tel. 09720 1882 E-mail: info@sortimo-sw.de

Sortimo Station Schwerin

HGS Fahrzeug- und Betriebseinrichtungen GmbH Lindenweg 1 19075 Pampow/Schwerin Tel. 03865 829-0 E-mail: info@hgs-sortimo-schwerin.de

Sortimo Station Solingen

M. Becker Fahrzeugeinrichtungen Kyllmannweg 29 42699 Solingen Tel. 0212 320001 E-mail: info@sortimo-solingen.de

Sortimo Station Wetzlar

Auto-Schach GmbH & Co. KG Industriestraße 15-17 35582 Wetzlar-Dutenhofen Tel. 0641 97901-0 E-mail: info@auto-schach.de



Subsidiaries and importers

Sortimo worldwide

Australia

Berreny Pty Ltd Showroom: 13/4 Abbott Rd Seven Hills, Sydney, NSW, Australia, 2147 Tel. +612 88095811 Postal P.O. Box 1115, Baulkham Hills, NSW, Australia, 1755 Tel. 61(0)2 88095811 sales@sortimo.com.au sortimo.com.au

Austria

Sortimo GesmbH
Technologiezentrum Linz
Wiener Straße 131
Eingang A, 2. Stock
A – 4020 Linz
Tel. +43 732 90 82 20
Fax +43 732 90 82 20-21
office@sortimo.at
mySortimo.at

Belgium

Sortimo BELUX bvba Schaarbeeklei 491 B – 1800 Vilvoorde Tel. +32 2 3550370 Fax +32 2 3550371 info@sortimo.be mySortimo.be

Bulgaria

TRANSFORMA JSC 1151 Lozen Sofia Tel. +359 2 9929922 info@transforma.bg transforma.bg

Canada

TK Western 16445 – 130 Avenue, T5V 1K5 Edmonton, Alberta, Canada Tel. 780-447-9529 johny@sortimo.ca sortimo.ca

China (Hong Kong) Gala Gold Hong Kong Ltd.

Unit 1702, 17/F, Yuen Long Trading Centre, No. 33 Wang Yip Street West, NT – Hong Kong Tel. +852 3997 3912 +852 3590 8879 Fax +852 3543 5891 galagold@gmail. com sortimo.hk

Croatia

Sortis oprema d.o.o. M.Gupca 12 HR – 10434 Strmec Tel./Fax +385(0)1 33 85 775 sasa.hanic@ sortimo-oprema.hr

Cyprus

S. Houtris & Sons Ltd 6, Arch. Makarios III, Agglisides Larnaca 7571, Cyprus Tel. +357 24 811 216 info@houtris.com houtris.com

Czech Republic

TOP CENTRUM CZ s.r.o.
Rohovládova Bělá 91
CZ – 533 43 Rohovládova Bělá
Tel. +420 466 921292
Fax +420 466 921293
topcentrum@topcentrum.cz
sortimo.cz

Denmark

Sortimo A/S Greve Main 24 DK – 2670 Greve Tel. +45 43 5522 22 info@sortimo.dk mySortimo.dk

Egypt

AL-ARABIA 62 El Mehwar El Markazy St the extension of the region 6th Industrial – 6th of October Giza Governorate Tel. +2 01001035668 alarabia@ave-eg.com ave-eg.com

Estonia

ProVan OÜ Välja 3, Soinaste, Ülenurme vald, Tartumaa Tel. +372 526 5145 info@provan.ee provan.ee

Finland

Suomen Autokaluste Oy Konetie 8 FIN – 04300 Tuusula Tel. +358 440 551 447 info@sortimo.fi sortimo.fi

France

Sortimo by Gruau S.A.S. Aéropark – Bât C6 1, rue Jean Mermoz F – 95500 Gonesse Tel. +33 1 39874466 Fax +33 1 39875168 info@sortimo.fr

Great Britain

Sortimo International Ltd.
11–17 Ravenhurst Court
Birchwood, Warrington, Cheshire
GB – WA3 6PN
Tel. +44 1925 831636
Fax +44 1925 848232
vanrack1@sortimo.co.uk
mySortimo.co.uk

Greece

Stathis Transport Refrigeration
Dounas Theocharis & Co. S.A.
Sindos Industrial Area, Entrance B
P.O. Box 11 34
GR – 570 22 Thessaloniki
Tel. +30 231 0798300
Fax +30 231 0798370
contact@stathis.com.gr
stathis.com.gr

Hungary

Iceland

EW 1867 Hungária Kft. 2100 Gödöllő Déri Miksa utca 7 Tel. +36 70 578 0591 info@sortimo-jarmuberendezes.hu sortimo-jarmuberendezes.hu

RAFVER EHF Skeifan 3 E-F P.O. Box 84 33 ISL – 108 Reykjavik Tel. +35 4 5812333 Fax +35 4 5680215 rafver@rafver.is rafver.is

India

Hytek Marketing 503, Mariegold, Neco Garden Vimannagar, Pune 411014 Tel. +91 2040036057 229 sales@hytekmarketing.biz hytekmarketing.biz

Ireland

Sortimo Station Ireland Ltd. Cooltrain Ca Laois Republic of Ireland R32T6W7 Leinster Tel. +44 (0) 7810876363 sales@sortimo.ie

Israel

Sortline Ltd.
17 Zvi Bergman St.,
Industrial Zone Sgula
P.O. Box 46 22
IL – 4927974 Petach-Tikva
Tel. +972 3 9052117
Fax +972 3 9052110
info@sortline.co.il
sortline.co.il

Italy

Via dell'Artigianato, 72 37067 Valeggio sul Mincio (VR) Tel. +39 (0)45 2472462 Fax +39 (0)45 2066586 commerciale@titeurope.com sortimo.it

Japan

MURATEC – KDS CORPORATION
No. 3, Minamiochiai-cho
Kisshioin, Minami-Ku
JP – 601-8326 Kyoto
Tel. +81 75 681 2761
Fax +81 75 661 2764
workman@kdsjpn.co.jp
kdsjpn.co.jp

Lithuania

Hardman
Veiveriu Str. 61A
LT – 46360, Kaunas
Tel. +370 69904786
info@hardmantuning.com
hardman.lt

Luxembourg

Sortimo Belux bvba Schaarbeeklei 491 B – 1800 Vilvoorde Tel. +32 2 3550370 Fax +32 2 3550371 info@sortimo.be mySortimo.be

Malaysia

Boxology SDN. BHD. 42 Jalan PP5/16 Taman Putra Prima, Selangor 47130 Puchong Tel. +60 3 27123184 info@boxology.com.my boxology.com.my

Netherlands

Sortimo Nederland B.V. Grote Esch 902 NL – 2841 MJ Moordrecht Tel. +31 182 356060 klantenservice@sortimo.nl mySortimo.nl

New Zealand

Commercial Vehicles
Accessories Ltd (COVE)
100 Wiri Station Road,
Manukau, Auckland
0800268238 (within NZ)
Tel. +64211948079 (outside NZ)
info@mySortimo.nz
mySortimo.nz

Norway

Sortimo AS
Ulvenveien 92 A
N – 0581 Oslo
Tel. +47 22 729270
Fax +47 22 729272
firmapost@sortimo.no
mySortimo.no

Poland

MobilCar sp.z o.o. sp.k.
Dobrzeń 26
PL – 56-410 Dobroszyce
Tel. +48 71 3153532
Fax +48 71 3153519
sortimo@mobilcar.pl
mobilcar.pl

Portugal

Sortimo Ibérica
Ctra. M-106 km. 2
P.I. Garza 2 Nave 29
ES – 28110 Algete (Madrid)
Tel. +34 902448899
Fax +34 916289100
sortimo@sortimo.es
mySortimo.es

Romania

S.C. Total Idea SRL Str. Comisani nr. 18 Sector 4 RO – 042168 Bucuresti Tel. +4 0742 368 479 george.anghelus@totalidea.ro auto-scule.ro

Russia

Forward Service Ochakovskoe sh. 32 RU – 119530 Moscow Tel. +7 495 2294476 info@sortimo.ru sortimo.ru

Serbia

Sorti oprema d.o.o. Krajiska 21 SRB – 11080 Zemun Tel. +381 11 3076750 sortimo@giulicca.com sortimo.rs

Slovakia

TECHNIA, spol. s.r.o. Komárňanská cesta 72 SK – 940 01 Nové Zámky Tel. +421 35 6921111 Fax +421 35 6426443 technia@technia.sk sortimo.sk

Slovenia

Sortimosi d.o.o. Gerbiceva 57 SLO – 1000 Ljubljana Tel. +386 1 280 88 08 Fax +386 1 280 88 10 sortimo@sortimo.si sortimo.si

Spair

Sortimo Ibérica
Ctra. M-106 km. 2
P.I. Garza 2 Nave 29
ES – 28110 Algete (Madrid)
Tel. +34 902448899
Fax +34 916289100
sortimo@sortimo.es
mySortimo.es

South Korea

Rocky Co. Ltd. 4 BL-4 LT Namdong Industrial Complex 618-3 Namchon Dong Nandong-Gu KR – 405-846 Incheon Tel. +82 32 811 5500 Fax +82 32 813 6670 galantvr4@naver.com rocky.co.kr

Sweden

Sweden
Sortimo AB
Argongatan 9
SE – 431 53 Mölndal
Tel. +46 31 761 45 20
info@sortimo.se
mySortimo.se

Switzerland

Walter Rüegg AG Sortimo Zentrum Grabenackerstr. 1 CH – 8156 Oberhasli Tel. +41 44 8525060 Fax +41 44 8525070 info@sortimo.ch sortimo.ch

Taiwan

Deamark Limited No. 6, Lane 5, Lin Sen N. Rd. Taipei 100011, Taiwan R.O.C. Tel. +886 2 2393 1221 #832 evelin@deamark.com.tw deamark.com.tw

Turkey

Dorser Muhendislik AS Cumhuriyet Cd. 111 Sk. No:37 TR – Dilovası KOCAELI Tel. +532 311 4038 info@dorser.com dorser.com

UAE + Oman

STORETOGO
By YORK ENGINEERING
SOLUTIONS FZC
Office No LV 27- DHamriyah
Freezone, Phase 2, Sharjah
Tel. +971 508993781
sales@storetogo.ae
storetogo.ae


Ukraine

Maison LLC Teplovozna Str, 18 UA – 02081 Kiev Tel. +380 44 3653020 Fax +380 44 3653021 info@maison.com.ua maison.com.ua

USA

Sortimo of North America, Inc. 3055 Northwoods Cir NW Peachtree Corners US – GA 30071 Tel. +1 404 8126994 Fax +1 404 8129940 info@sortimo.us mySortimo.us

Pay us a visit online!



mySortimo.com provides 24-hour access to our entire product range.

We offer a wide range of services, information and offers for all your commercial vehicle needs. Use the convenient online ordering and configuration facility and buy exactly what you need online quickly and simply.

Any questions?

Our Sortimo Customer Service Centre will be glad to help you.

You can contact us at:

Tel.: +49 8291 850488 E-mail: export@sortimo.com mySortimo.com/contact





Legal notice

Responsible for the content

Sortimo International GmbH

HRB 10424 VAT ID DE127499573

Dreilindenstraße 5 86441 Zusmarshausen Germany

Phone: +49 8291 850-0 Fax: +49 8291 850-250 E-mail: export@sortimo.com

Management Board Reinhold Braun

Klaus Emler

Note

The content and layout of this catalogue are protected by copyright. The reproduction of information or data, especially the use of texts, parts of texts or pictures, requires the prior consent of Sortimo International GmbH or Sortimo Speedwave GmbH, unless explicitly marked otherwise.

General Terms and Conditions

Our General Terms and Conditions apply: mySortimo.com/terms-conditions

For more information

mySortimo.com

